


ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **BOBCAT**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	58	13	13	36,4	33	83	12	172	V	135TA1824
	A	64,8	15	13	13	18,5	68,7	13	155	V	135TA1930
	A	67,3	12	11,6	12	39	72	14	156		135TA1802
	A	81,5	13,5	13	13	38	74	14	157	V	128TA3715
	A	82,5	14	16	17	34	87,5	16	140	V	128TA3929
	A	83,5	12	12	12,4	33	63,8	12	148	V	128TA3794
	B		16,6		14,2	51,5	65	14	132		128TA3674
	B		21		16	35	69	13	154	V	135TA1915
	B		23,5		16	32	69	13	138	V	135TA2469



REF [135TA1824](#)



REF [135TA1930](#)



REF [135TA1802](#)



REF [128TA3715](#)



REF [128TA3929](#)



REF [128TA3794](#)



REF [128TA3674](#)



REF [135TA1915](#)



REF [135TA2469](#)




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com



ALTERNATORS

used for: **BOBCAT**



voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		24		16	30,5	70	12	138	V	136TA8348
	B		24,4		15,8	57	63	10	138	V	128TA3662
	B		51		11,2				166	V	128TA3848
	B		51		16,5				167	V	136TA3828
	B		51		16,5	34	57,5	10	168	V	135TA1694
	B		52		17	43,5	68	21,5	165	V	128TA3577
	B		56		10				144	V	128TA3601
	B		56		16,5				173	V	128TA3570
	B		56		56				156	V	135TA1874



