



TRACKS & UNDERCARRIAGE PARTS





used for DOOSAN

used for DOOSAN				
TRACK ROLLER	TOP ROLLER	SPROCKET	IDLER	TRACK
				
DOOSAN DH70				
REF 163TA9164	REF 163TA9165 (assembly)	REF 163TA9160	REF 163TA9168 (with bracket assembly)	
DOOSAN DX15				
REF 163TA9797 (standard and variable tracks)		REF 144TA1908 (number of teeth = 19) (number of holes = 9)	REF 163TA9261 (with bracket assembly)	REF 163TA9153 (rubber) (230 x 96 x 35)
DOOSAN DX18				
REF 163TA9797 (standard and variable tracks)		REF 144TA1908 (number of teeth = 19) (number of holes = 9)	REF 163TA9261 (with bracket assembly)	REF 163TA9153 (rubber) (230 x 96 x 35)
DOOSAN DX225LC (DI EXP)				
S/N: 05001 - 05427				
REF 164TA2095	REF 163TA9303 (assembly)	REF 164TA2075 (number of teeth = 21)		
S/N: 05001 - 05813				
		REF 164TA2075 (number of teeth = 21)	REF 164TA2124 (with bracket assembly)	
S/N: 05428 - 05432				
REF 164TA2097		REF 164TA2075 (number of teeth = 21)		
S/N: 05428 - and up				
	REF 164TA2116 (assembly)	REF 164TA2075 (number of teeth = 21)		
S/N: 05433 - and up				
REF 164TA2098				
S/N: 05814 - and up				
		REF 164TA2075 (number of teeth = 21)	REF 164TA2125 (with bracket assembly)	
DOOSAN DX225LC (DIEU EXP)				
S/N: 50001 - 50640				
REF 164TA2095	REF 163TA9303 (assembly)	REF 164TA2075 (number of teeth = 21)	REF 164TA2124 (with bracket assembly)	
S/N: 50641 - and up				
REF 164TA2096	REF 163TA9166 (assembly)	REF 164TA2075 (number of teeth = 21)	REF 164TA2124 (with bracket assembly)	
DOOSAN DX225LCA				
S/N: 05001 - 06978				
REF 164TA2098	REF 164TA2116 (assembly)		REF 164TA2125 (with bracket assembly)	
S/N: 05001 - and up				
REF 164TA2098			REF 164TA2125 (with bracket assembly)	
S/N: 06979 - and up				
	REF 164TA2117 (assembly)			
DOOSAN DX27Z				
S/N: 05001 - 05252				
REF 143TA8629	REF 143TA8911 (assembly) (Ø body = 70,00 mm)	REF 143TA9076	REF 143TA9335 (with bracket assembly)	REF 144TA1050 (rubber) (250 x 52,5 x 80)

TRACKS & UNDERCARRIAGE PARTS








used for DOOSAN

used for DOOSAN				
TRACK ROLLER	TOP ROLLER	SPROCKET	IDLER	TRACK
				
<i>S/N: 05001 - 05399</i>				
	REF 143TA8911 (assembly) (∅ body = 70,00 mm)	REF 143TA9076	REF 143TA9335 (with bracket assembly)	REF 144TA1051 (rubber) (300 x 52,5 x 80) REF 144TA1050 (rubber) (250 x 52,5 x 80)
<i>S/N: 05253 - and up</i>				
REF 163TA9162	REF 143TA8911 (assembly) (∅ body = 70,00 mm)	REF 143TA9076	REF 143TA9335 (with bracket assembly)	REF 144TA1050 (rubber) (250 x 52,5 x 80)
<i>S/N: 05400 - and up</i>				
	REF 143TA8911 (assembly) (∅ body = 70,00 mm)	REF 143TA9076	REF 143TA9335 (with bracket assembly)	REF 163TA9155 (rubber) (300 x 52,5 x 80) REF 144TA1050 (rubber) (250 x 52,5 x 80)
DOOSAN DX30Z				
<i>S/N: 05001 - 05108</i>				
REF 163TA9162	REF 143TA8911 (assembly) (∅ body = 70,00 mm)	REF 163TA9334	REF 163TA9167 (with bracket assembly)	REF 163TA9157 (rubber) (300 x 52,5 x 84)
<i>S/N: 05109 - and up</i>				
REF 163TA9162	REF 143TA8911 (assembly) (∅ body = 70,00 mm)	REF 163TA9334	REF 163TA9167 (with bracket assembly)	REF 163TA9455 (rubber) (300 x 52,5 x 84)
DOOSAN DX340LC				
<i>S/N: 05001 - 06206</i>				
REF 164TA2094	REF 163TA9304 (assembly)	REF 163TA9260		
<i>S/N: 05001 - 06316</i>				
REF 164TA2094		REF 163TA9260	REF 163TA9291 (with bracket assembly)	
<i>S/N: 06207 - 06397</i>				
REF 164TA2094	REF 164TA2114 (assembly)	REF 163TA9260		
<i>S/N: 06317 - and up</i>				
REF 164TA2094		REF 163TA9260	REF 163TA9809 (with bracket assembly)	
<i>S/N: 06398 - and up</i>				
REF 164TA2094	REF 164TA2115 (assembly)	REF 163TA9260		
DOOSAN DX340LCA				
REF 164TA2094	REF 164TA2114 (assembly)	REF 163TA9260	REF 163TA9809 (with bracket assembly)	
DOOSAN DX35Z				
<i>S/N: 05001 - 05519</i>				
REF 143TA8630 (∅ flange = 133,00 mm) (∅ body = 95,00 mm)	REF 143TA8912 (assembly) (∅ body = 79,00 mm)	REF 143TA9077	REF 143TA9336 (with bracket assembly)	REF 143TA9703 (rubber) (300 x 52,5 x 86)
<i>S/N: 05520 - and up</i>				
REF 143TA8630 (∅ flange = 133,00 mm) (∅ body = 95,00 mm)	REF 143TA8912 (assembly) (∅ body = 79,00 mm)	REF 143TA9077	REF 143TA9336 (with bracket assembly)	REF 163TA9778 (rubber) (300 x 52,5 x 86)






TRACKS & UNDERCARRIAGE PARTS



used for DOOSAN






used for DOOSAN				
TRACK ROLLER	TOP ROLLER	SPROCKET	IDLER	TRACK
				
DOOSAN DX55				
<i>S/N: 50001 - 50309</i>				
	REF 144TA7700 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)		REF 164TA2123 (with bracket assembly)	REF 163TA9777 (rubber) (400 x 72,5 x 74)
<i>S/N: 50001 - 50310</i>				
REF 144TA7787 (Ø flange = 140,00 mm) (Ø body = 110,00 mm)	REF 144TA7700 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)			REF 163TA9777 (rubber) (400 x 72,5 x 74)
<i>S/N: 50001 - 50313</i>				
	REF 144TA7700 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)	REF 144TA7624 (number of teeth = 19) (number of holes = 9)		REF 163TA9777 (rubber) (400 x 72,5 x 74)
<i>S/N: 50310 - and up</i>				
	REF 144TA7700 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)		REF 144TA7510 (with bracket assembly)	REF 163TA9777 (rubber) (400 x 72,5 x 74)
<i>S/N: 50311 - and up</i>				
REF 163TA9795	REF 144TA7700 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)			REF 163TA9777 (rubber) (400 x 72,5 x 74)
<i>S/N: 50314 - and up</i>				
	REF 144TA7700 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)	REF 144TA1800 (number of teeth = 19) (number of holes = 9)		REF 163TA9777 (rubber) (400 x 72,5 x 74)
DOOSAN DX60R				
<i>S/N: 50001 - 50286</i>				
REF 144TA7788 (for steel tracks) (Ø flange = 140,00 mm) (Ø body = 110,00 mm)	REF 144TA7701 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)		REF 144TA7511 (with bracket assembly)	
<i>S/N: 50001 - 50463</i>				
REF 143TA8579 (Ø flange = 128,00 mm) (Ø body = 94,00 mm)	REF 144TA7701 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)			
REF 144TA7788 (for steel tracks) (Ø flange = 140,00 mm) (Ø body = 110,00 mm)				
<i>S/N: 50001 - and up</i>				
REF 144TA7788 (for steel tracks) (Ø flange = 140,00 mm) (Ø body = 110,00 mm)	REF 144TA7701 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)	REF 144TA7626 (number of holes = 12)		REF 143TA9609 (rubber) (400 x 72,5 x 76)
<i>S/N: 50287 - 50463</i>				
REF 144TA7788 (for steel tracks) (Ø flange = 140,00 mm) (Ø body = 110,00 mm)	REF 144TA7701 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)		REF 163TA9805 (with bracket assembly)	



used for DOOSAN				
TRACK ROLLER	TOP ROLLER	SPROCKET	IDLER	TRACK
				
<i>S/N: 50464 - and up</i>				
REF 163TA9796	REF 144TA7701 (assembly) (Ø flange = 128,00 mm) (Ø body = 94,00 mm)		REF 163TA9806 (with bracket assembly)	
REF 144TA7788 (for steel tracks) (Ø flange = 140,00 mm) (Ø body = 110,00 mm)				
DOOSAN DX80R				
<i>S/N: 50001 - and up</i>				
REF 143TA8581	REF 163TA9801 (assembly)	REF 163TA9463	REF 163TA9169 (with bracket assembly)	REF 163TA9780 (rubber) (450 x 81 x 76)
DOOSAN SOLAR 75 V (DI EXP)				
<i>S/N: 01001 - 01148</i>				
REF 163TA9263				REF 143TA9696 (rubber) (450 x 81 x 74)
<i>S/N: 01001 - 01163</i>				
		REF 163TA9452	REF 163TA9443 (with bracket assembly) (for steel tracks)	REF 143TA9696 (rubber) (450 x 81 x 74)
<i>S/N: 01001 - and up</i>				
REF 163TA9262 (for steel tracks)	REF 163TA9257 (assembly) (Ø body = 100,00 mm)	REF 163TA9259 (for steel tracks) (number of teeth = 21) (number of holes = 12)	REF 163TA9169 (with bracket assembly)	REF 143TA9696 (rubber) (450 x 81 x 74)
<i>S/N: 01149 - 01163</i>				
REF 164TA2093				REF 143TA9696 (rubber) (450 x 81 x 74)
<i>S/N: 01164 - and up</i>				
REF 163TA9263		REF 163TA9463	REF 143TA9292 (with bracket assembly) (for steel tracks)	REF 143TA9696 (rubber) (450 x 81 x 74)
DOOSAN SOLAR 75 V (DIEU EXP)				
<i>S/N: 50001 - 50060</i>				
REF 164TA2093	REF 163TA9257 (assembly) (Ø body = 100,00 mm)	REF 163TA9452	REF 163TA9443 (with bracket assembly) (for steel tracks)	REF 143TA9696 (rubber) (450 x 81 x 74)
REF 163TA9262 (for steel tracks)		REF 163TA9259 (for steel tracks) (number of teeth = 21) (number of holes = 12)	REF 163TA9169 (with bracket assembly)	
<i>S/N: 50061 - and up</i>				
REF 163TA9799	REF 163TA9257 (assembly) (Ø body = 100,00 mm)	REF 163TA9463	REF 143TA9292 (with bracket assembly) (for steel tracks)	REF 143TA9696 (rubber) (450 x 81 x 74)
REF 163TA9262 (for steel tracks)		REF 163TA9259 (for steel tracks) (number of teeth = 21) (number of holes = 12)	REF 163TA9169 (with bracket assembly)	
DOOSAN SOLAR010				
<i>S/N: up to - 00315</i>				
REF 163TA9798		REF 163TA9789	REF 163TA9807 (with bracket assembly)	REF 163TA9781 (rubber) (180 x 72 x 37)



used for DOOSAN

used for DOOSAN				
TRACK ROLLER	TOP ROLLER	SPROCKET	IDLER	TRACK
				
<i>S/N: 00316 - and up</i>				
REF 163TA9798		REF 163TA9789	REF 163TA9807 (with bracket assembly)	REF 163TA9782 (rubber) (180 x 72 x 37)
DOOSAN SOLAR018VT				
<i>S/N: 30001 - 30997</i>				
REF 163TA9797		REF 144TA1908 (number of teeth = 19) (number of holes = 9)	REF 163TA9261 (with bracket assembly)	REF 163TA9153 (rubber) (230 x 96 x 35)
<i>S/N: 30998 - and up</i>				
REF 163TA9797		REF 144TA1908 (number of teeth = 19) (number of holes = 9)	REF 163TA9261 (with bracket assembly)	REF 163TA9156 (rubber) (230 x 96 x 35)