

Katalog



Farben und Zubehör



Über TVH I-VIII

- TVH Geschichte I
- Ersatzteile & Zubehör Abteilung II
- Kataloge IV
- Webshop & Online-Unterstützung V
- Elektronische Ersatzteile / Überholte Ersatzteile VI
- TVH-bay / Gebrauchte Anbaugeräte VII
- Geräte Abteilung VIII

Alphabetisches Productverzeichnis 9-26

- Englisch 9-10
- Niederländisch 11-12
- Französisch 13-14
- Deutsch 15-16
- Spanisch 17-18
- Portugiesisch 19-20
- Italienisch 21-22
- Polnisch 23-24
- Russisch 25-26

Wissenswertes 27-28

Farbe verwendet für 29-46

- Aichi 29
- Atlet 29
- AUSA 29
- Bauman 29
- Bobcat 29
- Bolzoni 29
- Boss 30
- BT 30
- Bulmor 30
- Caterpillar 30
- Cesab 30
- Clark 30
- Climax 30
- Crown 31
- Combilift 31
- Datsun 31
- Desta 31
- Dino Lift 31
- Doosan 32
- Ecolift 32
- EP forklift 32
- Eurolifter 32
- Fantuzzi 32
- Fenwick 33
- Fiat – OM-Pimespo 33
- Genie 33
- Grove 33
- Hako 34
- Halla – Hyundai 34

- Haulotte 34
- Hangcha 34
- Heli 35
- Hitachi 35
- Hubtex 35
- Hyster 35
- Icem 36
- Irion 36
- Iveco 36
- JCB 36
- JLG 36
- Jungheinrich 37
- Kalmar 37
- Komatsu 37
- Kinglift (Lifter/Pramac) 38
- Lafis 38
- Lansing 38
- Linde 38
- Manitou 38
- Merlo 39
- MIC 39
- Mitsubishi 39
- Nichiyu 40
- Nifty 40
- Nissan 40
- Nuova detas 40
- Nyk 40
- OMG 40
- Patria 41
- Pramac 41
- Prat 41
- Samsung 41
- Shinko 41
- Skyjack 41
- SmartSweep 41
- Smv konecranes 42
- Steinbock 42
- Still 42
- Sumitomo 42
- Svetruck 42
- TCM 43
- Terex 43
- Totallifter 43
- Toyota 44
- Unicarriers 44
- Upright 44
- BV Vestergaard 44
- Volvo 45
- Yale 45
- Yang-Yam 45
- Hitzebeständiges Aluminium Special 45
- Verschiedene Farben 46



Farben Zubehör..... 47-74

• Leerer Topf.....	47	• Microfaser Reinigungstuch gelb.....	59
• Abbeizer.....	47	• TotalSource Premium Handseife.....	59
• Schnelltrocknender synthetischer Verdüner.....	47	• Handreinigungstücher.....	59
• Härter.....	47	• Dreumex Handreinigungsgel.....	60
• Leerer Kanister.....	47	• Reinigungspapier.....	60
• Testbenzin.....	47	• Scheibenreiniger.....	61
• Leerer Topf.....	47	• Schleifklotz.....	61
• Anti-Silicon Additiv.....	47	• Schleifblätter für manuelles Polieren.....	61
• Reinigungsverdüner.....	48	• Schleifklotz.....	61
• Spraymaster.....	48	• Rolle Schmirgelpapier.....	61
• Dakota Shine Satz.....	48	• Schleifklotz.....	61
• Anti Steinschlag Spray für Spritzpistole.....	48	• Farbmischstab.....	62
• Wachs.....	49	• Schleifpapier.....	62
• Schutzspray.....	49	• Wandhalterung für 5 Rollen.....	62
• Etikettenlöser.....	49	• Schleifvlies.....	62
• Harter, widerstandsfähiger Dichtstoff.....	50	• Schleifschaum-Blätter.....	63
• Butyl.....	50	• Schleifvlies Rolle Mirlon.....	63
• Harter, widerstandsfähiger Dichtstoff.....	50	• Bürste.....	63
• Metallgefüllte Spachtelmasse.....	51	• Schleifscheibe.....	64
• Polyesterspachtel.....	51	• Scheibe für Schnellwechselsystem.....	64
• Spachtel.....	51	• Polierscheibe.....	64
• Klebeband.....	52	• Satz Streifen Radierer.....	65
• PE-beschichtetes Gewebeband: Ökonomisch.....	52	• Schleifiberscheiben.....	65
• Poly-beschichtetes Gewebeband.....	52	• Stützteller.....	65
• Abdeckband.....	52	• Schleifscheibe.....	66
• Abdeckfolie.....	53	• Stützteller.....	66
• Entfetter Jizer.....	53	• Winkelschleifer.....	66
• Quickleen.....	53	• Klett-Schleifscheiben.....	67
• TotalSource Teilereiniger.....	54	• Schleifscheibe.....	67
• Teilereinigungsgerät Typ M.....	54	• Stützteller.....	67
• Auffangwanne Typ WM.....	55	• Exzentrerschleifer.....	68
• Teilereinigungsgerät Typ F2-D.....	55	• Winkelschleifer.....	68
• Auffangwanne Typ WF.....	56	• Heißluftpistole.....	68
• Spezielle Reinigungsflüssigkeit.....	57	• Halbmaske mit kombinierten Filtern.....	69
• Spritzpistole.....	57	• Einwegoveralls.....	69
• Magnetischer Halter für Spritzmusterkarten.....	57	• Maske "Valuair".....	70
• Pinsel Halter.....	57	• Filter "Click-Fit".....	70
• Ablageschale.....	57	• Oberflächenbehandlungssystem.....	71
• Spritzpistole.....	57	• Arbeitsleuchte.....	71
• Halter für Spritzmusterkarten.....	57	• Farbmarkierer.....	72
• Farbroller.....	57	• Rohrmarkierungsstift.....	72
• Graphit Pistole.....	58	• Schlagstempel - Zahlen.....	73
• Druckluftpistole.....	58	• Typenschild Metall.....	73
• Silikonpresse.....	58	• Etiketten & Aufkleber Katalog.....	73
• Plastikflasche.....	58	• Schlagstempel - Buchstaben.....	73
• Überschuhe.....	58	• Schlosserhammer - Hickorystiel.....	73
• Spachtel.....	58	• Gripzangen.....	74
• Plastikflasche.....	58	• Gripzangen, lange Backen.....	74



PAINT USED FOR AICHI



Blue
Crawler machine
REF [136TA1249](#) – 2,5 l



Blue
Scissor lifts
REF [136TA1250](#) – 2,5 l



Grey
REF [136TA1251](#) – 2,5 l

PAINT USED FOR ATLET



Yellow
REF [107TA7282](#) – 2,5 l
REF [145TA1316](#) – 400 ml
(spray)



Yellow
1997
REF [122TA7465](#) – 2,5 l



Grey
1997
REF [122TA7466](#) – 2,5 l



Red
REF [122TA9101](#) – 2,5 l
REF [145TA1317](#) – 400 ml
(spray)

PAINT USED FOR AUSA



Orange
REF [141TA7734](#) – 2,5 l
REF [144TA9652](#) – 400 ml
(spray)




Grey
REF [141TA7735](#) – 2,5 l
REF [144TA9653](#) – 400 ml
(spray)

PAINT USED FOR BAUMAN




Yellow
REF [122TA9102](#) – 2,5 l
REF [145TA1318](#) – 400 ml
(spray)




Grey
REF [122TA9103](#) – 2,5 l

PAINT USED FOR BOBCAT



White
REF [144TA7283](#) – 2,5 l
REF [107TA7403](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)



Red
REF [107TA7285](#) – 2,5 l
REF [145TA1319](#) – 400 ml
(spray)

PAINT USED FOR BOLZONI



Grey
REF [107TA7286](#) – 2,5 l



Red
REF [122TA7458](#) – 2,5 l



PAINT AND ACCESSORIES


For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR BOSS



Yellow
REF [107TA7287](#) – 2,5 l
REF [145TA1320](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)

PAINT USED FOR BT



Red
REF [107TA7288](#) – 2,5 l
REF [105TA4648](#) – 400 ml
(spray)




Red/Orange
Since 2011
REF [144TA9625](#) – 2,5 l
REF [144TA9654](#) – 400 ml
(spray)

PAINT USED FOR BULMOR



Blue
REF [145TA1783](#) – 2,5 l



White
REF [145TA1784](#) – 2,5 l

PAINT USED FOR CATERPILLAR




Yellow
REF [107TA7290](#) – 2,5 l
REF [145TA1321](#) – 400 ml
(spray)




Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)

PAINT USED FOR CESAB



Green
REF [144TA9627](#) – 2,5 l




Grey
REF [144TA9626](#) – 2,5 l

PAINT USED FOR CLARK



Yellow/Green
Since 1985
REF [107TA7291](#) – 2,5 l
REF [107TA7292](#) – 400 ml
(spray)



Black (satin)
Since 1985
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)



White
REF [107TA7283](#) – 2,5 l
REF [144TA9288](#) – 400 ml
(spray)

PAINT USED FOR CLIMAX



Grey
REF [136TA1253](#) – 2,5 l
REF [145TA1322](#) – 400 ml
(spray)




Red
REF [145TA1791](#) – 2,5 l
REF [145TA1790](#) – 400 ml
(spray)

Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.



PAINT USED FOR CROWN



Beige
REF [107TA7293](#) – 2,5 l
REF [136TA2951](#) – 400 ml
(spray)



Grey
REF [107TA7294](#) – 2,5 l

PAINT USED FOR COMBILIFT



Yellow
REF [145TA1781](#) – 2,5 l




Grey
REF [145TA1782](#) – 2,5 l
REF [145TA2583](#) – 400 ml
(spray)

PAINT USED FOR DATSUN



Orange
REF [107TA7306](#) – 2,5 l




Beige
REF [107TA7307](#) – 2,5 l

PAINT USED FOR DESTA



Red
REF [107TA7308](#) – 2,5 l



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)

PAINT USED FOR DINO LIFT



White
REF [136TA1254](#) – 2,5 l



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR DOOSAN




Yellow
Since 1995
REF 107TA7298 – 2,5 l
REF 145TA1324 – 400 ml
(spray)



Yellow
Since 1998
REF 145TA1326 – 400 ml
(spray)



Yellow
Since 2000
REF 107TA7301 – 2,5 l
REF 107TA7302 – 400 ml
(spray)



Grey (dark)
Since 2005
REF 123TA5550 – 2,5 l
REF 144TA9655 – 400 ml
(spray)



Black (satin)
Since 1995
REF 107TA7284 – 2,5 l
REF 107TA9659 – 400 ml
(spray)




Red
Reachtruck 1998
REF 107TA7303 – 2,5 l



Orange
REF 136TA1255 – 2,5 l
REF 136TA2960 – 400 ml
(spray)

PAINT USED FOR ECOLIFT



Yellow
REF 144TA9290 – 2,5 l
REF 145TA1323 – 400 ml
(spray)

PAINT USED FOR EP FORKLIFT



Red
REF 145TA2593 – 2,5 l



Yellow
REF 145TA2594 – 2,5 l

PAINT USED FOR EUROLIFTER




Orange
REF 107TA7309 – 2,5 l
REF 145TA1329 – 400 ml
(spray)

PAINT USED FOR FANTUZZI



Red
REF 107TA7358 – 2,5 l
REF 145TA1327 – 400 ml
(spray)



White
REF 136TA1279 – 2,5 l
REF 145TA1328 – 400 ml
(spray)

Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.



PAINT USED FOR FENWICK



Yellow
REF [107TA7310](#) – 2,5 l
REF [145TA1330](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)




Red
REF [105TA4862](#) – 2,5 l
REF [105TA4649](#) – 400 ml
(spray)



Grey
REF [107TA7312](#) – 2,5 l


PAINT USED FOR FIAT-OM – PIMESPO



Beige (light)
REF [123TA1989](#) – 2,5 l



Grey (dark)
REF [107TA7314](#) – 2,5 l



Grey (light)
REF [107TA7313](#) – 2,5 l



Grey
REF [107TA7312](#) – 2,5 l
REF [107TA7341](#) – 400 ml
(spray)



Yellow
REF [107TA7332](#) – 2,5 l
REF [145TA1331](#) – 400 ml
(spray)

PAINT USED FOR GENIE



Blue
REF [107TA7315](#) – 2,5 l
REF [128TA3430](#) – 400 ml
(spray)



Grey
REF [107TA7316](#) – 2,5 l
REF [128TA3431](#) – 400 ml
(spray)

PAINT USED FOR GROVE



Yellow
REF [136TA1257](#) – 2,5 l



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR HAKO



Red
REF [144TA9628](#) – 2,5 l
REF [145TA1775](#) – 400 ml (spray)




Grey
REF [144TA9629](#) – 2,5 l
REF [145TA1824](#) – 400 ml (spray)




Grey
REF [144TA9630](#) – 2,5 l



White alu
REF [144TA9631](#) – 2,5 l
REF [145TA1825](#) – 400 ml (spray)



Black
REF [144TA9632](#) – 2,5 l



White
REF [144TA9633](#) – 2,5 l
REF [144TA9656](#) – 400 ml (spray)

PAINT USED FOR HALLA – HYUNDAI



Yellow
Since 1995
REF [107TA7317](#) – 2,5 l



Grey
Since 1999
REF [107TA7318](#) – 2,5 l




Orange
Since 1999
REF [107TA7320](#) – 2,5 l

PAINT USED FOR HAULOTTE



Yellow
REF [122TA8932](#) – 2,5 l
REF [145TA1331](#) – 400 ml (spray)



White
REF [136TA2993](#) – 2,5 l
REF [136TA1258](#) – 400 ml (spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [136TA1260](#) – 400 ml (spray)



Red
REF [136TA2994](#) – 2,5 l
REF [136TA1261](#) – 400 ml (spray)



Grey Counterweight
REF [136TA2995](#) – 2,5 l
REF [136TA1262](#) – 400 ml (spray)



Grey Frame
REF [136TA1253](#) – 2,5 l
REF [136TA1263](#) – 400 ml (spray)

PAINT USED FOR HANGCHA



Red
REF [144TA9634](#) – 2,5 l



Yellow
REF [140TA8262](#) – 2,5 l

Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.



PAINT USED FOR HELI



Orange
Used in H2000 Series
REF 144TA9635 – 2,5 l
REF 145TA1773 – 400 ml
(spray)



Grey
Used in H2000 Series
REF 144TA9636 – 2,5 l



Red
Used in Green Series
REF 145TA1771 – 2,5 l
REF 145TA1772 – 400 ml
(spray)



Blue
Used in Green Series
REF 145TA1774 – 2,5 l
REF 145TA2584 – 400 ml
(spray)

PAINT USED FOR HITACHI



Orange
REF 136TA1264 – 2,5 l

PAINT USED FOR HUBTEX



Yellow
REF 145TA1786 – 2,5 l
REF 145TA2585 – 400 ml
(spray)



Light grey
REF 145TA1788 – 2,5 l



Dark grey
REF 145TA1789 – 2,5 l
REF 145TA2586 – 400 ml
(spray)



Dark grey
REF 107TA7312 – 2,5 l

PAINT USED FOR HYSTER



Yellow
Before 1993
REF 107TA7321 – 2,5 l
REF 111TA4071 – 400 ml
(spray)



Yellow
Since 1993
REF 107TA7322 – 2,5 l
REF 111TA4072 – 400 ml
(spray)



Black (satin)
REF 107TA7284 – 2,5 l
REF 107TA9659 – 400 ml
(spray)



Red
REF 107TA7285 – 2,5 l
REF 111TA4073 – 400 ml
(spray)



Yellow
2004
Challenger
REF 122TA7467 – 2,5 l



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR ICEM



Yellow
Since 1998
REF [107TA7323](#) – 2,5 l
REF [145TA1332](#) – 400 ml
(spray)



Red
Since 1998
REF [107TA7324](#) – 2,5 l



Yellow
Since 2002
REF [107TA7310](#) – 2,5 l
REF [145TA1333](#) – 400 ml
(spray)



Green
Since 2002
REF [111TA4074](#) – 2,5 l


PAINT USED FOR IRION



Red
REF [122TA7471](#) – 2,5 l
REF [145TA1334](#) – 400 ml
(spray)



Grey (dark)
REF [122TA7472](#) – 2,5 l



Grey (light)
REF [122TA7473](#) – 2,5 l
REF [145TA1335](#) – 400 ml
(spray)

PAINT USED FOR IVECO



Yellow
REF [136TA1265](#) – 2,5 l
REF [145TA2587](#) – 400 ml
(spray)

PAINT USED FOR JCB



Yellow
Brillant
REF [141TA7736](#) – 2,5 l

PAINT USED FOR JLG



Orange
REF [107TA7325](#) – 2,5 l
REF [126TA5945](#) – 400 ml
(spray)



Beige
REF [107TA7326](#) – 2,5 l
REF [126TA5946](#) – 400 ml
(spray)



Grey
REF [144TA9456](#) – 2,5 l
REF [144TA9657](#) – 400 ml
(spray)

Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.



PAINT USED FOR JUNGHEINRICH




Yellow
REF [107TA7287](#) – 2,5 l
REF [107TA7327](#) – 400 ml
(spray)



Yellow
REF [136TA1282](#) – 2,5 l



Yellow
Reachtruck
REF [136TA1285](#) – 2,5 l




Grey
REF [122TA7463](#) – 2,5 l



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)

PAINT USED FOR KALMAR




Beige
REF [107TA7328](#) – 2,5 l



Red
REF [107TA7329](#) – 2,5 l


PAINT USED FOR KOMATSU




Blue
Since 1988
REF [107TA7333](#) – 2,5 l
REF [136TA2963](#) – 400 ml
(spray)



Blue
1997
REF [107TA7334](#) – 2,5 l
REF [136TA2964](#) – 400 ml
(spray)




Grey
Since 1988
REF [107TA7335](#) – 2,5 l




Yellow
Before 1988
REF [107TA7336](#) – 2,5 l



Citron yellow
Before 1997
REF [107TA7337](#) – 2,5 l



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)



Turquoise
REF [107TA7338](#) – 2,5 l
REF [136TA2965](#) – 400 ml
(spray)



Yellow
2001 – Leo / Leo-plus
REF [111TA4075](#) – 2,5 l
REF [136TA2967](#) – 400 ml
(spray)



Yellow
2001
Leo-NXT / Leo-NXT-V
REF [136TA1267](#) – 2,5 l



Grey
REF [136TA1268](#) – 2,5 l



Purple
REF [136TA1269](#) – 2,5 l



Grey (matt)
Leo-NXT / Leo-NXT-V
REF [136TA1270](#) – 2,5 l



Green
REF [136TA1284](#) – 2,5 l



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR KINGLIFT (LIFTER/PRAMAC)



Yellow
REF [107TA7332](#) – 2,5 l
REF [145TA1336](#) – 400 ml
(spray)



Green
REF [107TA7331](#) – 2,5 l

PAINT USED FOR LAFIS




Red
REF [122TA7469](#) – 2,5 l
REF [145TA1337](#) – 400 ml
(spray)



Grey (matt)
REF [136TA1271](#) – 2,5 l

PAINT USED FOR LANSING



Grey
REF [107TA7312](#) – 2,5 l
REF [144TA9457](#) – 400 ml
(spray)



Red/Orange
REF [105TA4862](#) – 2,5 l
REF [145TA1338](#) – 400 ml
(spray)

PAINT USED FOR LINDE




Grey
Before 1979
REF [107TA7339](#) – 2,5 l



Red
Before 1979
REF [107TA7285](#) – 2,5 l
REF [145TA1340](#) – 400 ml
(spray)




Red/Orange
Since 1979
REF [105TA4862](#) – 2,5 l
REF [107TA7342](#) – 400 ml
(spray)




Black/Grey
Since 1979
REF [107TA7312](#) – 2,5 l
REF [144TA9551](#) – 400 ml
(spray)

PAINT USED FOR MANITOU



Beige
REF [107TA7344](#) – 2,5 l
REF [136TA2968](#) – 400 ml
(spray)




Brown
Since 1998
REF [107TA7345](#) – 2,5 l
REF [136TA2969](#) – 400 ml
(spray)




Red
REF [107TA7329](#) – 2,5 l
REF [136TA2962](#) – 400 ml
(spray)



Brown
Mani scopic
REF [111TA4076](#) – 2,5 l



Grey (metallic)
REF [136TA1272](#) – 2,5 l
REF [136TA2970](#) – 400 ml
(spray)



Yellow
REF [144TA9621](#) – 2,5 l
REF [145TA1339](#) – 400 ml
(spray)

Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.



PAINT USED FOR MERLO



Green
REF [136TA1297](#) – 2,5 l

PAINT USED FOR MIC




Orange
Since 1998
REF [107TA7346](#) – 2,5 l



Grey
Since 1998
REF [107TA7347](#) – 2,5 l



Yellow
REF [107TA7310](#) – 2,5 l
REF [145TA1341](#) – 400 ml (spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml (spray)

PAINT USED FOR MITSUBISHI




Yellow
Up to 1985
REF [107TA7336](#) – 2,5 l



Black (satin)
Before 1985
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml (spray)



Yellow/Green
1985-1990
REF [107TA7348](#) – 2,5 l




Brown
1985-1990
REF [107TA7349](#) – 2,5 l
REF [145TA1558](#) – 400 ml (spray)




Green
1990 – CAP series + K series
REF [107TA7350](#) – 2,5 l
REF [136TA2971](#) – 400 ml (spray)




Grey
Since 2003
Grendia series
REF [144TA9638](#) – 2,5 l




Beige
Before 1997
Engine-hood
REF [107TA7351](#) – 2,5 l



Purple
Since 1997
Engine-hood
REF [107TA7352](#) – 2,5 l



Yellow
1998
REF [111TA4077](#) – 2,5 l
REF [145TA1342](#) – 400 ml (spray)



Green
Since 2003
Grendia series
REF [136TA1273](#) – 2,5 l



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR NICHYU



Grey
REF [107TA7353](#) – 2,5 l



Pink
REF [107TA7354](#) – 2,5 l

PAINT USED FOR NIFTY



Green
REF [122TA8931](#) – 2,5 l

PAINT USED FOR NISSAN




Grey
Since 1993
REF [107TA7304](#) – 2,5 l




Pink
Since 1993 – JO1/JO2
REF [107TA7305](#) – 2,5 l




Orange
F01/F02/H01/H02/D01/
D02/N01
(Old M01/M02)
REF [107TA7306](#) – 2,5 l



Beige
F01/F02/H01/H02/D01/
D02/N01
(Old M01/M02)
REF [107TA7307](#) – 2,5 l



Grey
Since 2001
REF [111TA4078](#) – 2,5 l



Grey (metallic)
L01/L02/1F1/1F2
REF [122TA7474](#) – 2,5 l
NO1 (NEW)
REF [145TA1343](#) – 400 ml
(spray)

PAINT USED FOR NUOVA DETAS



Yellow
REF [138TA7510](#) – 2,5 l
REF [145TA2588](#) – 400 ml
(spray)



Grey
REF [145TA1776](#) – 2,5 l
REF [145TA2589](#) – 400 ml
(spray)




Black
REF [140TA2194](#) – 2,5 l

PAINT USED FOR NYK



Red
Since 1988
REF [107TA7324](#) – 2,5 l



Grey
Since 1988
REF [107TA7355](#) – 2,5 l
REF [145TA1344](#) – 400 ml
(spray)

PAINT USED FOR OMG




Orange
REF [107TA7356](#) – 2,5 l
REF [144TA9658](#) – 400 ml
(spray)

Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.



PAINT USED FOR PATRIA




Green
REF [107TA7357](#) – 2,5 l



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)

PAINT USED FOR PRAMAC



Green
REF [123TA5551](#) – 2,5 l
REF [136TA2974](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)

PAINT USED FOR PRAT



Red
REF [107TA7358](#) – 2,5 l

PAINT USED FOR SAMSUNG




Yellow
REF [107TA7359](#) – 2,5 l
REF [145TA1346](#) – 400 ml
(spray)




Brown
REF [107TA7360](#) – 2,5 l
REF [136TA1296](#) – 400 ml
(spray)

PAINT USED FOR SHINKO



Grey (light)
REF [107TA7364](#) – 2,5 l



Green
REF [107TA7365](#) – 2,5 l
REF [145TA1345](#) – 400 ml
(spray)




White
REF [107TA7307](#) – 2,5 l

PAINT USED FOR SKYJACK



Orange / Red
REF [145TA1777](#) – 2,5 l

PAINT USED FOR SMARTSWEEP



Yellow
REF [136TA1274](#) – 2,5 l



Grey
REF [136TA1275](#) – 2,5 l



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR SMV KONECRANES



Grey (light)
REF [122TA7473](#) – 2,5 l
REF [145TA2590](#) – 400 ml
(spray)



Grey
REF [107TA7355](#) – 2,5 l
REF [145TA2591](#) – 400 ml
(spray)




Blue
REF [144TA9639](#) – 2,5 l

PAINT USED FOR STEINBOCK



Yellow
REF [107TA7287](#) – 2,5 l
REF [145TA1347](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)



Orange
REF [144TA9642](#) – 2,5 l

PAINT USED FOR STILL




Orange
REF [107TA7366](#) – 2,5 l
REF [116TA4428](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)



Grey
REF [111TA4079](#) – 2,5 l
REF [145TA1348](#) – 400 ml
(spray)




Silver metallic
REF [144TA9643](#) – 2,5 l
REF [145TA8546](#) – 400 ml
(spray)

PAINT USED FOR SUMITOMO



Turquoise
REF [107TA7367](#) – 2,5 l




Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)


PAINT USED FOR SVETRUCK



Red
REF [107TA7343](#) – 2,5 l
REF [145TA1349](#) – 400 ml
(spray)



White
REF [107TA7283](#) – 2,5 l
REF [145TA1350](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)


Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.




PAINT USED FOR TCM



Yellow
Before 1991
REF [107TA7368](#) – 2,5 l



Yellow
2004, Inoma Series
FB-7/FTB-7/FRB-8/FD35-50T2/FD60-100-2
REF [122TA9112](#) – 2,5 l
REF [136TA1277](#) – 400 ml (spray)




Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml (spray)



Red
REF [107TA7343](#) – 2,5 l
REF [145TA1351](#) – 400 ml (spray)




Yellow
Since 1991-1995
Alpha Series
REF [107TA9657](#) – 2,5 l



Grey
Since 1995
REF [107TA9658](#) – 2,5 l



White
Alpha series/J series/F(H) B-H5
REF [136TA1279](#) – 2,5 l
REF [145TA1352](#) – 400 ml (spray)



Black/grey
REF [107TA7312](#) – 2,5 l
REF [136TA1278](#) – 400 ml (spray)




Yellow
Since 1995, J series/
700 series/F(H)B-6/FDG35-50T9/FD60-100-9/FTB-E
REF [107TA7370](#) – 2,5 l
REF [136TA1276](#) – 400 ml (spray)



White aluminium
REF [122TA7475](#) – 2,5 l
REF [145TA1353](#) – 400 ml (spray)




Blue
REF [136TA1280](#) – 2,5 l



White
Inoma series
REF [144TA9644](#) – 2,5 l
REF [144TA9659](#) – 400 ml (spray)

PAINT USED FOR TEREX



Beige
REF [111TA4080](#) – 2,5 l



Grey
REF [111TA4081](#) – 2,5 l

PAINT USED FOR TOTALLIFTER



Yellow
REF [136TA1346](#) – 2,5 l
REF [145TA1792](#) – 400 ml (spray)



Green
REF [107TA7291](#) – 2,5 l
REF [145TA1826](#) – 400 ml (spray)



Black
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml (spray)



Red
REF [145TA1793](#) – 2,5 l
REF [145TA1794](#) – 400 ml (spray)



Orange
REF [145TA1795](#) – 2,5 l
REF [145TA1796](#) – 400 ml (spray)



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT

PAINT USED FOR TOYOTA



Yellow
Before 1980
REF [107TA7372](#) – 2,5 l



Orange
Serie 6, 7 & 8 Europe
REF [107TA7376](#) – 2,5 l
REF [136TA2976](#) – 400 ml (spray)



Black (satin)
Before 1980 – Serie 3 & 4
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml (spray)



Orange
Serie 3, 4 & 5
REF [107TA7374](#) – 2,5 l
REF [136TA2977](#) – 400 ml (spray)



Orange
Serie 7 Japan
REF [107TA7377](#) – 2,5 l



Blue
Serie 5
REF [107TA7373](#) – 2,5 l
REF [136TA2978](#) – 400 ml (spray)



Grey
Serie 7 & 8 Europe
REF [107TA7375](#) – 2,5 l
REF [145TA1556](#) – 400 ml (spray)



Blue
Serie 7 Japan
REF [107TA7378](#) – 2,5 l




Beige
Serie 7 Japan
REF [136TA1281](#) – 2,5 l



Blue
Serie 6 (engine hood)
REF [144TA9646](#) – 2,5 l

PAINT USED FOR UNICARRIERS



White
REF [144TA9647](#) – 2,5 l



Grey
REF [145TA8292](#) – 2,5 l



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml (spray)

PAINT USED FOR UPRIGHT



Blue
REF [122TA7468](#) – 2,5 l
REF [144TA9660](#) – 400 ml (spray)

PAINT USED FOR BV VESTERGAARD



Orange
REF [107TA7289](#) – 2,5 l

Experience teaches us that the depicted colours on the printed page can never be 100% lifelike.



PAINT USED FOR VOLVO




Yellow brilliant
REF [144TA9648](#) – 2,5 l


PAINT USED FOR YALE



Yellow
REF [107TA7381](#) – 2,5 l
REF [144TA9661](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)



White
REF [145TA1769](#) – 1 l


PAINT USED FOR YANG-YAM



Orange
REF [107TA7366](#) – 2,5 l
REF [145TA1557](#) – 400 ml
(spray)



Green
REF [107TA7384](#) – 2,5 l




Yellow
REF [107TA7385](#) – 2,5 l



Blue
REF [107TA7383](#) – 2,5 l


HEAT RESISTANT ALUMINIUM SPECIAL



Aluminium special
REF [107TA7395](#) – 2,5 l
REF [144TA9725](#) – 400 ml
(spray)



VARIOUS PAINTS



White
REF [107TA7283](#) – 2,5 l
REF [144TA9622](#) – 400 ml
(spray)



Blue
Traffic
REF [107TA7396](#) – 2,5 l
REF [136TA2997](#) – 400 ml
(spray)



Black (brilliant)
REF [107TA7311](#) – 2,5 l
REF [144TA9662](#) – 400 ml
(spray)



Black (satin)
REF [107TA7284](#) – 2,5 l
REF [107TA9659](#) – 400 ml
(spray)




Yellow
Safety
REF [107TA7402](#) – 2,5 l



Yellow
Hydrolift
REF [107TA7332](#) – 2,5 l



Khaki
Primer
REF [107TA7398](#) – 2,5 l



Structure
Primer
REF [107TA7400](#) – 2,5 l



Red brown
Primer
REF [107TA7401](#) – 2,5 l
REF [107TA8450](#) – 500 ml
(spray)



Yellow ochre - yellow
Primer
REF [107TA7399](#) – 2,5 l




Grey
Primer
REF [107TA7397](#) – 2,5 l
REF [141TA1418](#) – 500 ml
(spray)




Black
Heat-resistant
REF [144TA9650](#) – 2,5 l
REF [107TA1990](#) – 400 ml
(spray)



Varnish clear
REF [124TA2888](#) – 2,5 l
REF [107TA8452](#) – 400 ml
(spray)



Silver
REF [144TA9663](#) – 400 ml
(spray)



Zinc
Primer
REF [143TA6854](#) – 200 ml



EMPTY POT



REF [136TA1286](#)
250 ml

EMPTY POT



REF [144TA9651](#)
500 ml

EMPTY POT



REF [107TA7389](#)
1 l

EMPTY POT



REF [107TA7390](#)
2,5 l

HARDENER



REF [107TA7391](#)
500 ml

ANTI-SILICONE ADDITIVE



REF [111TA4027](#)
500 ml

PAINT REMOVER



REF [144TA9624](#)
5 l

EMPTY JERRYCAN



REF [136TA1287](#)
UN approval, stackable
5 l

CLEANING THINNER



REF [107TA8760](#)
Cellulose 5 l

FAST DRYING SYNTHETIC THINNER



REF [107TA7394](#)
5 l

WHITE-SPIRIT



REF [107TA7393](#)
5 l



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT ACCESSORIES

SPRAYMASTER



REF [107TA7405](#)

Keep your hands clean by using this specific tool

DAKOTA SHINE KIT

Let your machine shine again!

Easy to use: restore paint in 2 steps

REF [141TA3559](#)

- 1 x Dakota Prep (1 US gallon)*
- 2 x Dakota Shine (1 US gallon each)*
- Application pads
- Info

*1 US gallon: 3,785 l



STONE CHIP SPRAY FOR SPRAY-GUN



REF [107TA8451](#) – Stone chip spray white for spray-gun

REF [140TA9053](#) – Stone chip spray black for spray-gun

- For bottom and bodywork of your vehicle
- Sound-absorbing, works precautionary, weather-resistant
- 1 l

Spray-gun



REF [140TA9049](#)

The spray can't be used without the spray-gun

WAX



REF [141TA1397](#)

- Protection grease for hollow spaces
- 1 l

Spray-gun



REF [140TA9049](#)

The spray can't be used without the spray-gun



PROTECTION SPRAY



REF 141TA1419

- High-quality wax-based preservative to treat surfaces of treated and untreated metal
- 500 ml

LABEL REMOVER



REF 107TA8460

200 ml

REF 143TA6897

400 ml

- The ideal solution for removing self-adhesive paper labels from glass, metal, china, carton, wood ...
- Penetrates the label paper and dissolves the underlying adhesive

HARD RESILIENT SEALANT



REF 107TA8464

- Grey sealant with good adhesion to flat and threaded surfaces
- Hard and resilient, it resists oils, greases, fuels, antifreeze and water
- Forms a tough-elastic film
- High temperature resistance of 320 °C
- Sealing of surfaces and seams
- 500 ml



BUTYL

REF 143TA3525

- Service temperature range: -30 to 80 °C
- Density: 1,7 g/cm³
- Solids content: 100%
- Adhesion: low
- Processing temperature room temperature
- 1 kg

Terostat IX is a solvent-free, permanently plastic, self-adhesive sealant (kneading material) based on synthetic rubber. It serves as a good corrosion protection and can be painted with conventional paints based on oil and synthetic resins. The material exhibits very good water and aging resistance. Due to its tackiness the sealant adheres to most surfaces while they are clean and dry and shows excellent compatibility with a variety of substrates.

Application areas:

The unshaped kneading material Terostat IX is used in the manufacture of automobiles, railroad coaches and caravans, in the sheet metal processing and refrigerating equipment industry, as well as for construction purposes, such as sealing of openings with cable breakthroughs and sanitary installations.



Teroson

HARD RESILIENT SEALANT

REF 143TA3571

- Service temperature range: -30 to 120 °C
- Technology: 2K-epoxy
- Working life: 3 min
- Fixture time: 10 min
- Shear strength (GBMS): ≥ 6 N/mm²
- Compressive strength: 82,7 N/mm²
- ANSI/NSF Standard 61
- 114 g

Loctite 3463:

- Emergency sealing of leaks in pipes and tanks
- Smooths welds
- Repairs small cracks in castings

Sets in 10 minutes. Steel-filled kneadable stick. Adheres to damp surfaces and cures under water. Chemical- and corrosion-resistant. Can be drilled, filled and painted.



LOCTITE

METAL-FILLED COMPOUND

REF 143TA3576

- Service temperature range: -20 to 120 °C
- Technology: 2K-epoxy
- Mix ratio by volume/weight: 1:1/1:1
- Working life: 45 min
- Fixture time: 180 min
- Shear strength (GBMS): 20 N/mm²
- Compressive strength: 70 N/mm²
- 500 g tub kit

Loctite 3475:

Repair aluminium castings, cracked or worn aluminium parts and stripped aluminium threads.

A non-sagging, heavily reinforced, aluminium powder-filled 2K-epoxy. Easily mixed and moulded to form odd shapes if required. Cures to a non-rusting, aluminium-like finish.



LOCTITE



POLYESTER CAN



REF [107TA7388](#)

2 kg

FILLING KNIVES

Width	REF
20 mm	107TA7438
30 mm	107TA7437
40 mm	107TA7436
50 mm	107TA9421
60 mm	107TA7443
70 mm	107TA7442
80 mm	107TA7441
100 mm	107TA7440
120 mm	107TA7439



ADHESIVE TAPE

REF [143TA3577](#)

- Pressure resistance up to 4 bar (pipe leakage)
- The tape is easy to tear by hand
- For repairing, reinforcing, fixing, sealing and protecting
- 25 m x 50 mm

Teroson 5080 is a multi-purpose adhesive tape ideal for repairing, reinforcing, fixing, sealing and protecting parts. Suitable for most surfaces. The tape incorporates a 3-layer technology consisting of:

- a synthetic rubber adhesive layer
- an integrated fabric layer
- a waterproof layer of polyethylene, suitable for indoor and outdoor application



Teroson

LOCTITE



ECONOMY CLOTH TAPE: PE-LAMINATED

- REF [115TA6883](#) – 50 mm x 25 m, black
- REF [115TA6884](#) – 50 mm x 50 m, black
- REF [115TA6885](#) – 50 mm x 25 m, silver
- REF [115TA6886](#) – 50 mm x 50 m, silver

Applications:

- Universal linen duct tape
- Suitable for the temporary mounting of pipes, tubes, and for other temporary repairs
- Weather-resistant
- Tearable by hand
- Temperature resistance: 65 °C



POLYCLOTH REPAIR TAPE

- REF [115TA6887](#) – 50 mm x 25 m, black
- REF [115TA6888](#) – 50 mm x 50 m, black
- REF [115TA6889](#) – 50 mm x 25 m, silver
- REF [115TA6890](#) – 50 mm x 50 m, silver

Applications:

- Sealing and insulating applications
- Hole closure, repairing and masking
- Interior and exterior use, waterproof
- Packaging, holding and bundling
- Easily tearable
- Temperature resistance: 90 °C



Heavy-duty


MASKING TAPE

REF [107TA7412](#)

- Width: 25 mm
- Total length: 50 m

REF [107TA7413](#)

- Width: 50 mm
- Total length: 50 m



MASKING FOIL

REF [107TA7419](#)

- LDPE foil (masking foil)
- Dimensions: 1 x 1 m, 50 micron
- Weight roll: ± 50 kg





CLEANING AGENT JIZER

REF 142TA8244

25 l

- Soluble and biodegradable degreaser
- Versatile, liquid cleaner, developed for the removal of grease, oil, wet paint, ink, tar and asphalt
- Very economical when used in a closed flushing system, can absorb up to 5 times the own volume in dirt
- Price per piece, user-friendly
- Not suitable for use in a high-pressure cleaner

REF 142TA8245

4 x 5 l



QUICKLEEN

REF 143TA6899

500 ml

- Quickly dissolves grease, oil, lubricants, tar and adhesives
- Efficient wash-away of contaminants
- Quick dry non-chlorinated cleaner
- Fast evaporation to minimise downtime
- Ensures rapid turnaround
- Leaves no residue
- Stable, non-staining and non-corrosive to metals
- Safe on most plastics, coatings and rubbers (test prior to use)
- Aerosol is equipped with a 360° (upside-down) spray valve and extension tube for added convenience
- Aerosol is pressurised with non-flammable CO₂ propellant, giving an active product content of over 97%.



TOTALSOURCE PARTS CLEANER

REF 131TA5500 – 10 l

- Excellent replacement for solvent-based degreasers
- Prevents corrosion after degreasing
- Safely usable on all metals
- Good biodegradability





PARTS CLEANING DEVICE TYPE M



REF 145TA1818

Parts cleaning device (workbench height) with a very large work surface. Robust and sturdy industrial model, tested for the TÜV type examination. Ideally suited for the cleaning of large and heavy parts.

Advantages

- The device is operated with IBS special cleaning agents using the cold cleaning process. The cleaning agent does not have to be heated up saving you time and operating costs.
- Thanks to its robust and sturdy design, you are going to invest in a device with a long service life.
- IBS parts cleaning devices are combined with solvent drums to make up operation units in which the cleaning agent is circulated until its saturation. Thanks to the multiple application of the cleaning agent, you will protect the environment and save on operating costs as well.

Specifications

- Carrying capacity: 250 kg
- Size of trading unit: 200 l
- Working height: 870 mm
- Workspace: 1135 x 660 mm
- Power supply: 230 V 50 Hz
- Measurements: 1145 x 670 x 1050 mm



COLLECTING TRAY TYPE WM



REF 145TA1819

For the environmentally and safe storage of water-hazardous substances. Suitable for parts cleaning device type M (REF [145TA1818](#))

Specifications

- Collect basin: 200 l
- Measurements: 660 x 930 x 372 mm
- Plate thickness: 3 mm
- Weight: 46 kg





PARTS CLEANING DEVICE TYPE F2-D



REF 145TA1820

Mobile parts cleaning device (handcart design). Robust and sturdy industrial model. Ideally suited for the cleaning of medium-sized to heavy parts.

Advantages

- The device is operated with IBS special cleaning agents using the cold cleaning process. The cleaning agent does not have to be heated up saving you time and operating costs.
- Thanks to its robust and sturdy design, you are going to invest in a device with a long service life.
- IBS parts cleaning devices are combined with solvent drums to make up operation units in which the cleaning agent is circulated until its saturation. Thanks to the multiple application of the cleaning agent, you will protect the environment and save on operating costs as well.

Specifications

- Carrying capacity: 100 kg
- Size of trading unit: 50 l
- Working height: 920 mm
- Workspace: 790 x 490 mm
- Power supply: 230 V 50 Hz
- Measurements: 800 x 615 x 1120 mm
- Weight: 43 kg



COLLECTING TRAY TYPE WF



REF 145TA1823

For the environmentally and safe storage of water-hazardous substances. Suitable for parts cleaning device type F2-D (REF [145TA1820](#))

Specifications

- Collect basin: 55 l
- Measurements: 480 x 405 x 297 mm
- Plate thickness: 2 mm
- Weight: 13 kg





SPECIAL CLEANING LIQUID



Virtually odourless, skin friendly and extremely dearomatised hydrocarbon mixture suitable for use on most surfaces. Industrial cleaning agent with fast and uniform evaporation/drying for industrial use as solvent, degreasing and cold-cleaning agent for industrial parts cleaning and degreasing of surfaces.

NSF K1

- Cleaning efficiency – excellent for oil and grease contaminations
- Evaporation – fast and uniform
- Residues – residue-free after the degreasing
- Odour – nearly odourless (mild)
- pH value – aqueous extract neutral
- Metal corrosion – none, as there are no reactive sulphur compounds
- Freezing point – very low, $< -40^{\circ}\text{C}$
- Surface tension – low, ensures ideal run and flow characteristics
- Electrical conductivity – low, breakdown voltage $> 70\text{ kV/cm}$, dried up to 200 kV/cm

REF [145TA1821](#) – 50 l

REF [145TA1822](#) – 200 l





SPRAY GUN



REF [107TA7409](#)
Spray jet: 1,7 mm

SPRAY GUN



REF [107TA7406](#)
Spray jet: 1,8 mm

MAGNETIC SAMPLE SUPPORT



REF [144TA9623](#)
Magnetic holder + set of 250 metal sample cards

SAMPLE SUPPORT



REF [107TA7404](#)
Box of 250 carton samples with holder

PAINT BRUSH HOLDER



REF [136TA1291](#)
100 mm

PAINT ROLLER



REF [136TA1290](#)
Set of 2 pieces

TRAY



REF [136TA1292](#)

GRAPHITE GUN



REF [127TA3797](#)
With compressed air connection (6–10 bar)



PAINT AND ACCESSORIES

For all our latest catalogue updates and company info: www.tvh.com

PAINT ACCESSORIES

AIR GUN



REF [107TA7629](#)

AIR GUN




REF [107TA7630](#)
Long nose: 110 mm

AIR CAULKING TOOL



REF [143TA7506](#)
Silicone grease pump

FILLING KNIVES



REF [107TA7426](#)
Set of 4 knives

PLASTIC BOTTLE



REF [107TA7411](#)
Complete with squirter

PLASTIC BOTTLE



REF [107TA7410](#)
• Plastic bottle with brush (30 ml)
• 100 pieces/box

OVERSHOES



REF [107TA7415](#)
• Box of 1000 pieces
• Universal size

MICROFIBRE CLEANING TOWEL YELLOW



REF [145TA1811](#)
Dimensions: 380 x 380 mm



TOTALSOURCE PREMIUM QUALITY HAND SOAP



REF 139TA2787

- Liquid degreasing hand cleaner
- Skin-friendly: free of solvents and other substances harmful to the skin
- With fine micro-particles of vegetable origin with softening properties
- 3 l

REF 139TA2789 – Refill pack 3 l

REF 139TA3259 – Wall bracket with elbow lever

REF 142TA3234 – Dispenser

Only to be used with the TotalSource Premium Quality hand soap

TOTALSOURCE

HAND CLEANER WIPES



REF 139TA2788

- Fast and easy hand cleaning without water and soap
- Pleasantly scented
- Efficient against heavy greases, lubricants, sludge, fresh paints ...
- Scrubs tools, mechanical parts, whiteboards ...
- 90 orange wipes

REF 107TA8498 – Wall bracket

TOTALSOURCE

DREUMEX HAND CLEANSING GEL

Plus

Powerful citrus hand cleansing gel

REF 144TA8805 Pot 2,8 l

REF 144TA8806 Refill 3 l

(only to be used with automatic dispenser REF 144TA8811 or manual dispenser REF [144TA8812](#))



- Suitable for heavy contamination (tar, paint, glue and lacquer)
- Extremely powerful thanks to active citrus ingredients and skin-friendly micrograins
- Cleaning power ++++

DREUMEX



CLEANING PAPER

1 **REF 142TA8292**

- 2 orange rolls
- 2 layers
- 1000 sheets
- Dimensions: 260 x 300 mm



2 **REF 142TA8293**

- White sheets
- 2 layers
- 1000 sheets
- Dimensions : 260 x 300 mm



3 **REF 143TA7397**

- 2 blue rolls
- 2 layers
- Dimensions: 260 x 300 mm

REF 143TA7398

- 2 blue rolls
- 3 layers
- Dimensions: 260 x 300 mm



4 **REF 142TA8295**

- Wall-mounting dispenser
- Dimensions: 400 x 270 mm
- Max diameter of roll: 300 mm

5 **REF 142TA8296**

- Floor-mounting dispenser
- Dimensions: 700 x 480 x 770 mm
- Max diameter of roll: 300 mm

WINDOW CLEANER

REF 107TA8510 – 400 ml (spray)

REF 140TA9061 – 20 l

- Window cleaner: for cleaning windscreens, other windows and mirrors
- Removes exhaust film, grease and tobacco





SCOURER



REF 107TA7425

- Rubber scourer
- Dimensions: 100 x 70 x 5 mm

SANDING SHIM



REF 143TA3371

- With quick clamp
- Ergonomic


SCOURER



REF 107TA7424

- Scourer 2 colours
- Dimensions: 70 x 125 mm

SCOURER



REF 107TA7416

- Dimensions: 68 x 97 x 27 mm
- Scourers medium K60

EMERY PAPER ON A ROLL



Width: 50 mm
Length: 50 m

- REF 136TA1288** – grain 60
- REF 107TA7431** – grain 80
- REF 107TA7432** – grain 100
- REF 107TA7433** – grain 320

PAINT MIXER



REF 107TA7428

- Standard
- 500 pieces per box

REF 107TA7429

- Professional
- 200 pieces per box

SANDING PADS FOR MANUAL POLISHING

Characteristics "waterproof":

- Dimensions: 230 x 280 mm
- Better quality for all types of water-based sanding
- Grit: aluminium oxide (P80-220)/silicon carbide (P400-1000)
- Resin glue
- Base: latex types D (P80-120) and C (P220-1000)
- Suitable for sanding of synthetic materials, lacquer/varnish, stone

Characteristics "gold":

- Dimensions: 230 x 280 mm
- Grit: aluminium oxide
- Resin glue
- Base: latex types D (P80-120) and C (P220-1000).
- Suitable for sanding of hard wood, soft wood, synthetic materials, mastic



Grit size	Quantity	REF waterproof	Quantity	REF gold
P80	50	143TA3360	50	143TA3365
P120	50	143TA3361	50	143TA3366
P220	50	143TA3362	50	143TA3367
P400	50	143TA3363	50	143TA3368
P500			50	143TA3369
P1000	50	143TA3364		



ABRASIVE PAPER

Grit size	REF
P40	143TA3372
P60	143TA3373
P80	143TA3374
P100	143TA3375
P120	143TA3376
P150	143TA3377
P180	143TA3378
P220	143TA3379
P320	143TA3380
P400	143TA3381

- Width: 50 mm
- Length: 50 m



WALL BRACKET FOR 5 ROLLS



REF [143TA3382](#)

HANDPADS FOR MICRO-FINISH

- REF 107TA7434** – Grain: V fine
REF 136TA1294 – Grain: Ultra fine
- Dimensions: 152 x 229 mm
 - Aluminium oxide, silicone carbide
 - Fast and consistent finishing
 - Can be used wet or dry
 - Keying of factory primers/solid colours
 - Matt finishing of metallic lacquers



SANDING FOAM SHEETS

- REF 111TA4019**
- P180
 - Silicon carbide
 - Foam backing
 - Hand and machine sanding on stain, sealer, lacquer and composites

- REF 136TA1293**
- P400
 - Dimensions: 115 x 140 mm
 - Perfect for profile sanding





SANDING LINNEN MIRON

REF 143TA3370

Characteristics:

- Sanding band on linnen backing. The width of 150 mm is identical to that of most sanding pads and sanders
- Grit: aluminium oxide, phenol resin glue
- Suitable for sanding hard wood, soft wood, synthetic materials, lacquer/varnish, steel/metal, stainless steel
- Grit size: VF360
- Dimensions: 115 mm x 10 m
- 1 box



BRUSH

REF 107TA7617


- Diameter: 100 mm
- Medium
- 10 pieces per box



SANDING DISC

REF 145TA1814

- Diameter: 150 mm
- P 400





DISC TO QUICK CHANGE SYSTEM



REF 145TA1815
Diameter: 50 mm

POLISHING DISC



REF 145TA1816
• Diameter: 50 mm
• Grain: 2922

STRIP ERASER SET



REF 136TA1289
• Set of 3 pieces
• Diameter: 90 x 15 mm



SANDING FIBRE DISCS

REF 111TA4018 – P36

REF 140TA9104 – P60

REF 140TA9105 – P80


Diameter: 115 x 22 mm

Characteristics:

- High performance for stock removal
- Firm fibre backing
- Consistent cutting speed due to the high form retention
- Economical due to long life of product
- Low noise
- Aggressive cut due to special structure of the coated abrasive

Main application:

- For use on all popular types of angle grinder
- Rough and heavy-duty grinding
- Deburring and dressing castings
- Rust removal
- Dressing welded seams



PAD



Front



Back

REF 111TA4025

- Diameter: 115 mm – M14
- Pad for sanding fibre discs: REF [111TA4018](#), REF [140TA9104](#), REF [140TA9105](#)
- Fits on angle grinder REF 111TA4082

SANDING DISC

REF 111TA4020

- Diameter: 115 mm
- Grain: medium

Application:

- Deburring
- Cleaning welds
- Blending grind lines
- Preparation for other finishes





PAD



Front



Back

REF 111TA4021

- Diameter: 115 mm – M14
- Pads for REF 111TA4020 (see page 63)
- Fits on angle grinder: REF 145TA2582

ANGLE GRINDER

REF 145TA2582

- Rated power input: 1500 W
- No-load speed: 2800–11 500 rpm
- Power output: 820 W
- Grinding spindle thread: M14
- Disc diameter: 125 mm
- Wire cup brush, diameter: 75 mm
- Rubber sanding plate, diameter: 125 mm
- Length: 311 mm
- Height: 103 mm
- Weight: 2,4 kg

Original professional Bosch product



Advantages:

- Maximum performance and a high level of user protection
- Fast work progress due to powerful 1500 W motor with Constant Electronic
- Long lifetime due to motors with direct motor cooling, overload protection and long carbon brush lifetime
- Leading user protection due to kickback stop, restart protection, anti-rotation protective guard and vibration reduction
- Good handling due to slim housing with softgrip surface for a secure hold
- Large spindle lock button for easy and fast accessory changes
- 6-stage speed preselection for different materials
- Handle can be used on right or left

BOSCH

HOOK AND LOOP SANDING DISC

REF 111TA4024

- Aluminium oxide
- P280
- Diameter: 150 mm

Application:

- Keying and sanding off varnish and paint
- Sanding of solid wood and veneer
- Keying and fine sanding of primer and filler
- Sanding after wetting the wood surface
- Intermediate sanding of varnish on surfaces and curves





HOOK AND LOOP SANDING DISC

Zirconia/aluminium oxide

Application:

- Light deburring of mild and stainless steel
- Grinding of welding seams and joints
- Grinding agents in size coat extend lifetime
- Can be used instead of fibre discs
- May also be used on composite materials

REF [111TA4022](#)

- Diameter: 150 mm
- P60

REF [111TA4023](#)


- Diameter: 150 mm
- P120



SANDING DISC

REF [145TA1817](#)

- Dimensions: 150 mm
- P60



PAD

REF [111TA4026](#)

- Diameter: 150 mm
- Pad hard for REF [111TA4024](#), REF [111TA4022](#) and REF [111TA4023](#) (see page 65)
- Fits on orbital sander: REF [111TA4083](#) (see page 66)



Front



Back




ORBITAL SANDER

REF 111TA4083

- Pneumatic orbital sander
- Pad size: 150 mm

Technical specifications:

- Air consumption: 9 l/s
- Length: 170 mm
- Sound level: 79 dB(A)
- Speed: 12 000 r/min
- Weight: 900 g
- Suitable air hose: 10 mm (3/8")
- Air inlet thread: 1/4" BSP
- Output: 160 W
- Velcro pad: no hole version
- Spindle thread: 5/16" UNF
- Pad size: 150 mm
- Dia orbit: 5 mm



Atlas Copco

ANGLE GRINDER

Original Bosch product

REF 123TA7641

- Universal tool for forming and shrinking with hot air
- Working temperature: 100-600 °C
- Airflow rate: 350-550 l/min (2-stage control)
- Power input: 240 V – 2000 W
- Weight: 0,6 kg
- Also suitable for left-handers



BOSCH

HEAT GUN

REF 127TA9779

- Pos: 1240 l/min: 300 °C
- Pos: 2450 l/min: 500 °C
- Can be used with gun portrait placed on the worksheet



Beta
Beta Utensili S.p.A. Authorized Dealer



HALF MASK WITH COMBINED FILTERS

REF 143TA7046

Features & benefits:

Single and limited use respirator with dual cartridge system.

- Maintenance-free, easy to use, safe and hygienic
- Disposed of when filters are saturated: user-friendly – no maintenance

Areas of application:

- Laboratories, pharmaceutical industry
- Exposure to aerosols containing bacteria or viruses, handling powders, clean rooms
- Mechanical industry, automotive industry
- Painting, protection against dust in workshops
- Universal size
- White

Filter type:

- FFA2P2

Standard:

- EN 405



Honeywell

DISPOSABLE OVERALLS

REF 143TA6960 – M

REF 143TA6959 – L

REF 143TA6961 – XL

REF 143TA6962 – XXL

Breathable single use protective clothing designed to protect against particles contamination and chemical splashes

Feature:

- Antistatic and radioactive particles certified
- Silicone- & latex-free

Benefit:

Excellent ergonomics and fitting: a 3-piece hood, a special crotch design, an outside flap and a dual slider zipper

Ergonomics & comfort:

- Lightweight for even greater comfort
- Excellent breathability – as comfortable as a t-shirt
- Elasticated wrists and ankles
- 3-piece elasticated hood: for a better fit
- Tear-resistant crotch design
- Dual slider zip
- Antistatic

Applications:

- Industry
- Building and construction
- Chemical industries
- Energy or electricity
- General industry
- Industrial cleaning
- Logistics
- Maintenance
- Petro-chemical
- Services
- Utilities
- Water treatment

Product use:

- Mechanical works
- Maintenance on site
- Industrial cleaning

Life cycle:

To be discarded after use

Limitation of use:

- The user must wear this garment in association with other personal safety and safety equipment (shoes, gloves, glasses, masks ...)
- Do not use the overall: when the closing system is faulty, the seams open or any other defects appears

Standard:

- Cat III
- EN 1073-2
- EN 1149-5
- EN 13034
- EN 13982-1
- EN 340



Honeywell



VALUAIR MASK

REF 143TA7042

- Size: M
- Weight: 109 g

REF 143TA7043

- Size: L
- Weight: 113 g

Features & benefits:

- A lightweight, dual cartridge system with Click-fit connection, half-mask respirator developed to provide effective protection in today's bodyshop environments
- Moulded in a silicone free thermoplastic elastomer it has an exceptionally comfortable facial seal and low nose-piece for easy vision and features low breathing resistance

Standard:

- Cat III
- EN 140



Honeywell

FILTER "CLICK-FIT"

REF 143TA7044

Areas of application:

- Construction: sanding, plastering, sawing, painting
- Mechanical engineering, machining
- Painting: protection against dust in workshops
- Farming and horticulture: preparing spray mixtures, application of pesticides/herbicides

Standard:

- A2P3
- Used against toxic gases relevant for the A classification on the EN 141 standard, and for the particules filter, P3 following the EN 143 (high efficiency filter 99,95%).



Honeywell

FILTER "CLICK-FIT"

REF 143TA7045

Areas of application:

- Construction: sanding, plastering, sawing, painting
- Mechanical engineering, machining
- Painting: protection against dust in workshops
- Farming and horticulture: preparing spray mixtures, application of pesticides/herbicides

ABEK1P3

Used against toxic gases relevant for the ABEK classification on the EN 141 standard, and for the Particules filter, P3 following the EN 143 (high efficiency filter 99,95%).

Technical description:

- Housing: plastic
- Connection: "Click-fit"
- Protection: particles and/or gas/vapour
- Standards: EN 14387, EN 143



Honeywell



SURFACE TREATMENT SYSTEM

REF [143TA7505](#)

- Versatile tool for removal of underbody coating, paint, rust similar to blasting
- Removes decals in a cool and efficient way without heating up

Contents:

- Air tool
- 4 bristle belts (broad + slim black, slim green, slim ochre)
- 1 broad lamellae eraser, 11 and 23 mm belt wheel adapters



RC RODCRAFT

WORKLAMP

REF [107TA7550](#)

- 495 x 110 x 285 mm
- 5 m rubber cable
- Shock-resistant
- 230 V 50 Hz
- 72 W (2 x 36 W TC-L) = 300 W light output
- IP54 splashproof
- Diffuser and casing made of impact-resistant material
- Multipositional arm
- 2 x 230 V safety sockets on the back



WORKLAMP

REF [107TA7546](#)

- TL worklamp
- 230 V/8 W
- IP20
- 5 m cable





PAINT MARKER

1 REF = a box of 12 pieces

- REF [107TA7486](#) – White
- REF [107TA7487](#) – Yellow
- REF [107TA7488](#) – Red
- REF [107TA7489](#) – Black
- REF [107TA7490](#) – Orange
- REF [107TA7491](#) – Blue
- REF [107TA7492](#) – Green
- REF [107TA7493](#) – Alu

- Pen with fast drying liquid paint
- Provides long-lasting, wear- and weather-resistant marks
- Marking range: -46 °C to 66 °C
- Surface uses: steel and iron, plastic, glass, pipes and tubes, rubber and tyres, textiles



PAINT TUBE MARKER

1 REF = a box of 10 pieces

- REF [107TA7498](#) – White
- REF [107TA7499](#) – Yellow
- REF [107TA7500](#) – Red
- REF [107TA9618](#) – Black
- REF [107TA9620](#) – Orange
- REF [107TA9622](#) – Blue
- REF [107TA9624](#) – Green

- Metal-ball tip marker for marking hand surfaces
- Suitable for rough, vertical and overhead surfaces
- Industrial paint withstands harsh environments and weather conditions
- Marking range: -46 °C to 66 °C
- Surface uses: steel and iron, pipes and tubes, rubber, concrete, stone, asphalt, textiles






HAND STAMP NUMBERS




Diameter	REF
3 mm	143TA3850
4 mm	106TA8995
6 mm	143TA3842
8 mm	143TA3847
10 mm	143TA3848

HAND STAMP LETTERS



Diameter	REF
3 mm	143TA3851
4 mm	106TA8994
6 mm	143TA3843
8 mm	143TA3846
10 mm	143TA3849

RATING PLATE METAL



REF [107TA7975](#)
Dimensions: 120 x 150 mm

ENGINEER HAMMER – HICKORY HANDLE



REF [142TA2181](#)
1 kg



LABELS & DECALS CATALOGUE

REF [12594102](#)
An overview of all available labels & decals in the following categories: kit, dashboard, fork, liquid, safety, tyres, capacity and miscellaneous.

Please contact us to order your Labels & decals catalogue.





GRIP PLIERS

Gripping jaws: chrome-vanadium electric steel, forged

Length	Type	REF
100 mm	4WR	<u>142TA1071</u>
130 mm	5WR	<u>142TA1072</u>
175 mm	7WR	<u>142TA1073</u>
225 mm	10WR	<u>142TA1074</u>



LONG-NOSE GRIP PLIERS



Length	Type	REF
100 mm	4LN	<u>142TA1055</u>
150 mm	6LN	<u>142TA1060</u>
230 mm	9LN	<u>142TA1062</u>

