


# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
0	38	38	415			300	<a href="#">106TA6329</a>
	38	45	420			285	<a href="#">105TA7196</a>
	38	49	317			180	<a href="#">118TA1493</a>
	40	40	65				<a href="#">118TA1664</a>
	42	42	290				<a href="#">108TA4431</a>
	42	42	395				<a href="#">108TA4424</a>
	42	42	475				<a href="#">108TA4427</a>
	42	42	570				<a href="#">108TA4433</a>
	42	45	300				<a href="#">118TA1636</a>
	42	45	335				<a href="#">105TA6941</a>
	42	46	1025				<a href="#">118TA1219</a>
	43	51	1085				<a href="#">134TA5696</a>




# EXHAUST TUBES



For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
0	48	50	81				<a href="#">134TA6237</a>
	49	49	780				<a href="#">134TA6131</a>
	51	54	300				<a href="#">123TA6683</a>
	53	59	430			180	<a href="#">124TA7235</a>
	54	54	210			115	<a href="#">118TA1597</a>
	54	60	398			210	<a href="#">123TA6684</a>
	68	70	160				<a href="#">124TA7242</a>
1	30	30	215	20	195		<a href="#">134TA5986</a>
	38	38	75	35	65		<a href="#">105TA7406</a>
	38	56	345	75	265	145	<a href="#">123TA6685</a>
	40	41	1970	55	1925	1000	<a href="#">118TA1499</a>
	40	46	1630	35	730	710	<a href="#">134TA5618</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)




EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	40	46	1710	53	1680	825	<a href="#">134TA5666</a>
	42	42	235	70	180		<a href="#">139TA3990</a>
	42	42	472	460	40	410	<a href="#">134TA5620</a>
	42	51	270	140	230		<a href="#">118TA1446</a>
	44	49	926	80	900		<a href="#">134TA5625</a>
	44	52	180	60	150		<a href="#">118TA1392</a>
	45	45	75	35	40		<a href="#">118TA1393</a>
	45	48	1620	45	1600		<a href="#">134TA5646</a>
	45	49	485	110	410		<a href="#">118TA1439</a>
	48	48	215	90	105		<a href="#">108TA4394</a>
	48	50	215	80	175		<a href="#">134TA5526</a>
	49	53	225	20	200		<a href="#">134TA5971</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	50	50	145	50	110		<a href="#">134TA6209</a>
	50	50	153	100	100		<a href="#">134TA6262</a>
	50	50	155	125	310	160	<a href="#">134TA5955</a>
	50	50	645	135	600	160	<a href="#">134TA5874</a>
	50	51	150	135	165		<a href="#">134TA6316</a>
	50	53	157	50	107		<a href="#">134TA6087</a>
	50	54	115	60	68		<a href="#">110TA9619</a>
	50	54	200	75	165		<a href="#">134TA5523</a>
	50	55	840	90	800		<a href="#">134TA5692</a>
	50	55	845	75	820		<a href="#">134TA5555</a>
	51	51	155	175	200		<a href="#">118TA1601</a>
	51	51	225	50	205		<a href="#">118TA1614</a>



REF [134TA6209](#)



REF [134TA6262](#)



REF [134TA5955](#)



REF [134TA5874](#)



REF [134TA6316](#)



REF [134TA6087](#)



REF [110TA9619](#)



REF [134TA5523](#)



REF [134TA5692](#)



REF [134TA5555](#)



REF [118TA1601](#)



REF [118TA1614](#)


# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	51	51	270	90	175		<a href="#">124TA5154</a>
	51	51	440	70	400		<a href="#">105TA7373</a>
	51	53	560	50	530		<a href="#">124TA2865</a>
	51	54	650	290	500	280	<a href="#">118TA1505</a>
	51	54	805	160	764		<a href="#">108TA4372</a>
	51	55	170	84	97		<a href="#">108TA4463</a>
	51	56	300	80	275		<a href="#">118TA1464</a>
	52	54	380	200	235		<a href="#">105TA7374</a>
	52	57	175	70	140		<a href="#">118TA1573</a>
	55	36	1025	80	1030		<a href="#">124TA7239</a>
	55	55	250	100	175		<a href="#">134TA5991</a>
	55	55	1405	40	138		<a href="#">134TA5760</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	55	57	370	50	360		<a href="#">118TA1678</a>
	55	60	270	135	160		<a href="#">105TA7120</a>
	56	52	210	70	180		<a href="#">123TA6686</a>
	56	59	610	145	480		<a href="#">106TA7368</a>
	60	65	485	185	340		<a href="#">124TA2076</a>
	60	66	1400	300	1210		<a href="#">118TA1509</a>
	60	67	295	120	240		<a href="#">118TA1435</a>
	60	67	297	125	260		<a href="#">118TA1497</a>
	60	68	295	115	235		<a href="#">118TA1426</a>
	60	68	302	115	260		<a href="#">118TA1698</a>
	60	68	590	120	565		<a href="#">134TA5746</a>
	60	79	294	90	210		<a href="#">118TA1480</a>






# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **LINDE-LANSING**




Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	63	63	535	195	440	215	<a href="#">139TA3991</a>
	68	70	300	125	245		<a href="#">118TA1422</a>
	68	70	900	120	900		<a href="#">134TA5952</a>
	70	70	180	150	160		<a href="#">134TA6010</a>
	70	70	205	75	160		<a href="#">105TA7300</a>
	70	70	290	140	180		<a href="#">134TA6012</a>
	70	70	340	65	280		<a href="#">118TA1436</a>
	76	76	225	60	220		<a href="#">134TA5987</a>
	76	76	345	70	275		<a href="#">123TA6687</a>
	76	80	140	80	80		<a href="#">124TA5155</a>
	76	82	630	180	565		<a href="#">123TA6688</a>
	77	77	240	60	180		<a href="#">134TA5942</a>



# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **LINDE-LANSING**



EXHAUST TUBES

Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	77	80	1730	90	1700		<a href="#">124TA1113</a>
	80	80	370	100	280		<a href="#">118TA1461</a>
	83	83	590	70	535		<a href="#">124TA2868</a>
	124	132	2220	620	1660		<a href="#">134TA6090</a>
2	29	29	380	80	170		<a href="#">106TA7375</a>
	36	36	150	35	45		<a href="#">134TA6153</a>
	40	40	460	87	280		<a href="#">134TA6123</a>
	40	41	500	140	285		<a href="#">134TA5568</a>
	40	42	225	90	110		<a href="#">134TA6273</a>
	41	44	385	60	70	160	<a href="#">134TA6218</a>
	41	48	420	80	85	140	<a href="#">123TA6690</a>
	42	45	355	35	240	165	<a href="#">134TA5683</a>






# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
2	42	45	1440	80	110	840	<a href="#">134TA5559</a>
	42	47	370	60	70	210	<a href="#">134TA6080</a>
	44	46	350	50	120		<a href="#">105TA7292</a>
	44	46	390	150	180	240	<a href="#">134TA6230</a>
	44	51	90	22	45		<a href="#">118TA1477</a>
	45	45	165	70	125		<a href="#">105TA6994</a>
	45	45	220	50	70		<a href="#">105TA7385</a>
	45	45	300	65	85		<a href="#">105TA7351</a>
	45	45	415	110	120		<a href="#">118TA1452</a>
	46	46	370	55	95		<a href="#">118TA1450</a>
	46	46	375	95	100		<a href="#">118TA1398</a>
	47	50	440	90	250		<a href="#">134TA5802</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
2	47	56	955	10	135		<a href="#">134TA5733</a>
	48	48	495	85	150		<a href="#">105TA7314</a>
	48	48	955	220	555		<a href="#">118TA1440</a>
	48	49	526	70	415		<a href="#">134TA6094</a>
	48	52	420	20	120		<a href="#">105TA7029</a>
	49	50	455	100	110		<a href="#">118TA1403</a>
	49	51	655	55	395	290	<a href="#">134TA6001</a>
	49	56	260	35	50		<a href="#">134TA6259</a>
	50	50	300	30	85		<a href="#">118TA1408</a>
	50	50	390	80	290		<a href="#">134TA5783</a>
	50	50	440	85	120		<a href="#">134TA5784</a>
	50	51	320	35	80		<a href="#">134TA6146</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)




EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends	Smallest outer dia. tube (mm)	Largest outer dia. tube (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	REF
AT-BO	D1	D2	L	L2	L3	L4	
2	50	51	500	100	410	130	<a href="#">108TA4439</a>
	50	51	595	70	400	285	<a href="#">139TA3992</a>
	50	54	260	85	90		<a href="#">124TA5156</a>
	50	55	480	50	415	210	<a href="#">134TA5754</a>
	51	51	585	55	153		<a href="#">134TA6330</a>
	51	51	645	55	400	285	<a href="#">134TA5690</a>
	51	53	590	60	405	200	<a href="#">134TA5715</a>
	51	54	500	90	115	150	<a href="#">139TA3993</a>
	51	55	445	45	120		<a href="#">134TA5681</a>
	51	55	685	60	410	210	<a href="#">134TA5684</a>
	51	60	305	35	80		<a href="#">118TA1419</a>
	51	69	260	20	65		<a href="#">118TA1529</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
2	52	56	362	105	150		<a href="#">134TA6208</a>
	54	54	300	110	170		<a href="#">134TA6119</a>
	54	54	375	135	145		<a href="#">105TA7364</a>
	54	60	500	135	175		<a href="#">105TA7325</a>
	54	76	350	45	125	220	<a href="#">139TA3994</a>
	60	64	450	245	165		<a href="#">134TA6003</a>
	63	63	110	55	25		<a href="#">134TA6051</a>
	72	72	372	160	250		<a href="#">123TA6691</a>
	75	80	484	120	135		<a href="#">139TA3995</a>
3	30	30	300	20	65		<a href="#">134TA5984</a>
	30	50	240	20	55		<a href="#">134TA5985</a>
	38	42	625	175	255		<a href="#">105TA7331</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
3	43	44	580	40	70	310	<a href="#">134TA5499</a>
	43	46	685	140	225		<a href="#">118TA1425</a>
	44	45	330	25	160		<a href="#">105TA7291</a>
	44	45	405	20	170	230	<a href="#">134TA5521</a>
	44	49	380	33	50	240	<a href="#">134TA6248</a>
	45	45	525	40	115	345	<a href="#">134TA6252</a>
	45	50	330	55	70		<a href="#">139TA3996</a>
	47	51	335	40	70		<a href="#">134TA5501</a>
	48	48	440	125	175		<a href="#">118TA1432</a>
	48	50	350	30	115		<a href="#">124TA7243</a>
	49	51	225	60	100		<a href="#">139TA3997</a>
	49	53	315	20	50		<a href="#">134TA5970</a>






# EXHAUST TUBES


For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **LINDE-LANSING**



EXHAUST TUBES

Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
3	50	48	240	60	130		<a href="#">139TA3998</a>
	50	50	228	60	85		<a href="#">118TA1583</a>
	50	50	235	55	95		<a href="#">134TA6085</a>
	50	50	235	60	135		<a href="#">134TA5764</a>
	50	50	265	55	125		<a href="#">139TA3999</a>
	50	50	283	25	120		<a href="#">139TA4000</a>
	50	50	345	50	100		<a href="#">139TA4001</a>
	50	50	360	25	105		<a href="#">134TA6227</a>
	50	55	240	20	40		<a href="#">134TA5972</a>
	51	54	1220	265	950		<a href="#">124TA2080</a>
	51	55	1005	110	255		<a href="#">134TA6331</a>
	64	69	350	50	105		<a href="#">118TA1453</a>






# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)





EXHAUST TUBES

used for: **LINDE-LANSING**




Number of bends	Smallest outer dia. tube (mm)	Largest outer dia. tube (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	REF
AT-BO	D1	D2	L	L2	L3	L4	
3	66	69	340	50	80		<a href="#">123TA6692</a>
	70	70	865	100	730	200	<a href="#">139TA4002</a>
	90	127	950	120	260	210	<a href="#">134TA6013</a>
4	38	41	595	70	170	145	<a href="#">123TA6693</a>
	42	43	555	145	185		<a href="#">124TA4491</a>
	42	45	635	70	85		<a href="#">105TA7212</a>
	43	45	610	60	75	310	<a href="#">134TA5557</a>
	45	45	560	40	100	270	<a href="#">134TA6141</a>
	45	45	570	70	80	260	<a href="#">134TA5643</a>
	45	50	525	80	80	120	<a href="#">134TA5757</a>
	48	51	720	35	276		<a href="#">123TA6694</a>
	48	58	685	35	145		<a href="#">118TA1441</a>



# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **LINDE-LANSING**



EXHAUST TUBES

Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
4	49	50	630	80	120	325	<a href="#">134TA5670</a>
	50	50	410	60	85		<a href="#">134TA5745</a>
	50	50	700	40	40	380	<a href="#">134TA5663</a>
	50	51	540	55	65	230	<a href="#">134TA5571</a>
	50	55	290	40	100		<a href="#">139TA4003</a>
	52	52	545	75	385	80	<a href="#">105TA6958</a>
	54	57	750	35	155		<a href="#">118TA1429</a>
	55	55	825	30	175		<a href="#">118TA1389</a>
	55	58	640	35	155		<a href="#">118TA1430</a>
	56	57	800	35	160		<a href="#">118TA1428</a>
	60	62	515	130	385		<a href="#">134TA5701</a>
5	35	45	785	20	60	340	<a href="#">134TA5556</a>



REF [134TA5670](#)



REF [134TA5745](#)



REF [134TA5663](#)



REF [134TA5571](#)




REF [139TA4003](#)




REF [105TA6958](#)



REF [118TA1429](#)



REF [118TA1389](#)




REF [118TA1430](#)



REF [118TA1428](#)



REF [134TA5701](#)



REF [134TA5556](#)


# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **LINDE-LANSING**



Number of bends	Smallest outer dia. tube (mm)	Largest outer dia. tube (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	REF
AT-BO	D1	D2	L	L2	L3	L4	
5	38	38	135	7	54		<a href="#">134TA5767</a>
	43	45	810	55	65	350	<a href="#">134TA6285</a>
	44	45	445	45	65	300	<a href="#">134TA6025</a>
	45	45	780	55	80		<a href="#">139TA4004</a>
	50	50	660	45	45	305	<a href="#">134TA5572</a>
	50	50	745	40	60	280	<a href="#">134TA5522</a>
6	50	50	550	50	100	300	<a href="#">134TA6233</a>
	50	50	660	45	65	270	<a href="#">134TA5544</a>
	50	50	830	60	60	360	<a href="#">134TA5550</a>

