


# EXHAUST TUBES


For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**



Number of bends	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
0	42	45	315			215	<a href="#">139TA4022</a>
	42	47	151				<a href="#">139TA4023</a>
	51	55	300			205	<a href="#">105TA7119</a>
	54	63	153				<a href="#">139TA4024</a>
	55	55	580			470	<a href="#">105TA7151</a>
	61	61	66				<a href="#">139TA4025</a>
	68	68	315				<a href="#">134TA6074</a>
	69	69	378			368	<a href="#">123TA6580</a>
	77	77	125				<a href="#">139TA4026</a>
	101	106	350			300	<a href="#">134TA6289</a>
1	35	51	460	170	408		<a href="#">118TA1540</a>
	38	41	175	80	155		<a href="#">105TA6930</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	38	42	285	65	245	155	<a href="#">139TA4027</a>
	38	42	310	110	285		<a href="#">134TA5495</a>
	38	42	358	80	420		<a href="#">124TA7230</a>
	38	42	360	65	335		<a href="#">134TA5961</a>
	38	42	370	80	315	180	<a href="#">105TA6920</a>
	38	42	420	70	365	225	<a href="#">105TA7198</a>
	38	42	565	80	558		<a href="#">108TA4470</a>
	38	42	905	70	840		<a href="#">134TA5671</a>
	38	42	910	82	842		<a href="#">105TA6866</a>
	38	43	140	80	100		<a href="#">134TA5981</a>
	38	43	390	170	230		<a href="#">105TA7256</a>
	41	46	180	90	150		<a href="#">139TA4028</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **mitsubishi-caterpillar**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	42	42	420	20	22		<a href="#">105TA7448</a>
	43	43	200	97	115		<a href="#">118TA1632</a>
	43	47	233	30	200		<a href="#">105TA7455</a>
	43	47	307	108	203		<a href="#">105TA7415</a>
	43	52	915	52	890		<a href="#">139TA4029</a>
	43	56	1020	110	1000		<a href="#">139TA4030</a>
	44	50	1070	50	1035		<a href="#">139TA4031</a>
	45	45	580	255	340		<a href="#">134TA5920</a>
	45	48	330	180	310	160	<a href="#">139TA4032</a>
	45	48	340	170	320	170	<a href="#">139TA4033</a>
	45	50	285	115	350		<a href="#">134TA6185</a>
	47	47	390	95	360	275	<a href="#">105TA7062</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**




Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	48	60	460	200	395	180	<a href="#">139TA4034</a>
	49	54	340	35	300		<a href="#">105TA7185</a>
	50	51	260	25	250	175	<a href="#">118TA1374</a>
	50	52	895	40	870		<a href="#">134TA6032</a>
	50	57	770	70	164	750	<a href="#">108TA4474</a>
	50	58	1135	30	1100		<a href="#">139TA4035</a>
	51	53	895	262	695		<a href="#">108TA4404</a>
	51	55	83	33	50		<a href="#">108TA4529</a>
	53	55	1067	75	1030		<a href="#">123TA6015</a>
	57	61	270	37	280	100	<a href="#">139TA4036</a>
	62	63	925	60	880		<a href="#">118TA1569</a>
	62	64	207	100	140		<a href="#">108TA4442</a>



# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **MITSUBISHI-CATERPILLAR**



EXHAUST TUBES

Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
1	62	64	225	70	180		<a href="#">105TA7357</a>
	63	63	143	60	85		<a href="#">108TA4449</a>
	63	67	225	115	160		<a href="#">139TA4037</a>
	63	67	685	140	620	320	<a href="#">105TA7237</a>
	63	67	760	30	715		<a href="#">134TA5882</a>
	64	64	142	60	115		<a href="#">139TA4038</a>
	69	69	404	85	380	275	<a href="#">118TA1570</a>
	76	76	175	85	140		<a href="#">134TA5925</a>
	88	88	165	75	115		<a href="#">108TA4514</a>
	89	89	245	120	160		<a href="#">105TA7159</a>
	90	90	410	65	400	270	<a href="#">105TA7240</a>
2	35	38	515	100	130		<a href="#">139TA4039</a>



REF [105TA7357](#)



REF [108TA4449](#)



REF [139TA4037](#)



REF [105TA7237](#)



REF [134TA5882](#)



REF [139TA4038](#)



REF [118TA1570](#)



REF [134TA5925](#)



REF [108TA4514](#)



REF [105TA7159](#)



REF [105TA7240](#)



REF [139TA4039](#)




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**



Number of bends	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
2	35	38	645	115	160		<a href="#">139TA4040</a>
	35	39	650	105	170		<a href="#">139TA4041</a>
	37	38	430	50	115	240	<a href="#">134TA6101</a>
	38	38	265	35	110		<a href="#">105TA6890</a>
	38	38	270	60	110		<a href="#">123TA6582</a>
	38	38	580	180	230		<a href="#">105TA7082</a>
	38	42	545	65	370		<a href="#">105TA7281</a>
	38	43	420	70	175	166	<a href="#">139TA4042</a>
	38	55	190	40	90		<a href="#">105TA7065</a>
	38	55	300	65	115		<a href="#">124TA5153</a>
	38	55	315	65	135		<a href="#">105TA6877</a>
	39	54	180	46	77		<a href="#">118TA1631</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
2	41	41	260	65	120	130	<a href="#">105TA6892</a>
	41	45	208	65	75		<a href="#">108TA4454</a>
	42	42	615	65	360		<a href="#">139TA4043</a>
	42	44	565	70	520		<a href="#">105TA7241</a>
	43	43	415	105	195		<a href="#">105TA7390</a>
	43	43	425	110	200		<a href="#">105TA7097</a>
	43	43	435	65	210		<a href="#">134TA5832</a>
	43	43	472	70	220		<a href="#">139TA4044</a>
	44	45	545	50	200	110	<a href="#">139TA4045</a>
	45	45	330	90	280	145	<a href="#">139TA4046</a>
	45	45	555	95	370	200	<a href="#">139TA4047</a>
	45	45	560	95	345	230	<a href="#">139TA4048</a>



REF [105TA6892](#)



REF [108TA4454](#)



REF [139TA4043](#)



REF [105TA7241](#)



REF [105TA7390](#)



REF [105TA7097](#)



REF [134TA5832](#)



REF [139TA4044](#)



REF [139TA4045](#)



REF [139TA4046](#)



REF [139TA4047](#)



REF [139TA4048](#)


# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**



Number of bends	Smallest outer dia. tube (mm)	Largest outer dia. tube (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	REF
AT-BO	D1	D2	L	L2	L3	L4	
2	45	47	475	125	305	130	<a href="#">139TA4049</a>
	45	48	450	70	175	52	<a href="#">139TA4050</a>
	45	49	215	55	60		<a href="#">123TA6583</a>
	45	49	218	50	60		<a href="#">124TA2097</a>
	50	50	250	75	90		<a href="#">105TA6981</a>
	50	50	395	25	315	175	<a href="#">134TA5928</a>
	50	50	400	33	125	160	<a href="#">105TA7066</a>
	50	50	445	65	95	280	<a href="#">105TA7006</a>
	50	51	1130	45	70		<a href="#">105TA7319</a>
	50	55	240	70	105		<a href="#">105TA7101</a>
	50	55	795	130	195		<a href="#">105TA7035</a>
	51	51	380	240	400	210	<a href="#">123TA6585</a>






# EXHAUST TUBES


For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **MITSUBISHI-CATERPILLAR**



EXHAUST TUBES

Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
2	51	51	420	245	405	210	<a href="#">123TA6586</a>
	51	51	470	50	130	230	<a href="#">118TA1662</a>
	51	51	500	100	105		<a href="#">118TA1616</a>
	51	52	375	25	45	170	<a href="#">105TA7129</a>
	51	54	65	41	46		<a href="#">123TA6587</a>
	51	54	540	140	460		<a href="#">134TA6249</a>
	51	55	677	240	450		<a href="#">123TA6584</a>
	52	55	200	40	215		<a href="#">105TA7088</a>
	52	57	1090	65	140		<a href="#">124TA5148</a>
	57	64	650	70	168	390	<a href="#">105TA6896</a>
	59	60	290	70	76		<a href="#">134TA5642</a>
	76	76	305	40	120		<a href="#">105TA7140</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**




Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
3	34	35	240	10	43		<a href="#">139TA4051</a>
	34	36	395	95	165	138	<a href="#">134TA5673</a>
	34	40	267	5	50		<a href="#">139TA4052</a>
	35	48	580	70	113		<a href="#">139TA4053</a>
	36	42	354	60	105		<a href="#">134TA5732</a>
	37	38	440	40	85		<a href="#">108TA4457</a>
	37	42	350	60	100		<a href="#">139TA4054</a>
	38	38	310	47	104		<a href="#">123TA6588</a>
	38	38	313	50	82		<a href="#">108TA4512</a>
	38	38	320	50	100		<a href="#">105TA7423</a>
	38	38	330	70	100		<a href="#">105TA7388</a>
	38	38	650	70	120		<a href="#">139TA4055</a>



# EXHAUST TUBES


For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **MITSUBISHI-CATERPILLAR**



EXHAUST TUBES

Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
3	38	39	370	50	100		<a href="#">105TA7013</a>
	38	42	305	75	85		<a href="#">134TA6335</a>
	38	42	390	110	120		<a href="#">134TA6286</a>
	38	42	438	100	125		<a href="#">134TA6238</a>
	38	45	575	80	240	140	<a href="#">139TA4056</a>
	39	42	285	68	110		<a href="#">139TA4057</a>
	40	40	390	45	95		<a href="#">134TA5935</a>
	40	48	565	66	95		<a href="#">139TA4058</a>
	41	45	360	73	150	150	<a href="#">139TA4059</a>
	41	45	509	220	225		<a href="#">108TA4455</a>
	41	47	415	60	100		<a href="#">139TA4060</a>
	42	42	353	30	148		<a href="#">108TA8890</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)




EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**




Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
3	42	49	330	27	75		<a href="#">139TA4061</a>
	43	43	425	80	90	140	<a href="#">134TA5547</a>
	43	43	525	80	110		<a href="#">139TA4062</a>
	43	45	335	25	250	165	<a href="#">106TA5021</a>
	43	47	275	70	265		<a href="#">139TA4063</a>
	44	44	620	50	330	230	<a href="#">139TA4064</a>
	45	45	590	45	275	135	<a href="#">139TA4065</a>
	45	45	640	75	295	125	<a href="#">139TA4066</a>
	45	48	340	60	105		<a href="#">139TA4067</a>
	47	48	510	90	100		<a href="#">139TA4068</a>
	50	50	360	75	100		<a href="#">134TA5734</a>
	50	50	550	90	100	165	<a href="#">106TA7350</a>



# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **MITSUBISHI-CATERPILLAR**



EXHAUST TUBES


Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
3	50	51	560	105	230	275	<a href="#">108TA4519</a>
	50	55	450	105	120		<a href="#">105TA6947</a>
	51	51	610	35	75	410	<a href="#">108TA4536</a>
	51	51	655	115	215		<a href="#">105TA7203</a>
	51	53	405	50	85		<a href="#">105TA7437</a>
	51	54	155	40	60		<a href="#">134TA5887</a>
	51	54	450	60	90		<a href="#">118TA1547</a>
	51	55	370	50	90		<a href="#">105TA7269</a>
	53	66	545	130	320	170	<a href="#">134TA5682</a>
	57	60	620	70	195		<a href="#">139TA4069</a>
	57	65	692	64	167	380	<a href="#">105TA6905</a>
	59	65	865	145	190	255	<a href="#">134TA5633</a>



REF [108TA4519](#)



REF [105TA6947](#)



REF [108TA4536](#)




REF [105TA7203](#)




REF [105TA7437](#)



REF [134TA5887](#)



REF [118TA1547](#)




REF [105TA7269](#)



REF [134TA5682](#)



REF [139TA4069](#)



REF [105TA6905](#)



REF [134TA5633](#)




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **MITSUBISHI-CATERPILLAR**




Number of bends	Smallest outer dia. tube (mm)	Largest outer dia. tube (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	Dimension (mm)	REF
AT-BO	D1	D2	L	L2	L3	L4	
3	62	62	540	100	140		<a href="#">139TA4070</a>
	65	64	588	130	200		<a href="#">139TA4071</a>
	76	76	423	90	380		<a href="#">139TA4072</a>
	80	102	295	90	195		<a href="#">134TA6291</a>
4	35	35	605	105	140		<a href="#">139TA4073</a>
	38	38	560	95	115	150	<a href="#">134TA5626</a>
	38	46	390	45	55	150	<a href="#">118TA1465</a>
	39	38	363	55	65	110	<a href="#">134TA5617</a>
	43	43	470	35	110		<a href="#">134TA5836</a>
	43	47	740	70	265		<a href="#">105TA7244</a>
	47	48	670	60	80		<a href="#">139TA4074</a>
	48	48	500	65	80		<a href="#">139TA4075</a>



# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

used for: **MITSUBISHI-CATERPILLAR**



EXHAUST TUBES

Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
4	50	50	325	150	350	175	<a href="#">105TA6968</a>
	50	52	480	40	90		<a href="#">105TA7134</a>
	51	51	550	100	195		<a href="#">110TA8593</a>
	51	52	840	100	335		<a href="#">139TA4076</a>
	61	63	630	105	120		<a href="#">105TA7213</a>
5	35	35	605	70	70		<a href="#">139TA4077</a>
	38	38	570	80	280	135	<a href="#">134TA6114</a>
	38	38	835	110	240		<a href="#">105TA6898</a>
	38	42	1235	25	200		<a href="#">134TA6026</a>
	39	43	1145	50	80		<a href="#">134TA6343</a>
	39	47	510	80	260	140	<a href="#">139TA4078</a>
	39	47	530	35	90	135	<a href="#">139TA4079</a>




# EXHAUST TUBES

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



EXHAUST TUBES

used for: **mitsubishi-caterpillar**



Number of bends AT-BO	Smallest outer dia. tube (mm) D1	Largest outer dia. tube (mm) D2	Dimension (mm) L	Dimension (mm) L2	Dimension (mm) L3	Dimension (mm) L4	REF
5	40	42	680	120	273	150	<a href="#">139TA4080</a>
	44	49	1345	40	50		<a href="#">139TA4081</a>
	51	54	970	85	120		<a href="#">134TA5990</a>
	61	61	1140	100	180		<a href="#">139TA4082</a>
6	42	42	750	70	70	150	<a href="#">134TA5624</a>
	43	47	640	120	120	150	<a href="#">134TA5834</a>



Look up these parts via