

# Katalog



# GRAMMER- Sitze



# FORKLIFT & TURF SEATS




## Product line MAXIMO

The MAXIMO forklift class is designed for big forklift trucks and wheel loaders. The versatility of the added features will convince you. **Working always means sitting.**

### MAXIMO XXL (MSG 95AL/731, MSG95A/731)



- Pneumatic Low-frequency suspension
- Automatic weight adjustment: 50 – 130 kg
- Pneumatic lumbar support
- Adjustable shock absorber for vertical suspension
- Horizontal suspension
- Seat cushion depth and adjustable anglement
- Stepless height adjustment
- Wide seat cushion
- Passive seat climate system
- Integrated backrest extension
- Operator restraint system
- Seat switch
- APS: automatic position system



Seats	Description	REF
Standard version	Fabric (blue-black), climate air compressor 12 V	<a href="#">100BC2356</a>
Alternative version	PVC (black)	<a href="#">100BC2774</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2215</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Cushion kit	PVC, heated	<a href="#">100BC2358</a>
Seat cushion	Fabric	<a href="#">100BC2359</a>
Backrest cushion	Fabric	<a href="#">100BC2360</a>
Backrest extension	Fabric	<a href="#">100BC2367</a>
Cushion kit	Fabric, heated	<a href="#">100BC2361</a>
Slide rails		<a href="#">100BC2250</a>
Switch		<a href="#">100BC2362</a>
Shock absorber	Horizontal	<a href="#">100BC2445</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2483</a>



Pneumatic suspension



Low-frequency suspension



Pneumatic lumbar support



Fore/aft isolation



Automatic positioning system



Passive seat climate system




Automatic weight system

Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Armrest	Left-hand, 270 x 65 mm adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm adjustable height, folding	<a href="#">100BC2231</a>
Document holder		<a href="#">100BC2144</a>

Contact us for additional seat options · Please note that optional features are not included with the seat and must be ordered separately. Please note that the appearance of the seat might differ slightly from the shown example, depending on the selected version and options.



## MAXIMO L (MSG 95A/721 12 V)



- Pneumatic suspension
- Weight adjustment: 50 – 130 kg
- Mechanical lumbar support
- Seat switch
- Stepless height adjustment up to 60 mm
- Operator restraint system
- APS: automatic position system

Seats	Description	REF
Standard version	Fabric (blue-black)	<a href="#">100BC2363</a>
Alternative version	PVC (black)	<a href="#">100BC2775</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2241</a>
Backrest cushion	PVC	<a href="#">100BC2242</a>
Cushion set	PVC, heated 12 V	<a href="#">100BC2228</a>
Seat cushion	Fabric	<a href="#">100BC2365</a>
Backrest cushion	Fabric	<a href="#">100BC2366</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2368</a>
Slide rails		<a href="#">100BC2250</a>
Switch		<a href="#">100BC2362</a>
Shock absorber	Horizontal	<a href="#">100BC2445</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2484</a>



Pneumatic suspension



Automatic weight system



Mechanical lumbar support



Fore/aft isolation



Automatic positioning system


Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Backrest extension	Fabric	<a href="#">100BC2367</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Document holder		<a href="#">100BC2144</a>



## MAXIMO M (MSG 85/721)



- Mechanical suspension
- Weight and height adjustable
- Mechanical lumbar support
- Narrow seat cushion
- Seat switch
- Backrest adjustable anglement
- Operator restraint system



Mechanical suspension



Mechanical lumbar support



Manual weight adjustment

Seats	Description	REF
Standard version	PVC (black)	<a href="#">100BC2369</a>
Alternative version	Fabric (blue-black)	<a href="#">100BC2371</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2241</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2373</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2374</a>
Cushion set	PVC, heated 12 V	<a href="#">100BC2248</a>
Seat cushion	Fabric	<a href="#">100BC2365</a>
Backrest cushion	Fabric	<a href="#">100BC2366</a>
Cushion set	Fabric, 24 V	<a href="#">100BC2375</a>
Slide rails		<a href="#">100BC2257</a>
Switch		<a href="#">100BC2376</a>
Shock absorber	Vertical	<a href="#">100BC2485</a>
Roller kit		<a href="#">100BC2486</a>
Complete suspension		<a href="#">100BC2487</a>

Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Backrest extension	Fabric	<a href="#">100BC2367</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Document holder		<a href="#">100BC2144</a>



## Product line PRIMO

A new dimension of suspension comfort, all while keeping a low profile. With the new PRIMO product family, GRAMMER presents an innovative seating concept that offers unequalled opportunities. **Seating comfort in new dimensions.** More than 1 million satisfied drivers on a MSG65/MSG75.

### PRIMO EVOLUTION (MSG75EL/721)



- Pneumatic low-frequency suspension
- Automatic weight adjustment: 45 kg – 170 kg
- Pneumatic lumbar support
- Active seat climate system
- Seat cushion width of 490 mm
- Seat cushion depth and length adjustment
- Heating
- Adjustable backrest height
- Retractable back extension
- Suspension stroke: 110 mm



Seats	Description	REF
Standard version	Fabric (anthracite-silver), duo belt 12 V	<a href="#">100BC2509</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2511</a>
Backrest cushion	Fabric	<a href="#">100BC2512</a>
Backrest extension	Fabric	<a href="#">100BC2513</a>
Slide rails		<a href="#">100BC2514</a>
Fore/aft isolation		<a href="#">100BC2515</a>
Switch		<a href="#">100BC2516</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>
Compressor	12 V	<a href="#">100BC2466</a>
Air spring		<a href="#">100BC2467</a>



Pneumatic suspension



Low-frequency suspension



Pneumatic lumbar support



Passive seat climate system



Automatic weight system



Optional features	Description	REF
Armrest	Left-hand, 380 x 80 mm	<a href="#">100BC2518</a>
Armrest	Right-hand, 380 x 80 mm	<a href="#">100BC2517</a>
Seat belt	Dual, switch, ELR	<a href="#">100BC2519</a>
Document holder		<a href="#">100BC2144</a>



## PRIMO EL PLUS (MSG75EL/731)



- Pneumatic low-frequency suspension
- Automatic weight adjustment: 45 – 170 kg
- Passive seat climate system
- Seat shell width: 530 mm
- Mechanical lumbar support
- Heating
- Adjustable backrest height
- Integrated restraint system
- Suspension stroke: 110 mm



Seats	Description	REF
Standard version	Fabric (anthracite-silver), switch 22 ohm	<a href="#">100BC2520</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2215</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2522</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2374</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2523</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2524</a>
Slide rails		<a href="#">100BC2514</a>
Fore/aft isolation		<a href="#">100BC2515</a>
Switch		<a href="#">100BC2516</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>
Compressor	12 V	<a href="#">100BC2466</a>
Air spring		<a href="#">100BC2467</a>
Complete suspension		<a href="#">100BC2525</a>

Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Backrest extension	Fabric	<a href="#">100BC2367</a>
Armrest	Left-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2211</a>
Armrest	Right-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2212</a>
Document holder		<a href="#">100BC2144</a>



Pneumatic suspension



Low-frequency suspension



Mechanical lumbar support



Active seat climate system



Automatic weight system


## PRIMO XL PLUS (MSG75G/721)



- Pneumatic suspension
- 12 V compressor
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 480 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Mechanical lumbar support
- Backrest with adjustable anglement
- Integrated backrest extension

Seats	Description	REF
Standard version	PVC (black), Seat belt duo 12 V	<a href="#">100BC2526</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2241</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2373</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2374</a>
Seat cushion	Fabric	<a href="#">100BC2554</a>
Seat cushion	Fabric, matrix, heated 12 V	<a href="#">100BC2555</a>
Backrest cushion	Fabric	<a href="#">100BC2556</a>
Backrest cushion	Fabric, matrix, heated 12 V	<a href="#">100BC2557</a>
Cable set	Heating 12 V	<a href="#">100BC2560</a>
Slide rails		<a href="#">100BC2514</a>
Fore/aft isolation		<a href="#">100BC2515</a>
Switch		<a href="#">100BC2516</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>
Compressor	12 V	<a href="#">100BC2466</a>
Air spring		<a href="#">100BC2467</a>



Pneumatic suspension



Manual weight adjustment




Mechanical lumbar support

Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Head rest	Fabric	<a href="#">100BC2558</a>
Armrest	Left-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2211</a>
Armrest	Right-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2212</a>
Armrest	Left-hand, 320 x 60 mm	<a href="#">100BC2562</a>
Armrest	Right-hand, 320 x 60 mm	<a href="#">100BC2561</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Seat belt	Dual, switch, ELR	<a href="#">100BC2519</a>
Document holder		<a href="#">100BC2144</a>





## PRIMO XXL (MSG75G/522)



- Pneumatic low-frequency suspension
- 12 V compressor
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 450 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated backrest extension

Seats	Description	REF
Standard version	Fabric (blue-black), low-frequency 12 V	<a href="#">100BC2563</a>

Spare parts	Description	REF
Seat cushion	PVC, heated 12 V	<a href="#">100BC2271</a>
Seat cushion	PVC, heated 48 V	<a href="#">100BC2565</a>
Backrest cushion	PVC, 12 V	<a href="#">100BC2566</a>
Backrest cushion	PVC, matrix, heated 48 V	<a href="#">100BC2567</a>
Seat cushion	Fabric	<a href="#">100BC2568</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2569</a>
Seat cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2570</a>
Backrest cushion	Fabric	<a href="#">100BC2571</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2572</a>
Backrest cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2573</a>
Cable set	Heating 12 V	<a href="#">100BC2464</a>
Cable set	Heating 24 V	<a href="#">100BC2575</a>
Cable heating set	48 V	<a href="#">100BC2576</a>
Slide rails		<a href="#">100BC2462</a>
Fore/aft isolation		<a href="#">100BC2472</a>
Switch		<a href="#">100BC2577</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>
Compressor	12 V	<a href="#">100BC2466</a>
Air spring		<a href="#">100BC2467</a>



Pneumatic suspension



Manual weight adjustment




Mechanical lumbar support



Low-frequency suspension

Optional features	Description	REF
Backrest extension	Fabric	<a href="#">100BC2574</a>
Armrest	Left-hand, 320 x 60 mm	<a href="#">100BC2578</a>
Armrest	Right-hand, 60 x 320 mm	<a href="#">100BC2278</a>
Seat belt	Retractor with switch right ELR	<a href="#">100BC2471</a>
Document holder		<a href="#">100BC2144</a>

## PRIMO XL (MSG75G(L)/521)



- Pneumatic low-frequency suspension
- 12 V compressor (24 V for forklift trucks and compact construction machines)
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 470 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated backrest extension

Seats	Description	REF
Standard version	Fabric (anthracite-silver), suspension, dual belt, height-adjustable backrest extension, 12 V	<a href="#">100BC2579</a>
Alternative version	Fabric (anthracite-silver), suspension, dual belt, height-adjustable backrest extension, 24 V	<a href="#">100BC2581</a>

Spare parts	Description	REF
Seat cushion	PVC, heated 12 V	<a href="#">100BC2583</a>
Seat cushion	PVC, heated 48 V	<a href="#">100BC2584</a>
Backrest cushion	PVC, heated 12/24 V	<a href="#">100BC2273</a>
Backrest cushion	PVC, heated 48 V	<a href="#">100BC2585</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2586</a>
Seat cushion	Fabric	<a href="#">100BC2587</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2588</a>
Backrest cushion	Fabric, heated 48 V	<a href="#">100BC2589</a>
Cable set	Heating 12 V	<a href="#">100BC2464</a>
Cable set	Heating 24 V	<a href="#">100BC2575</a>
Slide rails		<a href="#">100BC2462</a>
Fore/aft isolation		<a href="#">100BC2472</a>
Switch		<a href="#">100BC2577</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>
Compressor	12 V	<a href="#">100BC2466</a>
Air spring		<a href="#">100BC2467</a>



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support



Low-frequency suspension

Optional features	Description	REF
Head rest	Fabric	<a href="#">100BC2590</a>
Head rest	PVC	<a href="#">100BC2249</a>
Armrest	Left-hand, 320 x 60 mm	<a href="#">100BC2578</a>
Armrest	Right-hand, 60 x 320 mm	<a href="#">100BC2278</a>
Document holder		<a href="#">100BC2144</a>




## PRIMO L (MSG75G/521)



- Pneumatic low-frequency suspension
- 12 V compressor (24 V for forklift trucks and compact construction machines)
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 470 mm
- Suspension stroke: 110 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support

Seats	Description	REF
Standard version	PVC (black), dual belt 12 V	<a href="#">100BC2591</a>
Alternative version	Fabric (blue-black), dual belt 12 V	<a href="#">100BC2593</a>
Alternative version	Fabric (blue-black), dual belt 24 V	<a href="#">100BC2595</a>



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support

Spare parts	Description	REF
Seat cushion	PVC, heated 12 V	<a href="#">100BC2583</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2273</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2586</a>
Backrest cushion	Fabric, heated 48 V	<a href="#">100BC2589</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2588</a>
Cable set	Heating 12 V	<a href="#">100BC2464</a>
Cable set	Heating 24 V	<a href="#">100BC2575</a>
Slide rails		<a href="#">100BC2462</a>
Fore/aft isolation		<a href="#">100BC2472</a>
Switch		<a href="#">100BC2577</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>
Compressor	12 V	<a href="#">100BC2466</a>
Air spring		<a href="#">100BC2467</a>


Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Head rest	Fabric	<a href="#">100BC2590</a>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2578</a>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Document holder		<a href="#">100BC2144</a>



## PRIMO XXM (MSG65/522)



- Mechanical low-frequency suspension
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 450 mm
- Suspension stroke: 80 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated operator system



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support

Seats	Description	REF
Standard version	PVC (black), switch, safety belt	<a href="#">100BC2597</a>
Alternative version	Fabric (blue-black), switch, safety belt	<a href="#">100BC2599</a>


Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2270</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2271</a>
Seat cushion	PVC, heated 48 V	<a href="#">100BC2565</a>
Backrest cushion	PVC	<a href="#">100BC2601</a>
Backrest cushion	PVC, 12 V	<a href="#">100BC2566</a>
Backrest cushion	Fabric, 48 V	<a href="#">100BC2567</a>
Seat cushion	Fabric	<a href="#">100BC2568</a>
Seat cushion	Fabric, 12 V	<a href="#">100BC2569</a>
Seat cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2570</a>
Backrest cushion	Fabric	<a href="#">100BC2571</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2572</a>
Backrest cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2573</a>
Cable set	Heating 12 V	<a href="#">100BC2464</a>
Cable set	Heating 24 V	<a href="#">100BC2575</a>
Cable heating set	48 V	<a href="#">100BC2576</a>
Slide rails		<a href="#">100BC2462</a>
Fore/aft isolation		<a href="#">100BC2472</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>

Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Head rest	Fabric	<a href="#">100BC2590</a>
Armrest	Left-hand, 320 x 60 mm	<a href="#">100BC2578</a>
Armrest	Right-hand, 60 x 320 mm	<a href="#">100BC2278</a>
Seat belt	Retractor with switch right ELR	<a href="#">100BC2471</a>
Document holder		<a href="#">100BC2144</a>





## PRIMO XM (MSG65/521)



- Mechanical low-frequency suspension
- Automatic weight adjustment: 45 – 170 kg
- Seat cushion width: 470 mm
- Suspension stroke: 80 mm
- Fore/aft adjustment: 210 mm
- Backrest with adjustable anglement
- Mechanical lumbar support
- Integrated operator system

Seats	Description	REF
Standard version	PVC (black), dual belt	<a href="#">100BC2602</a>
Alternative version	Fabric (blue-black), dual belt	<a href="#">100BC2604</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2606</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2583</a>
Seat cushion	PVC, heated 48 V	<a href="#">100BC2584</a>
Backrest cushion	PVC	<a href="#">100BC2272</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2273</a>
Backrest cushion	PVC, heated 48 V	<a href="#">100BC2585</a>
Seat cushion	Fabric	<a href="#">100BC2587</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2586</a>
Seat cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2607</a>
Backrest cushion	Fabric, heated 48 V	<a href="#">100BC2589</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2588</a>
Backrest cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2608</a>
Cable set	Heating 12 V	<a href="#">100BC2276</a>
Cable set	Heating 24 V	<a href="#">100BC2609</a>
Cable heating set	48 V	<a href="#">100BC2576</a>
Slide rails		<a href="#">100BC2462</a>
Fore/aft isolation		<a href="#">100BC2472</a>
Switch		<a href="#">100BC2577</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support

Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Head rest	Fabric	<a href="#">100BC2590</a>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2277</a>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Document holder		<a href="#">100BC2144</a>


Contact us for additional seat options · Please note that optional features are not included with the seat and must be ordered separately. Please note that the appearance of the seat might differ slightly from the shown example, depending on the selected version and options.



## PRIMO M (MSG65/521)



- Mechanical, low-profile suspension
- Automatic weight adjustment: 45 – 170 kg
- Seat width: 470 mm
- Suspension stroke: 60 mm
- Fore/aft adjustment: 210 mm
- Backrest with angle adjustment
- Mechanical lumbar support



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support

Seats	Description	REF
Standard version	PVC (black), dual belt	<a href="#">100BC2784</a>
Alternative version	Fabric (blue-black), dual belt	<a href="#">100BC2783</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2606</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2583</a>
Seat cushion	PVC, heated 48 V	<a href="#">100BC2584</a>
Backrest cushion	PVC	<a href="#">100BC2272</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2273</a>
Backrest cushion	PVC, heated 48 V	<a href="#">100BC2585</a>
Seat cushion	Fabric	<a href="#">100BC2587</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2586</a>
Seat cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2607</a>
Backrest cushion	Fabric, heated 48 V	<a href="#">100BC2589</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2588</a>
Backrest cushion	Fabric, matrix, heated 48 V	<a href="#">100BC2608</a>
Cable set	Heating 12 V	<a href="#">100BC2276</a>
Cable set	Heating 24 V	<a href="#">100BC2609</a>
Cable heating set	48 V	<a href="#">100BC2576</a>
Adapter	Seat switch	<a href="#">100BC2610</a>
Slide rails		<a href="#">100BC2462</a>
Fore/aft isolation		<a href="#">100BC2472</a>
Switch		<a href="#">100BC2577</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>

Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Head rest	Fabric	<a href="#">100BC2590</a>
Armrests	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2277</a>
Armrests	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Seat belt	Static	<a href="#">100BC2611</a>
Seat belt	Seat belt ELR	<a href="#">100BC2281</a>
Seat belt	Retractor with switch right ELR	<a href="#">100BC2471</a>
Document holder		<a href="#">100BC2144</a>



## Product line MSG 20


### MSG 20



The MSG 20 is designed to improve the vibration characteristics of the forklift truck and offers every driver a maximum of individual comfort.

- Rapid weight adjustment: 50 – 130 kg
- Backrest adjustable anglement
- Fore/aft adjustment: 150 mm

Seats	Description	REF
Standard version	PVC (black)	<a href="#">100BC2392</a>
Alternative version	PVC (black), seat switch	<a href="#">100BC2396</a>
Alternative version	PVC (black), seat switch, slide rail 210 mm	<a href="#">100BC2398</a>
Alternative version	PVC (black), seat switch, seat belt	<a href="#">100BC2400</a>
Alternative version	Fabric (blue-black), seat switch	<a href="#">100BC2402</a>



Mechanical suspension




Manual weight adjustment

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2388</a>
Backrest cushion	PVC	<a href="#">100BC2390</a>
Cushion set	PVC, 12/24 V	<a href="#">100BC2385</a>
Cushion set	PVC, 48 V	<a href="#">100BC2386</a>
Seat cushion	Fabric	<a href="#">100BC2389</a>
Backrest cushion	Fabric	<a href="#">100BC2391</a>
Cushion kit	Fabric 12/24 V	<a href="#">100BC2382</a>
Cushion kit	Fabric, matrix, heated 12/24 V	<a href="#">100BC2488</a>
Cushion kit	Fabric, matrix, heated 48 V	<a href="#">100BC2384</a>
Slide rails		<a href="#">100BC2345</a>
Switch		<a href="#">100BC2404</a>
Shock absorber	Vertical	<a href="#">100BC2489</a>

Optional features	Description	REF
Armrest	Left-hand, 300 x 54 mm, folding	<a href="#">100BC2377</a>
Armrest	Right-hand, 300 x 54 mm, folding	<a href="#">100BC2378</a>
Seat belt	Static	<a href="#">100BC2381</a>
Seat belt	Retractor, MUR	<a href="#">100BC2380</a>
Seat belt	Dual sensitive, ELR	<a href="#">100BC2379</a>
Document holder		<a href="#">100BC2387</a>

## MSG 20 NARROW



The narrow-version MSG 20 is a comfort seat with full suspension, that is especially created for vehicles with limited mounting height and width.

- Rapid weight adjustment: 50 – 130 kg
- Backrest adjustable anglement
- Fore/aft adjustment

Seats	Description	REF
Standard version	PVC (black)	<a href="#">100BC2405</a>
Alternative version	PVC (black), switch	<a href="#">100BC2407</a>
Alternative version	Fabric (blue-black)	<a href="#">100BC2409</a>
Alternative version	Fabric (blue-black), switch	<a href="#">100BC2412</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2414</a>
Backrest cushion	PVC	<a href="#">100BC2415</a>
Cushion kit	PVC, heated 12/24 V	<a href="#">100BC2416</a>
Cushion kit	PVC, heated 48 V, 450 mm	<a href="#">100BC2417</a>
Seat cushion	Fabric	<a href="#">100BC2418</a>
Backrest cushion	Fabric	<a href="#">100BC2419</a>
Cushion kit	Fabric, matrix, heated 48 V	<a href="#">100BC2384</a>
Slide rails		<a href="#">100BC2345</a>
Switch		<a href="#">100BC2404</a>
Shock absorber	Vertical	<a href="#">100BC2492</a>



Mechanical suspension



Manual weight adjustment


Optional features	Description	REF
Armrest	Left-hand, 300 x 54 mm, folding	<a href="#">100BC2377</a>
Armrest	Right-hand, 300 x 54 mm, folding	<a href="#">100BC2378</a>
Seat belt	Static	<a href="#">100BC2381</a>
Seat belt	Retractor, MUR	<a href="#">100BC2380</a>
Document holder		<a href="#">100BC2387</a>





## Product line B 12

### B 12



Mechanical suspension



Manual weight adjustment

For vehicles with extremely tight installation dimension tolerances. The new design offers budget-friendly seating comfort. Comfort and safety with a minimal amount of space.

- Weight adjustment: 50 – 120 kg
- Backrest adjustable anglement
- Fore/aft adjustment

Seats	Description	REF
Standard version	PVC (black)	<a href="#">100BC2776</a>
Alternative version	PVC (black), switch	<a href="#">100BC2495</a>
Alternative version	PVC (black), switch, belt	<a href="#">100BC2777</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2497</a>
Backrest cushion	PVC	<a href="#">100BC2498</a>
Seat cushion	Fabric	<a href="#">100BC2499</a>
Backrest cushion	Fabric	<a href="#">100BC2500</a>
Slide rails		<a href="#">100BC2501</a>
Switch		<a href="#">100BC2502</a>

Optional features	Description	REF
Armrest	Left-hand, 270 x 65 mm, folding	<a href="#">100BC2503</a>
Armrest	Right-hand, 270 x 65 mm, folding	<a href="#">100BC2504</a>
Seat belt	Static, Seat belt	<a href="#">100BC2506</a>
Seat belt	Retractor, MUR	<a href="#">100BC2785</a>
Seat belt	Dual sensitive, ELR	<a href="#">100BC2508</a>
Document holder		<a href="#">100BC2505</a>




# CONSTRUCTION SEATS

## Product line ACTIMO

The super comfort seat for big machines sets exemplary benchmarks: the extra-high, comfortably formed backrest offers optimal back and side support because of the accentuated side contours. The multiple adjustment possibilities are established through ergonomically sensible, reasoned user guidance to the driver. Because of this user comfort, the individual adjustment to the optimum seat position is easily found. **The perfect foundation for good work.**

### ACTIMO EVOLUTION (MSG 95EL/742, 722 12/24 V)



- Pneumatic low-frequency suspension
- Suspension stroke: 120 mm
- Stepless height adjustment: 80 mm
- Active weight adjustment: 50 – 130 kg
- Active seat climate system
- Fore/aft isolation
- Pneumatic lumbar support
- Backrest adjustable anglement
- Quadruple adjustable damper for vertical suspension
- Length adjustment: 210 mm
- Adjustable seat cushion length and angle
- Heating
- Head rest
- Height- and angle-adjustable armrests with fabric
- Document holder

Seats	Description	REF
Standard version	Fabric (anthracite-silver), laterally operated, air suspension 12 V, including adapter cable 12 V	<a href="#">100BC2612</a>
Standard version	Fabric (anthracite-silver), including adapter cable 24 V	<a href="#">100BC2614</a>
Standard version	Fabric (anthracite-silver), front-operated, air suspension 12 V, including adapter cable 12 V, preparation for control carrier boxes	<a href="#">100BC2616</a>
Standard version	Fabric (anthracite-silver), front-operated, air suspension 24 V, including adapter cable 24 V, preparation for control carrier boxes	<a href="#">100BC2618</a>




Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2620</a>
Backrest cushion	Fabric	<a href="#">100BC2621</a>
Backrest extension	Fabric	<a href="#">100BC2622</a>
Armrest	Left-hand	<a href="#">100BC2624</a>
Armrest	Right-hand	<a href="#">100BC2625</a>
Slide rails		<a href="#">100BC2623</a>
Switch	22 ohm	<a href="#">100BC2141</a>

Optional features	Description	REF
Document holder		<a href="#">100BC2144</a>
Control carrier box	Left, with mounting parts	<a href="#">100BC2626</a>
Control carrier box	Right, with mounting parts	<a href="#">100BC2627</a>

- |  |                              |  |                            |
|--|------------------------------|--|----------------------------|
|  | Pneumatic suspension         |  | Fore/aft isolation         |
|  | Pneumatic lumbar support     |  | Low-frequency suspension   |
|  | Automatic positioning system |  | Active seat climate system |
|  | Electronic weight system     |  | Adjustable shock absorber  |

## ACTIMO XXL (MSG 97AL/722)



Control carriers

- Pneumatic low-frequency suspension
- Suspension stroke: 100 mm
- Stepless height adjustment: 80 mm
- Automatic weight adjustment: 50 – 130 kg
- Passive seat climate system
- Fore/aft isolation
- Pneumatic lumbar support
- Heating
- Adjustable seat cushion length and angle
- Adjustable shock absorber for vertical suspension
- APS: automatic positioning system

Seats	Description	REF
Standard version	Fabric (yellow-black), air suspension, 24 V compressor, extra-wide, ruggedised suspension, length adjustment: 170 mm	<a href="#">100BC2628</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2630</a>
Backrest cushion	PVC	<a href="#">100BC2631</a>
Seat cushion	Fabric	<a href="#">100BC2661</a>
Backrest cushion	Fabric	<a href="#">100BC2634</a>
Seat cushion	Fabric, 24 V	<a href="#">100BC2633</a>
Backrest cushion	Fabric, 24 V	<a href="#">100BC2780</a>
Cushion set	Fabric, heated 24 V	<a href="#">100BC2636</a>
Slide rails set		<a href="#">100BC2637</a>
Switch		<a href="#">100BC2182</a>


Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2632</a>
Head rest	With matrix heated, with logo	<a href="#">100BC2635</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Seat belt	ELR, left-hand	<a href="#">100BC2638</a>
Lateral suspension	Height: 18 mm	<a href="#">100BC2213</a>
Lateral suspension	Reinforced version	<a href="#">100BC2639</a>
Swivel	360°, height: 31 mm	<a href="#">100BC2640</a>
Document holder		<a href="#">100BC2144</a>

- Pneumatic suspension
- Fore/aft isolation
- Pneumatic lumbar support
- Passive seat climate system
- Automatic positioning system
- Adjustable shock absorber
- Automatic weight system





## ACTIMO XL (MSG 95A/722)



- Pneumatic suspension
- Suspension stroke: 100 mm
- Stepless height adjustment: 80 mm
- Automatic weight adjustment: 50 – 130 kg
- Passive seat climate system
- Fore/aft isolation
- Pneumatic lumbar support
- Adjustable shock absorber for vertical suspension
- Adjustable seat cushion length and angle
- APS: automatic positioning system

Seats	Description	REF
Standard version	Fabric (yellow-black), narrow suspension (308 mm) 12 V, without low-frequency suspension	<a href="#">100BC2641</a>
Standard version	Fabric (yellow-black), narrow suspension (308 mm) 24 V, without low-frequency suspension	<a href="#">100BC2643</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2646</a>
Seat cushion	Fabric, 12 V	<a href="#">100BC2647</a>
Backrest cushion	Fabric	<a href="#">100BC2648</a>
Backrest cushion	Fabric, 12 V	<a href="#">100BC2649</a>
Heating cushion set	24 V	<a href="#">100BC2650</a>
Seat cushion	PVC	<a href="#">100BC2630</a>
Backrest cushion	PVC	<a href="#">100BC2631</a>
Heating	24 V	<a href="#">100BC2651</a>
Heating cable set	12 V	<a href="#">100BC2652</a>
Slide rails		<a href="#">100BC2210</a>
Switch + contact plate	22 ohm	<a href="#">100BC2168</a>



Control carriers


- |  |                              |  |                             |
|--|------------------------------|--|-----------------------------|
|  | Pneumatic suspension         |  | Fore/aft isolation          |
|  | Pneumatic lumbar support     |  | Passive seat climate system |
|  | Automatic positioning system |  | Adjustable shock absorber   |
|  | Automatic weight system      |  |                             |

Optional features	Description	REF
Head rest	Matrix, with logo	<a href="#">100BC2635</a>
Head rest	PVC	<a href="#">100BC2632</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Armrest	Left-hand, 270 x 65 mm adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm adjustable height, folding	<a href="#">100BC2231</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Seat belt	ELR, left-hand	<a href="#">100BC2638</a>
Lateral suspension	Height: 18 mm	<a href="#">100BC2213</a>
Lateral suspension	Reinforced version	<a href="#">100BC2639</a>
Swivel	360°, height: 31 mm	<a href="#">100BC2640</a>
Document holder		<a href="#">100BC2144</a>

## ACTIMO M (MSG 85/722)



- Mechanical suspension
- Weight adjustment: 50 – 130 kg
- Suspension stroke: 100 mm
- Mechanical lumbar support
- Height adjustment: 60 mm
- Adjustable seat cushion length and angle



Seats	Description	REF
Standard version	Fabric (yellow-black)	<a href="#">100BC2657</a>
Standard version	PVC (imitation leather)	<a href="#">100BC2659</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2661</a>
Seat cushion 550 mm	Fabric	<a href="#">100BC2662</a>
Backrest cushion	Fabric	<a href="#">100BC2634</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2663</a>
Seat cushion	Fabric, heated 12 V, extra wide: 550 mm	<a href="#">100BC2664</a>
Seat cushion	Fabric, heated 24 V, extra wide: 550 mm	<a href="#">100BC2665</a>
Seat cushion	PVC	<a href="#">100BC2630</a>
Backrest cushion	PVC	<a href="#">100BC2631</a>
Slide rails		<a href="#">100BC2250</a>
Switch + contact plate		<a href="#">100BC2258</a>



Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2632</a>
Backrest extension	With matrix heated, with logo	<a href="#">100BC2635</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Seat belt	ELR, left-hand	<a href="#">100BC2638</a>
Swivel	360°, height: 31 mm	<a href="#">100BC2640</a>
Document holder		<a href="#">100BC2144</a>



Mechanical suspension




Manual weight system



Mechanical lumbar support



## ACTIMO M WITH CONTROL CARRIER (MSG 85/722)



- Mechanical suspension
- Weight adjustment: 50 – 130 kg
- Mechanical lumbar support
- Height adjustment
- Adjustable seat cushion length and angle
- Folding armrests: 80 x 320 mm
- Head rest

Seats	Description	REF
Standard version	Fabric (yellow-black)	<a href="#">100BC2666</a>
Standard version	PVC (imitation leather)	<a href="#">100BC2668</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2661</a>
Seat cushion 550 mm	Fabric	<a href="#">100BC2662</a>
Backrest cushion	Fabric	<a href="#">100BC2634</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2663</a>
Seat cushion	Fabric, heated 12 V, extra wide: 550 mm	<a href="#">100BC2664</a>
Seat cushion	Fabric, heated 24 V, extra wide: 550 mm	<a href="#">100BC2665</a>
Seat cushion	PVC	<a href="#">100BC2630</a>
Backrest cushion	PVC	<a href="#">100BC2631</a>
Slide rails		<a href="#">100BC2250</a>
Switch + contact plate		<a href="#">100BC2258</a>



Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2632</a>
Backrest extension	With matrix heated, with logo	<a href="#">100BC2635</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Seat belt	Retractor, ALR	<a href="#">100BC2672</a>
Document holder		<a href="#">100BC2144</a>



Mechanical suspension



Manual weight system



Mechanical lumbar support


## SEAT SHELL S 44

Seat shell in narrow version with seat climate ducts



Seats	Description	REF
Standard version	PVC (black - imitation leather)	<a href="#">100BC2673</a>
Standard version	Fabric (black)	<a href="#">100BC2674</a>

Optional features	Description	REF
Fore/aft adjustment		<a href="#">100BC2675</a>
Seat belt	Retractor, ALR	<a href="#">100BC2327</a>




## SEAT SHELL S 38

Seat shell in wide version with seat climate ducts



Seats	Description	REF
Standard version	PVC (black - imitation leather)	<a href="#">100BC2676</a>

Optional features	Description	REF
Fore/aft adjustment		<a href="#">100BC2675</a>
Seat belt	Retractor, ALR	<a href="#">100BC2327</a>







# AGRICULTURAL SEATS






## Product line MAXIMO

Our product line Maximo offers maximum seating comfort for midsized to large tractors. The added features of our Maximo models are no added luxury but offer proven health benefits daily. The ergonomic design of the tapered backrest, the extra wide cushions and armrests combine maximum freedom of movement with safety. Numerous adjustment possibilities help to shape the Maximo seat to your ideal work posture. **Health is worth a maximum of seat comfort.**

### MAXIMO EVOLUTION ACTIVE (MSG 95EAC/741 12 V)



- Air suspension (12 V compressor)
- Electronically and actively controlled suspension system
- Active weight adjustment: 50 - 130 kg
- Stepless height adjustment
- Suspension stroke: 120 mm
- Height adjustment: 80 mm
- Adjustment of damping
- Fore/aft isolation
- Lateral suspension
- Length adjustment: 210 mm
- Adjustable seat cushion depth & angle
- Adjustable backrest angle
- Swivel: 20° left / right
- Integrated backrest extension
- Active seat climate system
- Seat heating
- Seat cushion width: extra wide 550 mm
- Operator presence switch (OPS)
- Height & adjustable angleable armrests with fabric
- Integrated backrest extension
- Pneumatic lumbar support
- Document holder

Seats	Description	REF
Standard version	Fabric (anthracite-silver), switch 22 ohm	<a href="#">100BC2135</a>
Fendt version	Fabric (anthracite-silver), switch diagnostic ability 122/510 ohm	<a href="#">100BC2136</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2137</a>
Backrest cushion	Fabric	<a href="#">100BC2138</a>
Backrest extension	Fabric	<a href="#">100BC2139</a>
Armrest	Left-hand	<a href="#">100BC2142</a>
Armrest	Right-hand	<a href="#">100BC2143</a>
Slide rails		<a href="#">100BC2140</a>
Switch	22 ohm	<a href="#">100BC2141</a>
Switch	Fendt version	<a href="#">100BC2778</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2435</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2432</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2434</a>


Optional features	Description	REF
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Document holder		<a href="#">100BC2144</a>

	Pneumatic suspension		Active suspension
	Pneumatic lumbar support		Swivel
	Automatic positioning system		Active seat climate system
	Automatic weight system		Automatic shock absorber
	Fore/aft isolation		Lateral suspension

Contact us for additional seat options • Please note that optional features are not included with the seat and must be ordered separately. Please note that the appearance of the seat might differ slightly from the shown example, depending on the selected version and options.



## MAXIMO EVOLUTION DYNAMIC (MSG 95EL/741 12 V)



- Low-frequency air suspension (12 V compressor)
- Active weight adjustment: 50 - 130 kg
- Stepless height adjustment: 80 mm
- Suspension stroke: 120 mm
- Automatic shock absorber
- Fore/aft isolation
- Lateral suspension
- Length adjustment: 210 mm
- Adjustable seat cushion depth & angle
- Adjustable backrest angle
- Swivel: 20° left / right
- Integrated backrest extension
- Active seat seat climate system
- Seat heating
- Seat cushion width: extra wide 550 mm
- Operator presence switch (OPS)
- Height & adjustable angleable armrests with fabric cover
- Integrated backrest extension
- Pneumatic lumbar support
- Document holder

Seats	Description	REF
Standard version	Fabric (anthracite-silver), switch 22 ohm	<a href="#">100BC2154</a>
Same version	Fabric (anthracite-silver), switch diagnostic ability, 3000/1500 ohm	<a href="#">100BC2156</a>
Fendt version	Fabric (anthracite-silver), switch diagnostic ability, 510/122 ohm	<a href="#">100BC2158</a>


Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2152</a>
Backrest cushion	Fabric	<a href="#">100BC2160</a>
Backrest extension	Fabric	<a href="#">100BC2139</a>
Armrest	Left-hand	<a href="#">100BC2142</a>
Armrest	Right-hand	<a href="#">100BC2143</a>
Slide rails		<a href="#">100BC2140</a>
Switch	22 ohm	<a href="#">100BC2141</a>
Switch	Fendt version	<a href="#">100BC2778</a>
Switch	510/122 ohm	<a href="#">100BC2779</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2436</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2432</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2437</a>

Optional features	Description	REF
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Document holder		<a href="#">100BC2144</a>

	Pneumatic suspension		Dynamic damping system
	Pneumatic lumbar support		Swivel
	Automatic positioning system		Active seat climate system
	Automatic weight system		Automatic shock absorber
	Fore/aft isolation		Lateral suspension



## MAXIMO DYNAMIC PLUS



With Dualmotion adaptive back support

- Dynamic dampening air suspension system (12 V compressor)
- Suspension stroke: 120 mm
- Air-assisted height adjustment: 80 mm
- Automatic weight adjustment
- Passive seat climate system
- Fore/aft adjustment: 210 mm
- Fore/aft isolation
- Pneumatic lumbar support
- Adjustable backrest angle
- Adaptive dualmotion back support
- Lateral suspension
- Seat cushion width: extra wide 565 mm
- 2-step seat heating
- Adjustable seat cushion depth & angle
- Dynamic dampening system
- Swivel: 7.5° left / 15° right
- Automatic shock absorber
  - Left: 80 x 380 mm, adjustable angle
  - Right: interface for multifunctional armrest
- APS (Automatic Positioning System)
- Document holder

	Pneumatic suspension		Dynamic damping system
	Pneumatic lumbar support		Swivel
	Automatic positioning system		Passive seat climate system
	Automatic weight system		Automatic shock absorber
	Fore/aft isolation		Lateral suspension
	Dualmotion		


Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2162</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2164</a>
Backrest cushion	Fabric	<a href="#">100BC2165</a>
Backrest extension	Fabric	<a href="#">100BC2166</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Slide rails		<a href="#">100BC2167</a>
Switch		<a href="#">100BC2182</a>
Switch	22 ohm	<a href="#">100BC2168</a>
Switch	Fendt 510/122 ohm	<a href="#">100BC2169</a>
Switch	Same 300/1500 bzw 2000/500 ohm	<a href="#">100BC2183</a>
Switch	John Deere 3300/1031 ohm	<a href="#">100BC2184</a>
Compensator	Same, John Deere, Fendt switch	<a href="#">100BC2170</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2443</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2444</a>

Optional features	Description	REF
Seat belt	Static	<a href="#">100BC2786</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Document holder		<a href="#">100BC2144</a>

Contact us for additional seat options • Please note that optional features are not included with the seat and must be ordered separately. Please note that the appearance of the seat might differ slightly from the shown example, depending on the selected version and options.

## MAXIMO DYNAMIC (MSG 95AL/741 12 V)



High-comfort seat with dynamic dampening system.

- Dynamic dampening air suspension system (12 V compressor)
- Low-frequency air suspension
- Suspension stroke: 120 mm
- Air-assisted height adjustment: 80 mm
- Passive seat climate system
- Fore/aft adjustment: 210 mm
- Fore/aft isolation
- Pneumatic lumbar support
- Adjustable backrest angle
- Integrated backrest extension
- Horizontal suspension
- Lateral suspension
- Seat cushion width: extra wide 550 mm
- Seat heating
- Adjustable seat cushion length & angle
- Swivel: 20° left / right
- Dynamic dampening system
- Integrated backrest extension
- Armrests
  - Left: 80 x 380 mm, adjustable angle
  - Right: 80 x 380 mm, adjustable angle
- Suspension cover
- Document holder
- Electronically controlled suspension positioning system
- Automatic weight adjustment, delete entry

- |  |                              |  |                             |
|--|------------------------------|--|-----------------------------|
|  | Pneumatic suspension         |  | Dynamic damping system      |
|  | Pneumatic lumbar support     |  | Swivel                      |
|  | Automatic positioning system |  | Automatic shock absorber    |
|  | Automatic weight system      |  | Lateral suspension          |
|  | Fore/aft isolation           |  | Passive seat climate system |

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2176</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2178</a>
Backrest cushion	Fabric	<a href="#">100BC2179</a>
Backrest extension	Fabric	<a href="#">100BC2180</a>
Armrest	Left-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2171</a>
Armrest	Right-hand, long 380 x 80 mm adjustable angle	<a href="#">100BC2172</a>
Slide rails		<a href="#">100BC2181</a>
Switch		<a href="#">100BC2182</a>
Switch	22 ohm	<a href="#">100BC2168</a>
Switch	Fendt 510/122 ohm	<a href="#">100BC2169</a>
Switch	Same 300/1500 bzw 2000/500 ohm	<a href="#">100BC2183</a>
Switch	John Deere 3300/1031 ohm	<a href="#">100BC2184</a>
Compensator	Same, John Deere, Fendt switch	<a href="#">100BC2170</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2443</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2444</a>

Optional features	Description	REF
Seat belt	Static	<a href="#">100BC2786</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Document holder		<a href="#">100BC2144</a>

Contact us for additional seat options • Please note that optional features are not included with the seat and must be ordered separately. Please note that the appearance of the seat might differ slightly from the shown example, depending on the selected version and options.




## MAXIMO PROFESSIONAL (MSG 95AL/731 12 V)



High-comfort seat with low-frequency suspension

- Low-frequency air suspension (12 V compressor)
- Suspension stroke: 100 mm
- Automatic weight adjustment
- Air-assisted height adjustment: 80 mm
- Suspension cover
- Swivel: 20° left / right
- Adjustable seat cushion length & angle
- Adjustable Head rest
- Height adjustable and foldable armrests
- Seat cushion width: extra wide 530 mm
- Adjustable shock absorber
- Integrated backrest extension
- Fore/aft isolator



Pneumatic suspension



Low-frequency suspension



Mechanical lumbar support



Swivel



Automatic positioning system



Adjustable shock absorber



Automatic weight system



Fore/aft isolation


Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2204</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2206</a>
Backrest cushion	Fabric	<a href="#">100BC2207</a>
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2208</a>
Armrest	Left-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2211</a>
Armrest	Right-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2212</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2209</a>
Slide rails		<a href="#">100BC2210</a>
Switch		<a href="#">100BC2182</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2443</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2446</a>
Complete suspension		<a href="#">100BC2447</a>

Optional features	Description	REF
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Lateral suspension	Height: 18 mm	<a href="#">100BC2213</a>
Document holder		<a href="#">100BC2144</a>



## MAXIMO COMFORT PLUS (MSG 95A/731 12 V)



Pneumatic suspension



Automatic weight system



Mechanical lumbar support



Fore/aft isolation



Automatic positioning system

Standard seat with automatic positioning system

- Air suspension (12 V compressor)
- Automatic weight adjustment
- APS Automatic Positioning System
- Adjustable seat base cushion
- Backrest adjustable anglement
- Height adjustable and foldable armrests
- Seat cushion width: extra wide 530 mm
- Integrated backrest extension
- Fore/aft isolator

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2202</a>
Standard version	PVC (black)	<a href="#">100BC2219</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2206</a>
Backrest cushion	Fabric	<a href="#">100BC2207</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2209</a>
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2208</a>
Seat cushion	PVC	<a href="#">100BC2215</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Backrest extension	PVC	<a href="#">100BC2217</a>
Cushion set	PVC, heated 12 V	<a href="#">100BC2218</a>
Armrest	Left-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2211</a>
Armrest	Right-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2212</a>
Slide rails		<a href="#">100BC2210</a>
Switch		<a href="#">100BC2182</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2443</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2448</a>


Optional features	Description	REF
Seat belt	Static	<a href="#">100BC2786</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Lateral suspension	Height: 18 mm	<a href="#">100BC2213</a>
Document holder		<a href="#">100BC2144</a>

## MAXIMO COMFORT (MSG 95G/731 12 V)



Standard seat with pneumatic suspension.

- Air suspension (12 V compressor)
- Manual weight adjustment
- Suspension stroke: 100 mm
- Non-adjustable shock absorber
- Air-assisted height adjustment: 60 mm
- Fore/aft isolation
- Adjustable damper
- Slide rail adjustment: 210 mm
- Mechanical lumbar support
- Backrest adjustable anglement
- Height adjustable and foldable armrests
- Suspension cover
- Seat cushion width: extra wide 520 mm



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support



Fore/aft isolation

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2221</a>
Standard version	PVC (black)	<a href="#">100BC2223</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2225</a>
Backrest cushion	Fabric	<a href="#">100BC2207</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2226</a>
Seat cushion	PVC	<a href="#">100BC2227</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Cushion set	PVC, heated 12 V	<a href="#">100BC2228</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Slide rails		<a href="#">100BC2210</a>
Switch		<a href="#">100BC2182</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2449</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2450</a>

Optional features	Description	REF
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2208</a>
Backrest extension	PVC	<a href="#">100BC2229</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Seat belt	Duo sensitive, ELR	<a href="#">100BC2232</a>
Lateral suspension	Height: 18 mm	<a href="#">100BC2213</a>
Document holder		<a href="#">100BC2144</a>

## SPECIAL EDITION (MSG 95G/721 12 V)



- Air suspension
- Manual weight adjustment: 50 - 130 kg
- Suspension stroke: 100 mm
- Air supported stepless height adjustment: 80 mm
- Manual weight adjustment
- Fore/aft isolation
- Slide rail adjustment: 210 mm
- Mechanical lumbar support
- Backrest adjustable anglement
- Height adjustable and foldable armrests: 65 x 270 mm
- Seat cushion width: 480 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver) (with armrests)	<a href="#">100BC2233</a>
Standard version	PVC (black) (with armrests)	<a href="#">100BC2235</a>



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support




Fore/aft isolation

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2236</a>
Backrest cushion	Fabric	<a href="#">100BC2237</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2239</a>
Backrest extension	Fabric	<a href="#">100BC2240</a>
Seat cushion	PVC	<a href="#">100BC2241</a>
Backrest cushion	PVC	<a href="#">100BC2242</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Slide rails		<a href="#">100BC2210</a>
Switch		<a href="#">100BC2182</a>
Shock absorber	Vertical	<a href="#">100BC2430</a>
Shock absorber	Horizontal	<a href="#">100BC2445</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2441</a>
Air spring		<a href="#">100BC2433</a>
Complete suspension		<a href="#">100BC2450</a>

Optional features	Description	REF
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Seat belt	Duo sensitive, ELR	<a href="#">100BC2232</a>
Lateral suspension	Height: 18 mm	<a href="#">100BC2213</a>
Document holder		<a href="#">100BC2144</a>



## MAXIMO BASIC (MSG 85/721)



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support



Fore/aft isolation

Standard seat with mechanical suspension

- Mechanical suspension
- Suspension stroke: 100 mm
- Shock absorber
- Adjustable backrest angle
- Height adjustment: 80 mm
- Manual weight adjustment
- Fore/aft adjustment: 210 mm
- Backrest adjustable anglement
- Armrests: 65 x 270 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver) (with arm rests)	<a href="#">100BC2244</a>
Standard version	PVC (with armrests, with belt)	<a href="#">100BC2764</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2246</a>
Backrest cushion	Fabric	<a href="#">100BC2207</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2247</a>
Seat cushion	PVC	<a href="#">100BC2241</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Cushion set	PVC, heated 12 V	<a href="#">100BC2248</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Slide rails		<a href="#">100BC2250</a>
Switch		<a href="#">100BC2251</a>
Shock absorber	Vertical	<a href="#">100BC2451</a>
Roller kit		<a href="#">100BC2431</a>
Compressor		<a href="#">100BC2441</a>
Complete suspension		<a href="#">100BC2452</a>


Optional features	Description	REF
Head rest	PVC	<a href="#">100BC2249</a>
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2208</a>
Seat belt	Static	<a href="#">100BC2786</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Seat belt	Duo sensitive, ELR	<a href="#">100BC2232</a>
Lateral suspension	Height: 18 mm	<a href="#">100BC2213</a>
Document holder		<a href="#">100BC2144</a>

## Product line COMPACTO/PRIMO Professional

In small tractor models such as vineyard and hopfield vehicles, seat comfort is often overlooked. The Compacto and Primo Professional are tailor-made to solve this, with different cushion widths available. Despite their small dimensions, they all boast standard GRAMMER suspension systems and seat and operating features. **Optimum seating comfort in a minimum of space.**

MODELS WITH AIR SUSPENSION

### PRIMO PROFESSIONAL (MSG75GL/521/511)



- Low-profile, low-frequency suspension (12 V compressor)
- Height adjustment: 60 mm
- Weight adjustment: 45 - 170 kg
- Fore/aft adjustment: 210 mm
- Adjustable backrest angle
- Integrated backrest extension
- Mechanical lumbar support



Pneumatic suspension



Low-frequency suspension



Mechanical lumbar support



Manual weight adjustment

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver), PRIMO Prof M 12 V	<a href="#">100BC2453</a>
Standard version	PVC (black), PRIMO Prof M 12 V	<a href="#">100BC2455</a>
Standard version	Fabric (anthracite-green-silver), PRIMO Prof S 12 V	<a href="#">100BC2457</a>
Standard version	PVC (black) PRIMO Prof S 12 V	<a href="#">100BC2459</a>

Spare parts	Description	REF
Seat cushion	Fabric, 450 mm for Prof M	<a href="#">100BC2265</a>
Seat cushion	Fabric, 400 mm for Prof S	<a href="#">100BC2287</a>
Seat cushion	Fabric, 450 mm, heated 12 V, for PRIMO Prof M	<a href="#">100BC2788</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2288</a>
Backrest cushion	Fabric, 450 mm for Prof M	<a href="#">100BC2267</a>
Backrest cushion	Fabric, 400 mm for Prof S	<a href="#">100BC2289</a>
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2268</a>
Backrest cushion	Fabric, heated 12 V, 400 mm Prof S	<a href="#">100BC2290</a>
Backrest cushion	Fabric	<a href="#">100BC2269</a>
Seat cushion	PVC, 450 mm, for PRIMO Prof M	<a href="#">100BC2270</a>
Seat cushion	PVC, 400 mm, for PRIMO Prof S	<a href="#">100BC2291</a>
Seat cushion	PVC, heated 12 V, 450 mm for PRIMO Prof M	<a href="#">100BC2271</a>
Seat cushion	PVC, heated 12 V, 400 mm for PRIMO Prof S	<a href="#">100BC2292</a>
Backrest cushion	PVC	<a href="#">100BC2272</a>
Backrest cushion	PVC, 400 mm for PRIMO Prof S	<a href="#">100BC2293</a>
Backrest cushion	PVC, heated 12 V, 450 mm for PRIMO Prof M	<a href="#">100BC2273</a>
Backrest cushion	PVC, heated 12 V, 400 mm for PRIMO Prof S	<a href="#">100BC2294</a>
Backrest extension	PVC	<a href="#">100BC2217</a>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2277</a>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Slide rails		<a href="#">100BC2462</a>
Switch		<a href="#">100BC2463</a>
Cable	Heating, 12 V	<a href="#">100BC2464</a>
Shock absorber	Vertical	<a href="#">100BC2465</a>
Compressor	12 V	<a href="#">100BC2466</a>
Air spring		<a href="#">100BC2467</a>

Optional features	Description	REF
Storage net		<a href="#">100BC2469</a>
Seat belt	Static	<a href="#">100BC2295</a>
Seat belt	Seat belt, ELR	<a href="#">100BC2281</a>
Seat belt	Retractor with switch right ELR	<a href="#">100BC2471</a>
Fore/aft isolation		<a href="#">100BC2472</a>
Document holder		<a href="#">100BC2144</a>

Contact us for additional seat options • Please note that optional features are not included with the seat and must be ordered separately. Please note that the appearance of the seat might differ slightly from the shown example, depending on the selected version and options.






## COMPACTO COMFORT W (MSG 93/721 12 V)



- Air suspension (12 V compressor)
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Mechanical lumbar support
- Adjustable backrest angle
- Fore/aft isolation
- Seat cushion width: 480 mm



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support




Fore/aft isolation

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2252</a>
Standard version	PVC	<a href="#">100BC2254</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2246</a>
Backrest cushion	Fabric	<a href="#">100BC2207</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2208</a>
Seat cushion	PVC	<a href="#">100BC2241</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Cushion set	PVC, heated 12 V	<a href="#">100BC2248</a>
Backrest extension	PVC	<a href="#">100BC2256</a>
Slide rails		<a href="#">100BC2257</a>
Switch		<a href="#">100BC2258</a>
Cable set	Heating 12 V	<a href="#">100BC2768</a>
Shock absorber	Vertical	<a href="#">100BC2473</a>
Compressor		<a href="#">100BC2474</a>
Air spring		<a href="#">100BC2475</a>
Complete suspension		<a href="#">100BC2476</a>

Optional features	Description	REF
Backrest extension	Fabric	<a href="#">100BC2247</a>
Armrest	Left-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2211</a>
Armrest	Right-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2212</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Seat belt	Static	<a href="#">100BC2786</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Lateral suspension		<a href="#">100BC2259</a>
Document holder		<a href="#">100BC2144</a>

## COMPACTO COMFORT M (MSG 93/521 12 V)



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support

- Air suspension (12 V compressor)
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Adjustable backrest angle
- Mechanical lumbar support
- Fore/aft adjustment
- Seat cushion width: 450 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2261</a>
Standard version	PVC (black)	<a href="#">100BC2263</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2265</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2266</a>
Backrest cushion	Fabric	<a href="#">100BC2267</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2269</a>
Seat cushion	PVC	<a href="#">100BC2270</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2271</a>
Backrest cushion	PVC	<a href="#">100BC2272</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2273</a>
Slide rail		<a href="#">100BC2274</a>
Switch		<a href="#">100BC2275</a>
Cable set	Heating, 12 V	<a href="#">100BC2276</a>
Shock absorber	Vertical	<a href="#">100BC2473</a>
Compressor		<a href="#">100BC2474</a>
Air spring		<a href="#">100BC2475</a>


Optional features	Description	REF
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2268</a>
Backrest extension	PVC	<a href="#">100BC2217</a>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2277</a>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Armrest	Left-hand, 65 x 270 mm	<a href="#">100BC2279</a>
Armrest	Right-hand, 65 x 270 mm	<a href="#">100BC2280</a>
Seat belt	Seat belt, ELR	<a href="#">100BC2281</a>
Lateral suspension		<a href="#">100BC2282</a>
Document holder		<a href="#">100BC2144</a>



## COMPACTO COMFORT S (MSG 93/511 12 V)



- Air suspension (12 V compressor)
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Adjustable backrest angle
- Mechanical lumbar support
- Fore/aft adjustment
- Seat cushion width: 400 mm



**Note:** restricted field of application, only to be fitted on narrow-track tractors with a minimum track width of  $\leq 1150$  mm at the rear wheels.



Pneumatic suspension



Manual weight adjustment



Mechanical lumbar support

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2283</a>
Standard version	PVC (black)	<a href="#">100BC2285</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2287</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2288</a>
Backrest cushion	Fabric	<a href="#">100BC2289</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2290</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2269</a>
Seat cushion	PVC	<a href="#">100BC2291</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2292</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2293</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2294</a>
Slide rail		<a href="#">100BC2274</a>
Switch		<a href="#">100BC2275</a>
Cable set	Heating, 12 V	<a href="#">100BC2276</a>
Shock absorber	Vertical	<a href="#">100BC2473</a>
Compressor		<a href="#">100BC2474</a>
Air spring		<a href="#">100BC2475</a>
Suspension	Upper part	<a href="#">100BC2477</a>
Suspension	Lower part	<a href="#">100BC2478</a>

Optional features	Description	REF
Backrest extension	PVC	<a href="#">100BC2217</a>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2277</a>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Armrest	Left-hand, 65 x 270 mm	<a href="#">100BC2279</a>
Armrest	Right-hand, 65 x 270 mm	<a href="#">100BC2280</a>
Seat belt	Static	<a href="#">100BC2295</a>
Seat belt	Seat belt, ELR	<a href="#">100BC2281</a>
Lateral suspension	18 mm	<a href="#">100BC2296</a>
Document holder		<a href="#">100BC2144</a>


## COMPACTO BASIC W (MSG 83/721)



- Mechanical suspension
- 3-step height adjustment 50 - 130 kg
- Adjustable lumbar support
- Adjustable backrest angle
- Seat cushion width: 480 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2306</a>
Standard version	PVC (black)	<a href="#">100BC2308</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2246</a>
Backrest cushion	Fabric	<a href="#">100BC2207</a>
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2208</a>
Cushion set	Fabric, heated 12 V	<a href="#">100BC2310</a>
Seat cushion	PVC	<a href="#">100BC2241</a>
Backrest cushion	PVC	<a href="#">100BC2216</a>
Head rest	PVC	<a href="#">100BC2256</a>
Cushion set	PVC, heated 12 V	<a href="#">100BC2248</a>
Slide rail		<a href="#">100BC2311</a>
Switch		<a href="#">100BC2258</a>
Shock absorber	Vertical	<a href="#">100BC2473</a>
Complete suspension		<a href="#">100BC2480</a>



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support


Optional features	Description	REF
Armrest	Left-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2211</a>
Armrest	Right-hand, 380 x 80 mm, adjustable angle	<a href="#">100BC2212</a>
Armrest	Left-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2230</a>
Armrest	Right-hand, 270 x 65 mm height adjustable height, folding	<a href="#">100BC2231</a>
Seat belt	Static	<a href="#">100BC2786</a>
Seat belt	Retractor, ALR	<a href="#">100BC2145</a>
Lateral suspension		<a href="#">100BC2259</a>
Document holder		<a href="#">100BC2144</a>



## COMPACTO BASIC M (MSG 83/521)



- Mechanical suspension
- 3-step height adjustment: 50 - 130 kg
- Adjustable lumbar support
- Adjustable backrest angle
- Fore/aft adjustment
- Seat cushion width: 450 mm



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2312</a>
Standard version	PVC (black)	<a href="#">100BC2314</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2316</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2317</a>
Backrest cushion	Fabric	<a href="#">100BC2267</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2269</a>
Seat cushion	PVC	<a href="#">100BC2270</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2271</a>
Backrest cushion	PVC	<a href="#">100BC2272</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2273</a>
Slide rail		<a href="#">100BC2274</a>
Switch		<a href="#">100BC2275</a>
Cable set	Heating, 12 V	<a href="#">100BC2276</a>
Adapter	Cable ops	<a href="#">100BC2318</a>
Shock absorber	Vertical	<a href="#">100BC2473</a>
Roller kit		<a href="#">100BC2481</a>
Complete suspension		<a href="#">100BC2480</a>

Optional features	Description	REF
Backrest extension	Fabric, heated 12 V	<a href="#">100BC2268</a>
Head rest	PVC	<a href="#">100BC2249</a>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2277</a>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Armrest	Left-hand, 65 x 270 mm	<a href="#">100BC2279</a>
Armrest	Right-hand, 65 x 270 mm	<a href="#">100BC2280</a>
Seat belt	Seat belt, ELR	<a href="#">100BC2281</a>
Lateral suspension	18 mm	<a href="#">100BC2296</a>
Document holder		<a href="#">100BC2144</a>





## COMPACTO BASIC XM





- Mechanical suspension
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Additional height limiter
- Suspension stroke: 60 mm

Seats	Description	REF
Standard version	PVC (black)	<a href="#">100BC2297</a>

Spare parts	Description	REF
Seat cushion	PVC	<a href="#">100BC2299</a>
Backrest cushion	PVC	<a href="#">100BC2300</a>
Switch		<a href="#">100BC2301</a>
Seat pan		<a href="#">100BC2302</a>

Optional features	Description	REF
Seat belt	Static	<a href="#">100BC2304</a>
Seat belt	Retractor	<a href="#">100BC2305</a>
Document holder		<a href="#">100BC2303</a>




Mechanical suspension



Manual weight adjustment



## COMPACTO BASIC S (MSG 83/511)



**Note:** restricted field of application, only to be fitted on narrow-track tractors with a minimum track width of  $\leq 1150$  mm at the rear wheels.



Mechanical suspension



Manual weight adjustment



Mechanical lumbar support

- Mechanical suspension
- Horizontal suspension
- Suspension stroke: 80 mm
- Infinitely variable height adjustment: 60 mm
- Horizontal adjustment: 180 mm
- Adjustable backrest angle
- Adjustable lumbar support
- Air-assisted automatic weight adjustment: 50 - 130 kg
- Fore/aft adjustment
- Seat cushion width: 400 mm

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2319</a>
Standard version	PVC (black)	<a href="#">100BC2321</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2287</a>
Seat cushion	Fabric, heated 12 V	<a href="#">100BC2288</a>
Backrest cushion	Fabric	<a href="#">100BC2289</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2290</a>
Backrest cushion	Fabric, heated 12 V	<a href="#">100BC2269</a>
Seat cushion	PVC	<a href="#">100BC2291</a>
Seat cushion	PVC, heated 12 V	<a href="#">100BC2292</a>
Backrest cushion	PVC, heated 12 V	<a href="#">100BC2294</a>
Slide rail		<a href="#">100BC2274</a>
Switch		<a href="#">100BC2275</a>
Cable set	Heating, 12 V	<a href="#">100BC2276</a>
Adapter	Cable ops	<a href="#">100BC2318</a>
Shock absorber	Vertical	<a href="#">100BC2473</a>
Roller kit		<a href="#">100BC2481</a>
Complete suspension		<a href="#">100BC2480</a>

Optional features	Description	REF
Backrest extension	PVC	<a href="#">100BC2217</a>
Armrest	Left-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2277</a>
Armrest	Right-hand, 60 x 320 mm, adjustable angle	<a href="#">100BC2278</a>
Armrest	Left-hand, 65 x 270 mm	<a href="#">100BC2279</a>
Armrest	Right-hand, 65 x 270 mm	<a href="#">100BC2280</a>
Seat belt	Static	<a href="#">100BC2295</a>
Lateral suspension		<a href="#">100BC2282</a>
Document holder		<a href="#">100BC2144</a>

## COMPACTO BASIC XS




- Mechanical suspension
- Air-assisted height adjustment
- Weight adjustment: 50 - 130 kg
- Additional height limiter
- Suspension stroke: 60 mm

Seats	Description	REF
Standard version	PVC (black)	<a href="#">100BC2324</a>

Spare parts	Description	REF
Backrest extension	PVC	<a href="#">100BC2326</a>

Optional features	Description	REF
Seat belt	Seat belt, ELR	<a href="#">100BC2327</a>



Mechanical suspension



Manual weight adjustment


## Product line UNIVERSO

The new Universo has all the features that make sitting a pleasure: a tapered backrest for greater freedom of movement, improved lateral support, an optimum seat cushion angle and multi-function ventilation channels. Furthermore, it is easy to maintain, equipped with replaceable cushions and is available in waterproof imitation leather or heavy-duty fabric. **Suspension so good you don't know it's there.**

### UNIVERSO BASIC PLUS (MSG 44/520)



- Mechanical suspension
- Height adjustment
- Weight adjustment: 50 - 130 kg
- Control levers ergonomically placed
- Lateral suspension
- Fore/aft adjustment
- Fore/aft isolation



Mechanical suspension



Manual weight adjustment



Fore/aft isolation

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver) (with backrest extension) (with arm rests)	<a href="#">100BC2328</a>
Standard version	PVC (black)	<a href="#">100BC2342</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2331</a>
Backrest cushion	Fabric	<a href="#">100BC2332</a>
Backrest extension	Fabric	<a href="#">100BC2333</a>
Seat cushion	PVC	<a href="#">100BC2299</a>
Backrest cushion	PVC	<a href="#">100BC2300</a>
Backrest extension	PVC	<a href="#">100BC2256</a>
Armrest	Left-hand, 54 x 300 mm	<a href="#">100BC2335</a>
Armrest	Right-hand, 54 x 300 mm	<a href="#">100BC2336</a>
Slide rail		<a href="#">100BC2334</a>
Shock absorber	Vertical	<a href="#">100BC2482</a>

Optional features	Description	REF
Seat belt	Static	<a href="#">100BC2337</a>
Lap belt	Retractor	<a href="#">100BC2338</a>
Lateral suspension		<a href="#">100BC2339</a>
Option	Vario-cons angular assy for KHD / John Deere	<a href="#">100BC2340</a>
Option	Step-console for Fendt series 102 - 108	<a href="#">100BC2341</a>
Document holder		<a href="#">100BC2144</a>




## UNIVERSO BASIC (MSG 44/520)



- Mechanical suspension
- Height adjustment
- Weight adjustment: 50 - 130 kg
- Control levers ergonomically placed
- Fore/aft adjustment

Seats	Description	REF
Standard version	Fabric (anthracite-green-silver)	<a href="#">100BC2342</a>
Standard version	PVC (black)	<a href="#">100BC2343</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2331</a>
Backrest cushion	Fabric	<a href="#">100BC2332</a>
Seat cushion	PVC	<a href="#">100BC2299</a>
Backrest cushion	PVC	<a href="#">100BC2300</a>
Slide rails		<a href="#">100BC2345</a>



Mechanical suspension



Manual weight adjustment

Optional features	Description	REF
Backrest extension	Fabric	<a href="#">100BC2333</a>
Backrest extension	PVC	<a href="#">100BC2256</a>
Armrest	Left-hand, 54 x 300 mm	<a href="#">100BC2335</a>
Armrest	Right-hand, 54 x 300 mm	<a href="#">100BC2336</a>
Seat belt	Static	<a href="#">100BC2337</a>
Lap belt	Retractor	<a href="#">100BC2338</a>
Option	Vario-cons angular assy for KHD / John Deere	<a href="#">100BC2340</a>
Option	Step-console for Fendt series 102 - 108	<a href="#">100BC2341</a>
Document holder		<a href="#">100BC2144</a>





## DS44/1B




- Mechanical suspension
- Weight adjustment: 50 - 130 kg
- Fore/aft adjustment

Seats	Description	REF
Standard version	PVC (black)	<a href="#">100BC2346</a>

Spare parts	Description	REF
Seat cushion	Fabric	<a href="#">100BC2347</a>
Backrest cushion	Fabric	<a href="#">100BC2348</a>
Seat cushion	PVC	<a href="#">100BC2349</a>
Backrest cushion	PVC	<a href="#">100BC2350</a>
Backrest extension	PVC	<a href="#">100BC2256</a>

Optional features	Description	REF
Armrest	Left-hand, 65 x 270 mm, folding	<a href="#">100BC2351</a>
Armrest	Right-hand, 65 x 270 mm, folding	<a href="#">100BC2352</a>
Seat belt	Static	<a href="#">100BC2337</a>
Seat belt	Retractor, ALR	<a href="#">100BC2338</a>
Facility for lumbar support		<a href="#">100BC2353</a>



Mechanical suspension



Manual weight adjustment