

Katalog



Schalter



About TVH I

- TVH History I
- Parts & Accessories II
- Attachments & handling equipment III
- Catalogues & product specials IV
- Webshop & online support V
- Electronic & reconditioned parts VI
- TVH-bay & second-hand attachments VII
- TVH Equipment VIII

Table of contents A

- English A
- Nederlands B
- Français C
- Deutsch D
- Español E
- Italiano F
- Português G
- Polski H
- Русский I
- Complete range J

Nice to know 1

- Nice to know 1

Microswitches 7

- Technical sheet 8
- Complete range 19

Limit switches 203

- Technical sheet 204
- Complete range 215

Battery switches 375

Miscellaneous 381

Maintenance, repair & operations 389

- Contact cleaner 390
- 2-26 Electro 390
- Minus 50 390
- Contact cleaner 390
- Electronic component cleaner 391
- Low strength threadlocker 391
- Instant adhesive 391
- Conical cutter 392
- 3-Piece step drill set 392
- 40-Piece tap and die set – metric 392
- Insulating tape 392
- Heat-shrink tubing 3/1 393
- Heat gun 393

- 9-Piece long hexagon ball head key set–inch 394
- 39-Piece 1/4" combination set 394
- 3-Piece pliers set 395
- Diagonal insulation stripper 395
- Crimping pliers 395
- 12-Piece insulated (1000 V) slotted and phillips screwdriver set 396
- Slotted 230 V tester 396
- Digital multimeter 396
- Fluke® 175 – digital multimeter 397
- Vernier caliper 398
- Measuring tapes with magnet 398
- Workeasy black 398



1

NICE TO KNOW



SWITCHES

Limit and microswitches are present in almost everything you see, and play an essential role in the function of e.g. tiller heads, steering column switches, seats, control panels, foot pedals, engines, wheel bases ...

TVH Parts sells about 175.000 switches a year.

Our top quality products are manufactured by makes such as:

- Crouzet, Omron, Burgess and Honeywell for microswitches
- Telemecanique (Schneider) and Pizzato for limit switches

All our switches comply with the standards. Our electronics department, which exerts full control over the quality, carries out exhaustive tests to ensure the optimal functioning of your machine.

TVH Parts is the Master Distributor for **Crouzet Switches** in the Benelux since 1 January 2015. Crouzet has chosen TVH Parts for its enormous logistics platform and the resulting shorter delays, as well as the possibility to adapt switches according to customers' needs.

TVH Parts also has partnerships with other top quality brands for switches.

Product range switches

To make sure you find what you're looking for, we basically have any kind of switches in stock:

- limit switches
- microswitches
- rocker switches
- toggle switches
- battery switches
- foot switches
- knock-off switches
- steering column switches
- pull switches
- rotary switches
- push buttons
- control boxes

More benefits

Thanks to our extensive stock, we will have your order delivered in no time. Please contact your TVH sales advisor for further information.



SWITCHES


The microswitches and limit switches are sorted by:

- 1. Center distance
- 2. Type of lever
- 3. Type of connection

MICROSWITCHES

Center distance: 25,4 mm


MICROSWITCHES

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contact
	Special	Covered screw connection	0	0	1

LIMIT SWITCHES

Center distance: 20 mm

LIMIT SWITCHES

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contact
	Roller plunger	Cable with connector	1	0	0



SWITCHES

MyTotalSource

Your interactive online webshop for spare parts




The user-friendly search modules **MyPartsFinder** and **MyProductSearch** allow you to always find the correct part. Alternatively, you can also easily search by partnumber.


1) In **MyPartsFinder** you can find your microswitches and limit switches by entering vehicle specifications. (make, type ...)



2) With **MyProductSearch** you can find your part by entering technical details.



MyProductSearch
Find your switches




It is also possible to search further via **MyProductSearch** for a similar part with other characteristics if necessary, or the parts can also be compared to each other.




SWITCHES

3) Search by partnumber



- **Single line part inquiry:** for a quick price and lead time of only 1 item
- **Multiple line part inquiry:** for price and lead time of several parts
- Instant price, availability and picture



The reference in the catalogue only contain the most important info, but once the reference is entered via **MyTotalSource**, then extra info can be consulted such as:

- Additional technical info
- Larger (and more specific) photographs

No login yet? Request your login details now via ecommerce@tvh.com

HELPDESK: T +32 56 43 48 66



2

MICROSWITCHES



TECHNICAL SHEET

TECHNICAL SHEET MICROSWITCH

Group
02-03-05-00

Example



Customer details

Type machine:

Price inquiry

Serial n° machine:

Order

CODE: AT-AS x TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x MAT2 x POS-ROL x D x I x L x AT-SCH

AT-AS Quantity of connections.

TY-AS Type of connection:

A = solder connection

B = screw connection

C = covered screw connection

D = 2,8 mm FASTON

E = 4,75 mm FASTON

F = 6,35 mm FASTON

G = cable

H = cable with connector

I = PCB pin

J = pin

S = special

If different types combined, sort alphabetically

AT-NO..... Quantity of normal open contacts (NO).

AT-NC..... Quantity of NC contacts (NG).

AT-CO..... Quantity of CO contacts (CO).

AT-BG..... Quantity of connection holes (if connection holes are used for assembly:
AT-BG = 0).



TECHNICAL SHEET

C..... Center distance:

<i>A = 4,8 mm</i>	<i>I = 22,2 mm</i>
<i>B = 7,0 mm</i>	<i>J = 25,4 mm</i>
<i>C = 9,5 mm</i>	<i>K = 26,6 mm</i>
<i>D = 13,2 mm</i>	<i>L = 28,0 mm</i>
<i>E = 15,9 mm</i>	<i>M = 30,0 mm</i>
<i>F = 17,0 mm</i>	<i>N = 32,8 mm</i>
<i>G = 17,45 mm</i>	<i>O = 54,0 mm</i>
<i>H = 19,0 mm</i>	<i>S = speciaal</i>

(Combinations possible, use in increasing order If slot mounting, use biggest length)

MAT1 Material of housing:

KS = plastic
M = metal
RB = rubber

TY-HB Type of lever:

A = pin plunger
B = panel mount plunger
C = straight lever
D = long straight lever
E = simulated lever
F = long simulated lever
G = roller lever
H = long roller lever
I = roller plunger
J = flexible rod
S = special

MAT2 Material of roller:

KS = plastic
M = metal

POS-ROL Position of the roller:

S = standard
G = turned 90°

D..... Diameter roller.

I..... Current.

L..... Length of cable, if present.

AT-SCH..... Quantity of switches.



TECHNICAL SHEET

TYPE OF CONNECTION

Type A



Type B



Type C



Type D



Type E



Type F



Type G



Type H



Type I



Type J






TECHNICAL SHEET

TYPE OF LEVER

Type A




Type B




Type C



Type D



Type E




Type F



Type G




Type H



Type I



Type J







TECHNICAL SHEET

POSITION OF THE ROLLER

Type S



Type G





TECHNICAL SHEET

TECHNISCHE FICHE MICROSCHAKELAAR

Groep
02-03-05-00

Voorbeeld



Gegevens klant

Type machine: Prijsaanvraag
 Serienr. machine: Bestelling

CODE: AT-AS x TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x MAT2 x POS-ROL x D x I x L x AT-SCH

AT-AS Aantal aansluitingen of draden.

TY-AS Type aansluitingen:

- A = soldeer aansluiting*
- B = schroefaansluiting*
- C = schroefaansluiting gedekt*
- D = 2,8 mm FASTON*
- E = 4,75 mm FASTON*
- F = 6,35 mm FASTON*
- G = kabel*
- H = kabel met connector*
- I = printmontage*
- J = pin*
- S = speciaal*

Indien combinatie van verschillende types, sorteer alfabetisch

AT-NO..... Aantal normaal open contacten (NO).

AT-NC..... Aantal normaal gesloten contacten (NG).

AT-CO..... Aantal wissel contacten (CO).

AT-BG..... Aantal bevestigingsgaten/montagepinnen (indien de bevestigingsgaten reeds gebruikt zijn in een samenbouw: AT-BG = 0).



TECHNICAL SHEET

C..... Centerafstand tussen bevestigingsgaten of montagepinnen:

<i>A = 4,8 mm</i>	<i>I = 22,2 mm</i>
<i>B = 7,0 mm</i>	<i>J = 25,4 mm</i>
<i>C = 9,5 mm</i>	<i>K = 26,6 mm</i>
<i>D = 13,2 mm</i>	<i>L = 28,0 mm</i>
<i>E = 15,9 mm</i>	<i>M = 30,0 mm</i>
<i>F = 17,0 mm</i>	<i>N = 32,8 mm</i>
<i>G = 17,45 mm</i>	<i>O = 54,0 mm</i>
<i>H = 19,0 mm</i>	<i>S = speciaal</i>

(Combinatie mogelijk, de diverse mogelijkheden opsomen in oplopende volgorde Bij sleufmontage, altijd de grootste afstand nemen)

MAT1 Materiaal behuizing:

KS = kunststof
M = metaal
RB = rubber

TY-HB Type bediening:

A = pin plunjer
B = plunjer met paneelbevestiging
C = hefboom
D = lang hefboom
E = gesimuleerde hefboom
F = lang gesimuleerde hefboom
G = hefboom met roller
H = lang hefboom met roller
I = roller plunjer
J = flexibele stang
S = speciaal

MAT2 Materiaal roller:

KS = kunststof
M = metaal

POS-ROL Positie van de roller:

S = standaard
G = 90° gedraaid

D..... Diameter roller.

I..... Stroom.

L..... Lengte kabel, indien aanwezig.

AT-SCH..... Aantal micro-schakelaars.



TECHNICAL SHEET

FICHE TECHNIQUE MICRORUPTEUR

Groupe
02-03-05-00



Données client

Type machine : Demande de prix
 No. série machine : Commande

CODE : AT-AS x TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x MAT2 x POS-ROL x D x I x L x AT-SCH

AT-AS Nombre de connexions ou de fils.

TY-AS Type de connexions :

A = connexion a souder

B = connexion a vis

C = connexion a vis couverte

D = 2,8 mm FASTON

E = 4,75 mm FASTON

F = 6,35 mm FASTON

G = câble

H = câble avec fiche

I = montage circuit imprimé

J = axe

S = spécial

En cas de combinaison de différents types, trier alphabétiquement

AT-NO..... Nombre de contacts Normalement Ouverts (NO).

AT-NC..... Nombre de contacts Normalement Fermés (NC).

AT-CO..... Nombre de contacts Inverseurs (CO).

AT-BG..... Nombre de trous de fixation/chevilles de montage (si les trous de fixation sont utilisés dans une construction, AT-BG = 0).



TECHNICAL SHEET

C..... Entraxe entre les trous de fixation ou les chevilles de montage :

<i>A = 4,8 mm</i>	<i>I = 22,2 mm</i>
<i>B = 7,0 mm</i>	<i>J = 25,4 mm</i>
<i>C = 9,5 mm</i>	<i>K = 26,6 mm</i>
<i>D = 13,2 mm</i>	<i>L = 28,0 mm</i>
<i>E = 15,9 mm</i>	<i>M = 30,0 mm</i>
<i>F = 17,0 mm</i>	<i>N = 32,8 mm</i>
<i>G = 17,45 mm</i>	<i>O = 54,0 mm</i>
<i>H = 19,0 mm</i>	<i>S = special</i>

Combinaison possible, inscrire les différentes possibilités dans l'ordre alphabétique Pour montage avec rainure, prendre la plus grande distance

MAT1 Matière du boîtier :

KS = plastique
M = métal
RB = caoutchouc

TY-HB Type de commande :

A = bouton
B = montage sur panneau
C = levier
D = levier long
E = galet simulé
F = galet simulé long
G = levier à galet
H = levier à galet long
I = bouton a galet
J = tige oscillante
S = spécial

MAT2 Matière du galet :

KS = plastique
M = métal

POS-ROL Position du galet :

S = standard
G = tourné à 90°

D..... Diamètre du galet.

I..... Ampérage.

L..... Longueur du câble, si présent.

AT-SCH..... Nombre de microrupteurs.



TECHNICAL SHEET

TECHNISCHES DATENBLATT MICROSCHALTER

Gruppe
02-03-05-00



Kundendaten

Maschinentyp: Preisanfrage
 Serien-Nr. Maschine: Bestellung

CODE: AT-AS x TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x MAT2 x POS-ROL x D x I x L x AT-SCH

AT-AS Anzahl der Anschlüsse.

TY-AS Art der Anschlüsse:

- A = Lötverbindung
- B = Schraubanschluss
- C = verdeckter Schraubanschluss
- D = 2,80 mm FASTON
- E = 4,75mm FASTON
- F = 6,35 mm FASTON
- G = Kabel
- H = Kabel mit Steckverbindung
- I = PCB Kontaktstift
- J = Kontaktstift
- S = Spezial

Wenn verschiedene Typen kombiniert sind, sortieren Sie alphabetisch

AT-NO..... Anzahl der normal offenen Kontakten (NO).

AT-NC..... Anzahl der normal geschlossenen Kontakten (NC).

AT-CO..... Anzahl der CO kontakte (CO).

AT-BG..... Anzahl Befestigungslöcher (Wenn die Befestigungslöcher schon belegt sind: AT-BG = 0).



TECHNICAL SHEET

C..... Mittenabstand der Befestigungslöcher:

<i>A = 4,8 mm</i>	<i>I = 22,2 mm</i>
<i>B = 7,0 mm</i>	<i>J = 25,4 mm</i>
<i>C = 9,5 mm</i>	<i>K = 26,6 mm</i>
<i>D = 13,2 mm</i>	<i>L = 28,0 mm</i>
<i>E = 15,9 mm</i>	<i>M = 30,0 mm</i>
<i>F = 17,0 mm</i>	<i>N = 32,8 mm</i>
<i>G = 17,45 mm</i>	<i>O = 54,0 mm</i>
<i>H = 19,0 mm</i>	<i>S = speciaal</i>

(Kombinationen möglich, bitte geben Sie die Kombination steigend an
Bei Nutbefestigung, geben Sie bitte die größte Länge an)

MAT1 Material vom Gehäuse:

KS = Kunststoff
M = Metall
RB = Gummi

TY-HB Art der Handhabung:

A = Pin Plugner
B = Panel Plunger
C = Hebel
D = langer Hebel
E = simulierter Hebel
F = langer simulierter Hebel
G = Rollhebel
H = langer Rollhebel
I = Roll plunger
J = flexibler Hebel
S = Spezial

MAT2 Material of roller:

KS = Kunststoff
M = Metall

POS-ROL Position der Rolle:

S = Standard
G = 90° gedreht

D..... Rollendurchmesser.


I..... Stromstärke.


L..... Länge des kabels falls vorhanden.


AT-SCH..... Anzahl Schalter.





Center distance: 4,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	0	0	146TA1482


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Pin	0	1	0	7	0	161TA7521

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	7	0	145TA9921

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	7	0	161TA7119


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	151TA1512


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	146TA3764


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Soler connection	0	1	0	0	0	145TA9646





Center distance: 7,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	10	315	146TA1488


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	3	70	161TA7748


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	145TA9463

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	161TA7877

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	1	0	1	5	0	146TA7195




	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	1	0	1	5	0	161TA7527

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	1	0	1	5	0	161TA7144

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	PCB pin	1	0	1	5	0	161TA7637




Center distance: 7,0 + 15,9 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	1	6	540	161TA7635
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	6	195	161TA7431
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	1	5	500	146TA1141





Center distance: 7,0 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	300	<u>145TA9580</u>





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	0	1	0	5	0	161TA7814


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	0	1	0	5	0	161TA7202


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	0	1	0	10	0	146TA1499

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	1	0	0	6	0	146TA6415









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	146TA1468

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	510	146TA1256

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	500	146TA1486

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	500	146TA1130



Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	505	146TA1126
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	510	161TA7810
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	10	110	161TA7775
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	6	1300	161TA7343
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	10	215	146TA1375
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	10	217	146TA1374
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	10	310	146TA1619
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	10	320	146TA1540



Center distance: 9,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	5	0	146TA1131

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	5	0	145TA9589

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	5	0	161TA7121

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Pin	0	1	0	5	0	161TA7469

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	0	0	146TA3664


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	3	0	146TA1068


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	146TA1347


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	146TA1415





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	5	0	146TA1473


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	5	0	146TA1501


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	6	0	146TA1421

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	10	0	161TA7588

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	10	0	145TA9991


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	10	0	146TA1140


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	500	151TA1546


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	310	146TA3797





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	500	146TA1531


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	510	146TA1077


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	500	146TA1275

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	500	145TA9734

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	500	146TA6576


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	2000	146TA3798


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	1	0	0	0	840	146TA1474


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	1	0	0	6	500	145TA9709





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	0	290	161TA7786


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	5	160	161TA7257


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	5	420	161TA7383

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	1	0	0	5	665	145TA9399

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Soler connection	0	1	0	0	0	146TA3802


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Soler connection	0	1	0	1	0	161TA7787


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Soler connection	0	1	0	6	0	161TA7196


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	1	0	0	5	0	161TA7263





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	6	510	145TA9680


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	6	510	161TA7476


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	145	161TA7340

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	215	161TA7158

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	225	161TA7631


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	240	161TA7170


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	350	161TA7351


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	3	230	145TA9942





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	5	510	161TA7337


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	6	315	146TA1542


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Solder connection	0	1	0	3	0	161TA7275

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Solder connection	0	1	0	10	0	146TA1487

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	5	0	145TA9392


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	5	0	145TA9754


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	0	300	161TA7765


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	535	145TA9603





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	310	161TA7457


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	0	1	0	3	0	161TA7284


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	0	1	0	5	0	146TA1431

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	5	0	161TA7442

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	10	0	161TA7422


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	125	161TA7393


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	510	161TA7133


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	100	161TA7513





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	500	146TA1178


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	510	161TA7214


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	535	145TA9561

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	1900	161TA7239

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	6	500	146TA1432


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	6	2000	146TA1461


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	650	161TA7728


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	650	145TA9946





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	650	145TA9956


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	5	1500	161TA7733


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	6	360	145TA9421

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	83	145TA9783









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	6	305	161TA7777

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	6	990	146TA1447

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	5	350	161TA7677


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	48	161TA7825





Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	240	146TA1094
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	242	161TA7667
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	755	161TA7794
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	6	300	146TA1373
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	6	305	146TA1381
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	170	146TA1549
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	280	161TA7269
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	310	146TA1615





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	1	5	390	146TA1638


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	1	5	395	161TA7793


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	1	5	410	118TA2217

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	3	0	0	5	275	161TA7392

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	3	0	0	5	395	161TA7261


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	3	0	1	6	400	161TA7330


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	4	0	0	6	735	146TA1647


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	5	0	0	6	280	146TA1665





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	5	0	0	6	330	161TA7779


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	5	0	0	10	340	146TA1666


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	5	0	146TA1509

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	5	0	161TA7175

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	10	0	161TA7873


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	5	0	146TA1526


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	5	0	161TA7649


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	0	0	161TA7618





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	0	0	161TA7622


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	146TA2108


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	145TA9654

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	161TA7546

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	161TA7858


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	146TA6556


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	146TA1170


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	161TA7859





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	5	0	146TA1299


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	6	0	161TA7781


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	6	0	161TA7739

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	6	0	161TA7634

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	1	5	0	151TA1535

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	0	10	0	161TA7764

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	1	0	145TA9984

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	5	0	146TA1222



Center distance: 9,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	10	0	161TA7763

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	514	161TA7879

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	1	1170	146TA1469

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	190	161TA7597

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	510	161TA7127


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	690	145TA9995


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	0	300	146TA1100


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	3	540	146TA1435





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	2	0	0	0	180	161TA7137


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	2	5	535	146TA1641


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	200	161TA7747

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	270	145TA9708

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	325	161TA7712


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	270	161TA7654


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	530	161TA7241


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	3	390	146TA1567





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	3	600	118TA3586


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	3	625	161TA7496


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	5	230	161TA7384

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	5	415	161TA7663

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	0	0	400	161TA7743

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	5	0	161TA7348

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	5	0	161TA7184

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	5	0	145TA9556



Center distance: 9,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Pin	0	1	0	1	0	146TA2718

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Pin	0	1	0	5	0	161TA7303

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	145TA9456

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	151TA1438

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	161TA7606

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	6	0	146TA7670

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	6	0	145TA9592

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	1	0	0	0	0	161TA7847



Center distance: 9,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	2,8 mm faston	0	0	1	6	0	161TA7504

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	500	161TA7344

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	505	161TA7684

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	1005	161TA7752

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	1	0	0	6	305	161TA7607

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	0	1	0	270	161TA7802

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	1	0	6	190	161TA7161

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	1	0	0	6	380	161TA7287



Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	2	1	0	6	207	161TA7661
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	PCB pin	0	1	0	6	0	161TA7190
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	161TA7871
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	161TA7129
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	161TA7277
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	161TA7118
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	15	0	161TA7124
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	146TA1317



Center distance: 9,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	145TA9992

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	146TA1303

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	146TA3823

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	5	785	161TA7302

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	1	0	3	540	161TA7725


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	1	0	5	170	146TA3821


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	0	500	161TA7163


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	3	365	146TA1576





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	3	370	161TA7567


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	0	1	5	520	161TA7416

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	2	0	10	520	146TA1534

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	PCB pin	0	1	0	6	0	161TA7375

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Pin	0	1	0	5	0	146TA1171

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Soler connection	0	1	0	6	0	161TA7671

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Soler connection	0	1	0	10	0	146TA1023



Center distance: 13,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	1	0	1	5	0	146TA1416

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	1	0	1	5	0	145TA9724

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	300	146TA1135

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	1	0	1	5	0	146TA1354

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	0	2	25	880	145TA9412


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	6	0	161TA7836


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	15	0	161TA7645


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	0	0	146TA1418





Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	161TA7281


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	146TA4620


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	161TA7497

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	10	0	161TA7169

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	2	0	2	8	0	146TA2021

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	2	0	2	10	0	161TA7703

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	161TA7474

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	161TA7217





Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	161TA7756
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	145TA9453
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	2	0	2	10	0	161TA7518
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	0	1000	146TA1471
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	0	370	145TA9696
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	5	135	161TA7470
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	0	495	146TA1553
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	0	800	146TA1624





Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	755	146TA1622


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	95	161TA7656


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	0	1	5	0	146TA1507

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	0	10	0	136TA2916

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	0	10	0	161TA7509


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	161TA7418


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	146TA1457


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	161TA7233





Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	1	10	0	161TA7448


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	1	10	0	161TA7400


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	1	10	0	161TA7259

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	2	0	2	10	0	161TA7350

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	5	0	161TA7226


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	5	362	161TA7679


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	5	0	161TA7594


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	5	0	146TA5584





Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	5	0	146TA1506


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	145TA9716

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	2	0	2	10	0	146TA6124

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	2	0	2	10	0	145TA9989

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	2	0	0	6	0	161TA7543

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	1	0	1	5	0	161TA7624

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Screw connection	1	0	1	5	0	146TA1103



Center distance: 15,9 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	2	0	8	0	161TA7619

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	0	1	10	700	161TA7516

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	0	1	10	1025	146TA1102

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	0	1	10	1830	161TA7579

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	10	155	145TA9962

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	10	1000	161TA7549

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	10	157	161TA7359

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	10	260	161TA7360



Center distance: 15,9 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	10	700	161TA7738

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	10	2080	161TA7785

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	5	0	161TA7551

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	0	1	0	10	0	161TA7136

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	0	1	0	10	0	145TA9842


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	10	0	161TA7172


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	10	1000	146TA1212


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	10	250	161TA7223





Center distance: 15,9 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	10	98	161TA7501


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	10	305	161TA7714


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	95	161TA7717

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	115	161TA7388

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	142	161TA7571


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	0	1	10	0	146TA1123


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	10	0	161TA7523


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	10	0	161TA7424





Center distance: 15,9 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	6	0	161TA7432


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	3	0	146TA1040


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	4	0	146TA6808

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	146TA1305

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	10	1120	161TA7674





	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	380	161TA7412

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	10	0	161TA7675

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	10	0	161TA7364




Center distance: 15,9 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	161TA7687
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	0	2	0	5	2015	146TA1494
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	490	161TA7820
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Screw connection	0	1	0	10	0	161TA7313





Center distance: 15,9 + 19,0 + 22,2 + 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<u>161TA7572</u>





Center distance: 15,9 + 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	5	0	161TA7376

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	146TA4165


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	5	0	161TA7599

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	161TA7506

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	0	16	0	161TA7251





Center distance: 15,9 + 26,6 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	0	1	5	0	<u>145TA9388</u>





Center distance: 17,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	6	0	161TA7200


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	8	0	161TA7292


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	161TA7741

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Screw connection	0	1	0	8	0	145TA9544

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	8	0	146TA1323

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	10	0	161TA7678

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	8	1100	161TA7735

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	3	1700	161TA7638



Center distance: 17,0 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	145TA9609
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	0	1	5	950	146TA1819
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	2	0	161TA7708
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	5	0	161TA7440
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	161TA7865
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	315	161TA7107





Center distance: 17,45 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	145TA9642
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	10	735	161TA7253
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	10	765	161TA7589
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	146TA1044
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	161TA7813
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	145TA9492
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	161TA7361
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	145TA9409




Center distance: 17,45 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	10	1005	<u>146TA1034</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	8	0	<u>116TA4718</u>





Center distance: 19,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	0	1	6	370	161TA7451


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	0	1	6	1425	161TA7700


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	4	5000	161TA7647

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	146TA1493






	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	146TA1132

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	10	0	146TA1108

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	300	146TA1491


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	0	80	161TA7149



Center distance: 19,0 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	0	0	151TA1542
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	161TA7862
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	4	3000	161TA7529
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	315	161TA7842
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	1	0	0	10	430	161TA7576




Center distance: 19,0 + 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	145TA9645





Center distance: 19,0 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	20	0	<u>145TA9932</u>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	0	0	161TA7710


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	0	0	146TA1475


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	5	0	161TA7322

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	10	0	146TA1478

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	10	0	161TA7413

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	10	0	161TA7316

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	15	0	161TA7238

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	15	0	161TA7199



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	15	0	146TA1022

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	0	1	10	0	161TA7368

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	161TA7276

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	161TA7232

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	161TA7209

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	161TA7229

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	146TA2649

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	146TA7646



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	161TA7399

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	161TA7318

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	161TA7499

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	161TA7507

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	161TA7641


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	161TA7564


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	145TA9679


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	0	295	146TA6735





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	0	1115	161TA7797


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	530	161TA7156


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	1000	161TA7134

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	2000	146TA1490

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	0	3	580	161TA7823


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	0	5	145	161TA7665


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable + cable with connector	0	1	0	15	95	161TA7632


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	0	90	145TA9419





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	5	150	<u>161TA7461</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	5	150	<u>161TA7533</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	15	110	<u>161TA7398</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	16	695	<u>109TA4008</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	2	5	260	<u>161TA7272</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	4	10	215	<u>161TA7353</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	3	250	<u>145TA9912</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	115	<u>161TA7271</u>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	250	161TA7555


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	265	161TA7355


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	525	161TA7347

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	530	161TA7510

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	530	161TA7515


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	545	146TA1453


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	21	200	161TA7592


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	4	0	5	450	161TA7450





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	120	161TA7662


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	125	161TA7630


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	3	194	161TA7776

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	3	195	145TA9402

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	15	120	145TA9537


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	15	655	109TA4078


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	5	145	161TA7298


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	5	158	161TA7587





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	3	0	0	0	170	161TA7250


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	3	0	1	5	450	161TA7304


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	0	365	161TA7590

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	3	275	146TA1656

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	5	140	146TA1662

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	13	0	161TA7644

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	16	0	161TA7799

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	15	0	161TA7323



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	5	0	161TA7575

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	10	0	161TA7598

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	15	0	145TA9790

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	1	0	0	16	0	161TA7331

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	0	1	16	0	161TA7617

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	295	145TA9638

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	1	0	0	5	1060	161TA7505


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	0	1220	161TA7740





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	2	0	0	240	146TA1620
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	2	0	1	0	240	161TA7409
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	0	0	161TA7522
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	0	0	146TA1766
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	3	0	161TA7652
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	3	0	161TA7237
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	4	0	146TA1456
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	5	0	161TA7300





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	5	0	151TA1498


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	10	0	161TA7554


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	11	0	161TA7490

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	11	0	161TA7593

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	11	0	161TA7812

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	12	0	161TA7697

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	12	0	161TA7464

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	161TA7282



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	161TA7838

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	145TA9408

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	161TA7852

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	2	0	161TA7758

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	6	0	161TA7498


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	161TA7177


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	146TA1227


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	161TA7370





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	161TA7296


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	146TA1389


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	161TA7198

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	161TA7648

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	161TA7538


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	13	0	161TA7629


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	161TA7246


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	161TA7577





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	145TA9774


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	161TA7320


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	161TA7800

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	161TA7796

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	161TA7869


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	2	0	6	0	161TA7299


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	1	0	0	15	0	146TA9912


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	0	161TA7224





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	300	145TA9528


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	520	161TA7212


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	520	146TA3785

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	10	540	151TA1532

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	2	1100	145TA9655

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	3	270	146TA1406

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	5	140	146TA1211


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	2	3	0	146TA1533





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	0	0	146TA2717
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	0	161TA7430
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	250	161TA7550
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	265	146TA1045
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	530	161TA7455
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	545	146TA1228
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	1	150	146TA1904
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	5	175	145TA9613





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	5	177	146TA1599


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	5	325	146TA1594


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	2	0	0	3	120	161TA7467

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	2	0	0	3	520	146TA1585

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	6	0	145TA9914


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	161TA7178


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	161TA7310


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	161TA7578





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	146TA1053


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	13	0	145TA9856


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	145TA9913

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	161TA7342

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	145TA9933


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	146TA1393


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	600	161TA7187


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	8	530	146TA1179





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	8	540	161TA7453


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	5	130	161TA7408


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	2	3	1930	146TA1532

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	2	5	245	161TA7625

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	123	146TA1060

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	8	190	161TA7570


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	8	240	145TA9737


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	130	161TA7373


MICROSWITCHES





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	155	145TA9916


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	165	145TA9637


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	0	1	15	0	161TA7531

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	3	0	146TA8057

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	5	0	161TA7429


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	10	0	145TA9795


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	10	0	145TA9454


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	11	0	145TA9994





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	12	0	161TA7514


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	15	0	146TA1164


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	15	0	161TA7206

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	16	0	146TA1318

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	1	0	0	10	0	161TA7778


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	10	0	161TA7218


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	12	0	146TA3478


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	16	0	145TA9707





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	0	0	161TA7512


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	2	0	146TA1105


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	2	0	145TA9965

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	6	0	145TA9951

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	6	0	145TA9628


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	8	0	146TA1833


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	161TA7191


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	161TA7721





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	161TA7248


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	161TA7495


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	161TA7478

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	145TA9987

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	146TA2119


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	161TA7365


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	161TA7183


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	145TA9939





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	161TA7181


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	145TA9413


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	161TA7420

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	146TA1107

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	145TA9443


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	161TA7746


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	10	0	161TA7182


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	10	0	146TA6553





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	10	0	161TA7377


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	16	0	146TA1021


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	16	0	161TA7319

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	16	0	146TA1518

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	0	0	161TA7854


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	161TA7317


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	2	260	161TA7394


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	5	250	161TA7537





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	2	15	435	146TA1613


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	445	161TA7267


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	445	161TA7676

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	2	500	161TA7357

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	210	161TA7782


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	300	145TA9483


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	505	146TA1163


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	525	161TA7581





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	530	161TA7573


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	660	146TA3783


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	10	520	145TA9806

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	2	0	15	275	161TA7761

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	12	0	5	525	161TA7542


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	0	145	145TA9797


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	145	161TA7458


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	325	161TA7539





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	500	146TA2397


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	11	620	146TA1616


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	15	515	146TA1612

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	15	980	139TA5074

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	16	840	161TA7562


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable + cable with connector	1	0	0	0	150	161TA7642


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	85	161TA7561


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	80	146TA1508





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	2540	145TA9440


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	5	310	161TA7673


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	3	180	146TA1609

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	3	237	151TA1558

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	5	245	146TA3234

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	5	320	161TA7608

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	5	320	161TA7547

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	3	3	320	146TA1640



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	0	161TA7279

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	45	146TA1324

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	1	460	146TA1341

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	190	146TA1272

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	310	161TA7875


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	97	161TA7569


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	100	146TA1138


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	125	161TA7612





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	183	146TA1062


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	185	146TA1210


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	225	161TA7449

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	255	161TA7123








	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	325	146TA1194

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	600	109TA4745

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	160	161TA7698


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	260	161TA7646





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	15	675	151TA1559
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	16	175	161TA7289
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	460	161TA7609
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	460	161TA7731
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	632	161TA7664
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	5	408	146TA1588
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	10	430	161TA7485
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	10	460	161TA7818





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	10	650	161TA7745


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	15	475	161TA7655


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	15	655	161TA7626

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	16	435	146TA1604

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	467	161TA7692


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	500	146TA1630


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	15	675	161TA7283


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	3	325	146TA1535





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	3	455	146TA1605


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	3	470	146TA1538


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	230	136TA2918

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	520	161TA7466

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	15	435	146TA1552


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	0	460	161TA7386


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	1	435	146TA1569


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	10	0	161TA7122





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	0	1	5	0	161TA7397


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	11	0	146TA2560


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	13	0	146TA4349

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	161TA7210

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	3	0	146TA9522


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	8	0	161TA7553


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection + 6,35 mm faston	0	1	0	15	0	161TA7295


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	1	0	146TA1738





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	1	0	161TA7815


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	8	0	161TA7583


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	10	0	161TA7472

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	10	0	146TA1214

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	10	0	161TA7366


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	10	0	145TA9755


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	10	0	146TA1504


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	11	0	161TA7595





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	15	0	146TA6787


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	15	0	161TA7855


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	15	0	161TA7208

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	16	0	151TA1439

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	16	0	161TA7808

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	2	0	15	290	146TA1618

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	0	10	0	146TA6550

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	0	10	0	145TA9423

MICROSWITCHES



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	0	10	0	146TA6551

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	0	10	0	145TA9424

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	0	10	0	161TA7660

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	0	15	0	146TA1169

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	1	0	145TA9438


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	0	1	15	0	161TA7395


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	0	0	161TA7586


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	161TA7436





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	161TA7428


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	161TA7231


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	145TA9938

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	146TA7447

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	11	0	161TA7484


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	15	0	161TA7211


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	16	0	146TA1498


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	0	1	10	0	146TA1083





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	0	1	10	0	161TA7834


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	0	1	10	0	161TA7835


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	1	0	161TA7520

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	6	0	161TA7387

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	6	0	146TA3867


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	8	0	161TA7690


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	161TA7345


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	161TA7315





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	161TA7307


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	161TA7194


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	161TA7280

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	12	0	161TA7216

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	145TA9811


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	161TA7197


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	145TA9631


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	161TA7225





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	146TA1151


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	161TA7443


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	146TA4722

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	161TA7804

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	161TA7791

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	161TA7880

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	22	0	161TA7846

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	0	21	0	161TA7378





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	0	1	15	345	146TA1288
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	1000	145TA9404
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	3	300	146TA1797
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	240	161TA7704
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	255	146TA1037
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	295	161TA7227
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	310	161TA7536
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	520	146TA1836





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	525	161TA7401


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	535	161TA7336


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	655	145TA9997

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	6	200	146TA1400

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	3	300	146TA1365


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	5	600	146TA1987


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	0	315	146TA1796


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	865	145TA9917





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	870	146TA1307


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	875	145TA9819


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	5	110	161TA7249

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	12	115	145TA9835

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	0	161TA7252


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	170	146TA2621


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	185	146TA1063


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	420	146TA1311





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	65	146TA1434


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	115	161TA7483


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	200	161TA7850

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	295	161TA7848

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	127	161TA7732


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	130	161TA7508


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	138	161TA7265


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	140	161TA7491





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	200	161TA7503


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	200	146TA1254


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	220	146TA1088

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	225	161TA7730

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	245	146TA8167


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	325	161TA7742


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	335	145TA9688


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	350	161TA7806





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	16	170	145TA9691


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	3	300	146TA1537


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	3	310	161TA7856

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	250	161TA7683

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	280	161TA7556


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	320	161TA7719


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	320	161TA7426


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	5	0	0	375	146TA1667





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	3	125	146TA1417


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	3	305	146TA1348


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	3	865	145TA9796

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	120	146TA4784

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	185	146TA1234


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	250	146TA1353


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	260	145TA9656


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	480	161TA7294





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	128	145TA9625


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	240	161TA7623


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	2	5	385	161TA7650

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	2	0	146TA5627

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	0	1	15	0	161TA7824


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	6	0	145TA9693


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	145TA9706


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	161TA7110





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	145TA9918


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	5	0	161TA7639


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	3	0	6	0	161TA7524

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection + 4,75 mm faston	0	1	0	11	0	161TA7727

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection + 6,35 mm faston	0	1	0	10	0	161TA7130


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	6	0	146TA1093


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	161TA7620


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	12	0	161TA7519





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Soler connection	0	1	0	15	0	161TA7694


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Soler connection	0	2	0	7	0	161TA7371


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Soler connection	0	2	0	10	0	146TA1583

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Soler connection	1	0	0	16	0	151TA1502

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	1	0	10	0	146TA9835


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	6,35 mm faston	1	0	0	12	0	145TA9941


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	0	1	2	492	146TA1419


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	PCB pin	0	1	0	2	0	161TA7750





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	4,75 mm faston	0	1	0	11	0	146TA2005


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	1	0	161TA7653


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	10	0	161TA7456

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	103TA1576

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	161TA7403


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	146TA1921


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	161TA7685


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	0	0	1	15	0	146TA1310





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	0	1	0	10	0	146TA1089


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	0	1	0	15	0	161TA7230


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	1	0	0	15	0	146TA6773

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	0	1	10	0	161TA7188

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	1	0	10	0	161TA7358


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	10	305	118TA1923


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	10	310	161TA7494


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	10	620	161TA7159



Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	5	500	<u>161TA7273</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	5	500	<u>146TA1596</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	3	1570	<u>146TA1519</u>





Center distance: 22,2 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	0	1	6	0	<u>161TA7215</u>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible rod	Covered screw connection	0	1	0	10	0	161TA7563


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible rod	Screw connection	0	1	0	15	0	161TA7108


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	145TA9738

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	161TA7755

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	161TA7115


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	146TA1460


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	20	0	161TA7693


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	25	0	161TA7798





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	25	0	161TA7173


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	2	0	15	0	146TA1084


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	1	0	0	21	0	161TA7853

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	0	300	145TA9502

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	3	253	161TA7769

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	5	370	161TA7157

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	0	1	0	0	0	145TA9877

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	0	1	0	10	0	146TA3686



Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	1	0	0	0	0	146TA1379

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	3	0	145TA9791

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	5	0	161TA7427

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	10	0	146TA2157

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	146TA1477


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	146TA3183


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	146TA3738


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	146TA1302





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	146TA3211


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	146TA2328


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	16	0	146TA1455

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	2	0	5	0	161TA7840

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	2	0	15	0	161TA7809


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	161TA7405


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	161TA7517


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	161TA7621





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	10	0	161TA7559


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	15	0	161TA7614


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	15	0	161TA7335

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	11	0	161TA7114

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	1	0	10	0	161TA7757

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	1	0	15	0	145TA9828

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	1	0	16	0	161TA7790

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	15	0	161TA7783



Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	15	0	146TA2106

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	25	0	161TA7601

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	146TA2298

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	161TA7640

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	161TA7711


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	161TA7715


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	25	0	161TA7463


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	2	0	25	0	161TA7219





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	1	0	0	5	2530	161TA7264


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	5	180	146TA1467


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	15	310	146TA1235

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	15	275	145TA9864

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	0	1	0	10	0	146TA3607


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection + cable	1	0	0	16	1845	145TA9636


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	10	0	146TA1428


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	10	0	146TA2306





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	161TA7603


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	161TA7789


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	161TA7354

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	161TA7189

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	161TA7113


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	2	0	6	0	161TA7591


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	1	0	1	15	0	146TA1344


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Solder connection	0	1	0	3	0	161TA7535





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Soler connection	0	1	0	10	0	161TA7682


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	5	0	146TA1390


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	15	0	146TA1439

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	0	1	15	0	161TA7774

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	161TA7844


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	145TA9821


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	161TA7468


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	15	0	146TA1479





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	21	0	146TA1225


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	20	0	161TA7771


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	0	15	0	161TA7857

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	1	16	0	161TA7222

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	10	200	161TA7845


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	155	145TA9398


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	145	161TA7839


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	150	161TA7308





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	15	335	146TA1462


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	15	130	146TA6798


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	5	0	161TA7545

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	10	0	161TA7109

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	10	0	146TA1789


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	10	0	161TA7767


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	16	0	146TA3728


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	0	1	10	0	145TA9457





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	5	0	161TA7837


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	161TA7174


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	161TA7864

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	151TA1491

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	146TA1859


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	161TA7126


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	161TA7843


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	145TA9880





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	161TA7493


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	16	0	161TA7528


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	16	0	161TA7817

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	25	0	161TA7220

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	5	0	161TA7668

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	15	0	161TA7332

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	15	0	161TA7500

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	15	0	161TA7801



Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	0	1	0	20	0	146TA1128

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	0	1	0	20	0	161TA7552

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	0	1	0	15	0	145TA9765

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	0	1	12	0	145TA9406

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	15	115	145TA9901


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	5	0	161TA7390


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	146TA5340


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	145TA9465





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	161TA7203


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	161TA7585


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	161TA7145

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	145TA9721

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	146TA1285


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	161TA7306


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	20	0	161TA7473


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	21	0	161TA7780





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	21	0	161TA7680


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	2	0	20	0	161TA7532


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	5	0	161TA7415

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	15	0	145TA9950

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	15	0	161TA7438


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	15	0	146TA1517


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	161TA7221


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	2	0	0	20	0	146TA1480





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	190	161TA7407


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	500	146TA5594


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	510	161TA7861

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	280	146TA1376

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	520	146TA1523


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	15	420	146TA1048


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	185	146TA1249


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	190	161TA7821





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	250	161TA7150


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	15	230	161TA7437


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	15	435	145TA9494

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	180	161TA7441

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	5	0	146TA2073


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	5	0	161TA7258


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	5	0	161TA7234


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	15	0	146TA6788





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	10	0	161TA7833


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	10	0	161TA7832


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	0	0	161TA7760

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	3	0	161TA7356

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	6	0	146TA1309


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	146TA2588


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	145TA9909


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	145TA9940





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	161TA7120


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	126TA6173


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	161TA7146

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	161TA7152

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	161TA7247


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	161TA7205


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	161TA7658


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	161TA7288





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	161TA7291


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	146TA1413


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	0	15	0	161TA7574

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	146TA5580

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	146TA1343


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	145TA9670


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	146TA3745


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	146TA4520





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	15	0	146TA1139


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	15	0	146TA3740


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	2	0	5	0	146TA1157

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	15	1300	161TA7826

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	161TA7803


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	1	0	1	10	0	146TA1345


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	3	0	146TA1459


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	145TA9396





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	161TA7670


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	146TA9056


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	145TA9415

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	161TA7255

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	146TA2117

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	145TA9501

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	161TA7487

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	145TA9935



Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	20	0	161TA7475

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	20	0	146TA1177

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	2	0	15	0	161TA7465

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	5	0	161TA7526

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	15	0	161TA7720

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	16	0	146TA1433

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	0	1	15	790	161TA7349

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	300	146TA6736



Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	72	161TA7240

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	0	615	161TA7874

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	5	150	146TA8760

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	5	630	161TA7243








	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	2	0	0	5	150	161TA7734

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	450	146TA1446

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	15	205	146TA1425


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	15	230	161TA7486





Center distance: 25,4 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	15	260	146TA1351
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	2	5	200	161TA7262
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	290	161TA7759
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	110	161TA7749
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	280	161TA7831
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	15	160	145TA9585
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	15	340	161TA7766
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	0	90	146TA1405





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	180	<u>161TA7423</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	220	<u>146TA1528</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	335	<u>161TA7772</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	450	<u>161TA7425</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	1	5	670	<u>146TA1327</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	10	340	<u>146TA1629</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	15	300	<u>146TA1544</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	0	6	150	<u>146TA8419</u>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	0	10	380	146TA1632


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	4	0	0	10	415	146TA1664


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	4	0	0	15	380	146TA1648

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	2	0	146TA1827

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	15	0	146TA2113


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	1	0	1	10	0	161TA7192


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	1	0	1	10	0	161TA7311


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	0	0	145TA9982





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	3	0	161TA7489


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	3	0	161TA7207


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	5	0	161TA7270

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	145TA9764

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	161TA7672

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	161TA7160

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	146TA4703

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	146TA1865



Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	146TA8430

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	2010	161TA7737

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	16	0	161TA7659

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	20	0	146TA1295

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	1	0	161TA7482


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	6	0	161TA7541


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	10	0	145TA9879


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	10	0	161TA7297





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	15	0	161TA7460


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	15	0	161TA7669


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	3	0	161TA7788

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	3	0	161TA7459

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	15	0	161TA7811

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	15	0	145TA9447

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	16	0	161TA7404

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	16	0	161TA7414



Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Soler connection	0	1	0	16	0	161TA7666

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Soler connection	0	1	0	20	0	161TA7367

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Soler connection	0	2	0	16	0	161TA7643

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	1	0	15	0	161TA7681

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	1	0	20	0	161TA7339


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	10	315	161TA7611


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	15	720	109TA4000


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	15	1055	161TA7502





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	15	95	161TA7290


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	15	745	161TA7691


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	15	155	161TA7723

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	15	180	146TA1298

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	151	145TA9444


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	135	161TA7346


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	170	161TA7841


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	185	146TA1398





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	335	161TA7805


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	340	161TA7754


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	0	135	146TA1378

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	260	161TA7385

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	270	161TA7762


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	295	145TA9649


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	130	145TA9723


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	155	145TA9428





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	175	161TA7179


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	560	161TA7876


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	150	145TA9944

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	170	145TA9923

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	180	145TA9781


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	185	145TA9407


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	380	161TA7860


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	4	0	0	10	360	146TA1663





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	5	0	0	15	425	161TA7736


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	1	0	161TA7274


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	145TA9437

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	161TA7334

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	161TA7111


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	161TA7707


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	161TA7151


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	161TA7167





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	161TA7651


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection + cable	0	0	1	5	1040	161TA7260


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	0	0	146TA1463

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	0	0	161TA7433

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	0	0	161TA7236


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	5	0	161TA7132


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	5	0	146TA6648


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	161TA7165





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	145TA9549


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	146TA3101


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	146TA1041

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	161TA7176

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	161TA7391


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	161TA7180


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	161TA7116


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	146TA1454





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	230	146TA1312


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	16	0	161TA7689


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	20	0	161TA7696

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	20	0	161TA7363

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	2	0	6	0	161TA7706


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	2	0	10	0	151TA1548


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	1	0	1	15	0	161TA7701


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	1	0	1	15	0	161TA7379





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	1	0	1	15	0	161TA7328


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	5	0	161TA7479


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	10	0	161TA7744

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	15	0	161TA7434

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	15	0	161TA7380


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	2,8 mm faston	0	0	1	6	0	145TA9792


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	6,35 mm faston	0	1	0	20	0	161TA7381


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	6,35 mm faston	1	0	1	15	0	161TA7193





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Screw connection	1	0	1	15	0	161TA7112


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	2,8 mm faston	0	1	0	4	0	145TA9441


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	4,75 mm faston	0	1	0	11	0	161TA7164

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	4,75 mm faston	1	0	1	15	0	146TA1735

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	10	0	146TA1326


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	1	0	0	0	190	146TA1404


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	1	0	0	0	205	161TA7816


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Covered screw connection	0	0	1	0	0	161TA7142




Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Covered screw connection	0	0	1	0	0	161TA7141


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	1	0	20	0	161TA7201

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Covered screw connection	1	0	1	10	0	161TA7312

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Screw connection	0	1	0	20	0	146TA4628



Center distance: 25,4 + special

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	0	1	0	16	0	<u>161TA7338</u>





Center distance: 26,6 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	2	0	15	0	161TA7530
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	4	3475	161TA7768
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	4	530	161TA7849
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	15	0	161TA7557
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	160	161TA7819





Center distance: 28,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	161TA7726


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	161TA7138


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	145TA9405

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	1	0	1	16	0	145TA9567

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	5	0	161TA7147


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	16	0	161TA7600


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection + 6,35 mm faston	1	0	1	16	0	146TA1291


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Soler connection	1	0	1	16	0	161TA7213





Center distance: 28,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	1	16	0	145TA9547


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	161TA7166


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	1	0	145TA9826

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	6	0	145TA9461

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	146TA1458


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	146TA1293


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	161TA7613


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	5	300	146TA1294





Center distance: 28,0 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	3	0	146TA7154

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	146TA7152





	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	1	0	146TA1110

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	161TA7254

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	161TA7195


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	146TA8645





Center distance: 30,0 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	2	0	161TA7477
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	1300	161TA7153
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	4	735	146TA1226
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	4	740	161TA7135
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	2	0	161TA7244
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	0	1	0	0	161TA7168
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	161TA7382
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	140	161TA7410





Center distance: 32,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	0	1	0	5	0	146TA1712


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	1	0	1	5	0	146TA7220


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	4	1190	146TA1497

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	1000	146TA1290

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	175	145TA9640


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	455	161TA7795


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	5	200	145TA9626


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	5	255	161TA7807





Center distance: 32,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	5	265	161TA7702


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	5	265	161TA7492


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	5	300	161TA7411

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	5	460	145TA9482

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	2	0	145TA9663


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	161TA7454

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	161TA7480

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection + cable with connector	1	0	0	5	415	145TA9661





Center distance: 32,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	0	1	0	0	225	<u>161TA7729</u>





Center distance: 54,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	0	635	146TA1541


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	0	0	161TA7878


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	161TA7827

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	15	0	161TA7851

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	161TA7828


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	2	0	2	0	0	161TA7822

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	161TA7695

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	161TA7604



Center distance: 54,0 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	20	0	<u>161TA7447</u>



Center distance: Special

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	5	0	161TA7713

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	185	161TA7863

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	5	170	145TA9770

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	1	0	1	20	0	145TA9875

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	1	0	1	20	0	146TA7456


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	1	0	1	20	0	146TA7454


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	2	0	2	20	0	145TA9925


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	1	16	0	161TA7558





Center distance: Special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	1	0	1	20	0	161TA7784


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	5	0	161TA7657


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	10	0	146TA6105

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	5	0	161TA7830

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	0	0	146TA1420

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	10	0	161TA7171

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	146TA1092

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	161TA7301



Center distance: Special

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	3	0	161TA7268

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	8	0	161TA7419

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	2	16	1100	146TA1623

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	325	161TA7610

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	4	740	161TA7266


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	12	770	146TA2447


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	6	0	161TA7540


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	15	0	161TA7435





Center distance: Special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	20	0	146TA1426


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	20	0	146TA2126


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	20	0	161TA7139

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	146TA1427





	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	145TA9384

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	4	0	146TA1292

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	2	0	2	8	0	161TA7605


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	145TA9720



Center distance: Special								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	46	0	145TA9827
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	2,8 mm faston	0	1	0	4	0	161TA7560
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	0	1	0	15	345	145TA9881
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Covered screw connection	1	0	1	20	0	146TA1451





Center distance: Special + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	3	0	<u>145TA9890</u>





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	5	0	145TA9866


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	0	2	15	0	161TA7326


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	0	2	15	0	161TA7324

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	0	10	200	145TA9756

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	4	0	10	240	161TA7870


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	0	161TA7829


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	1	335	146TA1470


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	2,8 mm faston	0	1	0	5	0	161TA7548





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	365	161TA7633


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	500	161TA7722


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	12	350	145TA9869

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	2	0	3	1535	146TA1543

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	1	0	1	5	0	161TA7125


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	2	0	2	5	0	161TA7446


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	6	0	6	8	0	161TA7770


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	0	1	0	5	0	146TA1104





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	0	1	0	15	0	145TA9860


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	0	2	0	10	0	146TA1442


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	1	0	0	15	0	161TA7751

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	1	0	1	10	0	161TA7444

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston + 6,35 mm faston	0	2	0	10	0	161TA7148


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	0	1	10	0	161TA7686


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	146TA1165


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	161TA7256





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	161TA7333


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	161TA7321


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	151TA1503

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	13	0	161TA7309

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	15	0	161TA7471

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	161TA7566

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	161TA7866

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	25	0	145TA9837



Center distance: Already mounted

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	0	0	161TA7154

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	10	0	161TA7235

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	10	0	161TA7314

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	4	500	146TA8909

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	500	161TA7688


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	2010	145TA9460


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	2	0	5	535	146TA1608


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	5	505	161TA7396





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	5	3025	161TA7867


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	15	175	146TA1114


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	110	161TA7325

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	540	145TA9390

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	180	161TA7481


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	190	161TA7709


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	4	0	5	410	146TA1661


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	230	146TA7260





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	500	161TA7439


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	5	0	146TA3773


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	161TA7372

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	161TA7627

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	161TA7699


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	145TA9929


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	2	0	10	0	161TA7584


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	2	0	10	0	146TA1627





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	1	0	0	15	0	146TA1066


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	2	0	2	0	0	146TA1042


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	2	0	2	10	0	146TA2670

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	0	1	0	3	0	145TA9873

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	0	1	0	3	0	145TA9871


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	0	1	0	3	0	146TA1332


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	0	2	0	1	0	161TA7143


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	0	2	0	10	0	161TA7341





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Soler connection	1	0	1	5	0	146TA3775


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	15	0	161TA7406


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	2	0	10	0	161TA7596

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	2	0	106TA2551

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	146TA1216


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	2	0	15	0	161TA7417


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	512	145TA9451


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	0	300	161TA7868





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	2145	161TA7305


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	5	1550	145TA9697


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	1200	145TA9414

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	585	146TA1006

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	10	0	145TA9671


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	146TA5575


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	161TA7602


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	161TA7421





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	2	0	2	5	0	146TA1628


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection + 6,35 mm faston	0	1	0	15	0	161TA7329


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	146TA3767

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	2	0	5	0	161TA7582

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	4	0	0	16	0	161TA7616

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	0	0	146TA1121

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	5	0	161TA7716

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	10	0	106TA2522





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	2	0	2	10	0	161TA7724
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	0	990	146TA1529
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	2	5	290	161TA7773
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	505	161TA7204
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	370	161TA7445
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	10	470	118TA2896
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	10	475	146TA1566
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	1	10	780	146TA1657





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	1	10	860	146TA1655


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	1	0	161TA7544


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	145TA9878

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	145TA9981

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	146TA1127


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	161TA7636


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	4,75 mm faston	1	0	1	10	0	146TA1671


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	4,75 mm faston	1	0	1	10	0	161TA7462





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	2	0	10	0	161TA7285


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	500	161TA7117


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	530	161TA7228

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	530	146TA1308

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	15	200	161TA7140


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	5	205	161TA7155


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	5	325	161TA7568


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	5	335	161TA7245





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	15	210	145TA9807


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	2	5	343	146TA1577


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	5	150	161TA7389

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	5	380	161TA7293

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	0	146TA1329


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	100	146TA1008


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	105	161TA7488


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	5	225	109TA4656





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	0	5	325	161TA7402


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	3	0	0	15	425	146TA1635


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	5	0	161TA7511

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	146TA1229

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	146TA1352


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	10005	161TA7753


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	1	0	6	170	145TA9788


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	1	0	6	520	161TA7327





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	1	0	0	0	325	161TA7131


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	2	0	0	6	1000	161TA7286


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	2,8 mm faston	0	1	0	5	0	145TA9910

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	16	0	146TA1492

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Special	0	1	0	5	0	161TA7185


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	161TA7162


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	1	0	6	0	161TA7452


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	3	0	0	5	500	161TA7525





Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	4	0	0	5	500	146TA1653


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	4	0	0	5	500	161TA7792


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	0	1	0	2330	161TA7872

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	5845	146TA1464

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	3	185	161TA7128

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	1	0	0	1	380	145TA9714

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	1	0	0	20	400	161TA7362

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	4	0	2	10	700	146TA1654



3

LIMIT SWITCHES



TECHNICAL SHEET

TECHNICAL SHEET LIMIT SWITCH

Group
02-03-05-02



Customer details

Type machine:
Serial n° machine:

Price inquiry
Order

CODE: TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS Type of connections:

- A = gland M20 x 1,5*
- B = gland M16 x 1,5*
- C = gland PG 13,5*
- D = gland PG 11*
- E = gland PG 9*
- F = gland NPT 1/2*
- G = fixed connector*
- H = cable*
- I = cable with connector*
- S = special*

AT-NO..... Number of Normally Open contacts.

AT-NC..... Number of Normally Closed contacts.

AT-CO..... Number of Change Over contacts.

AT-BG..... Number of mounting holes.

C..... Centre distance between mounting holes:

- Eg : 20/22**
- 20/22/40/42**
- 21 x 56**
- 29 x 60**
- 30 x 60**
- 41,...**



TECHNICAL SHEET

- MAT1 Material of the housing:
KS = plastic
M = metal
KSM = plastic + metal
- TY-HB Type of actuator:
A = pin plunger
B = roller plunger
C = roller arm
D = adjustable roller arm
E = lever with roller
F = double roller
G = flexible steel pin
H = flexible nylon pin
I = lever with adjustable steel pin
J = lever with adjustable nylon pin
K = lever with adjustable pin
L = head
S = special
Z = without
- LG-BD Position of the actuator:
B = top
L = lateral
- MAT2 Material of the roller, if present:
KS = plastic
M = metal
KSM = plastic + metal
RB = rubber
- POS-ROL Position of the roller, if present:
S = standard
G = at 90° angle
D = rotating
- D..... Diameter roller, if present.
- I..... Current (Ampere) **(125/250 V AC)**.
- L..... Length of cable, if present.
- AT-SCH..... Number of limit switches present.
- KIT Kit: YES/NO, if the switch is part of a kit (e.g.: support, gland,...).
- MERK Make of the switch.




TECHNICAL SHEET

TYPE OF CONNECTIONS

Type A
M20 X 1,5



Type B
M16 X 1,5



Type C
PG 13,5




Type D
PG 11



Type E
PG 9




Type F
NPT 1/2




Type G



Type H



Type I




Type S
Special type




TECHNICAL SHEET

TYPE OF ACTUATOR


Type A



Type B




Type C




Type D



Type E



Type F



Type G



Type H



Type I




Type J




Type K




Type L



Type S
Special



Type Z
Without





TECHNICAL SHEET

TECHNISCHE FICHE EINDSCHAKELAAR

Groep
02-03-05-02

Voorbeeld



Gegevens klant

Type machine:

Prijsaanvraag

Serienr. machine:

Bestelling

CODE: TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS Type aansluitingen:

A = pakkingbus M20 x 1,5

B = pakkingbus M16 x 1,5

C = pakkingbus PG 13,5

D = pakkingbus PG 11

E = pakkingbus PG 9

F = pakkingbus NPT 1/2

G = vaste connector

H = kabel

I = kabel met connector

S = speciaal

AT-NO..... Aantal normaal open (Normally Open) contacten.

AT-NC..... Aantal normaal gesloten (Normally Closed) contacten.

AT-CO..... Aantal wissel (Change Over) contacten.

AT-BG..... Aantal bevestigingsgaten.

C..... Centraafstand tussen bevestigingsgaten:

vb: 20/22

20/22/40/42

21 x 56

29 x 60

30 x 60

41,...



TECHNICAL SHEET


- MAT1 Materiaal behuizing:
KS = kunststof
M = metaal
KSM = kunststof + metaal
- TY-HB Type bediening:
A = pin plunjer
B = roller plunjer
C = roller arm
D = regelbare roller arm
E = hefboom met roller
F = dubbel roller
G = flexibele stang staal
H = flexibele stang nylon
I = hefboom met regelbare stang staal
J = hefboom met regelbare stang nylon
K = hefboom met flexibele stang
L = kop
S = speciaal
Z = zonder
- LG-BD Ligging bediening:
B = boven
L = lateraal
- MAT2 Materiaal roller, indien aanwezig:
KS = kunststof
M = metaal
KSM = kunststof + metaal
RB = rubber
- POS-ROL Positie van de roller, indien aanwezig:
S = standaard
G = 90° gedraaid
D = draaibaar
- D..... Diameter roller, indien aanwezig.
- I..... Stroom (Ampere) **(125/250 V AC)**.
- L..... Lengte kabel, indien aanwezig.
- AT-SCH..... Aantal eindschakelaars aanwezig.
- KIT Kit: JA/NEE, indien de schakelaar deel uitmaakt van een kit (vb: support, pakkingbus,...).
- MERK Merk van de schakelaar.



TECHNICAL SHEET

FICHE TECHNIQUE INTERRUPTEUR FIN DE COURSE

Groupe
02-03-05-02



Données client

Type machine :

Demande de prix

No. série machine :

Commande

CODE : TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS Type de connexion :

- A = presse étoupe M20 x 1,5*
- B = presse étoupe M16 x 1,5*
- C = presse étoupe PG 13,5*
- D = presse étoupe PG 11*
- E = presse étoupe PG 9*
- F = presse étoupe NPT 1/2*
- G = fiche moulée sur interrupteur*
- H = câble*
- I = câble avec fiche*
- S = spéciale*

AT-NO..... Nombre de contacts normalement ouverts (Normally Open).

AT-NC..... Nombre de contacts normalement fermés (Normally Closed).

AT-CO..... Nombre de contacts inverseurs (Change Over).

AT-BG Nombre de trous de fixation.

C..... Entraxe entre trous de fixation :

Ex : 20/22
20/22/40/42
21 x 56
29 x 60
30 x 60
41,...



TECHNICAL SHEET

- MAT1 Matière du boîtier :
KS = plastique
M = métal
KSM = plastique + métal
- TY-HB Type de commande :
A = bouton poussoir
B = poussoir a galet
C = bras a galet
D = bras a galet a longueur variable
E = levier a galet
F = double galet
G = tige oscillante acier
H = tige oscillante nylon
I = levier à tige réglable acier
J = levier à tige réglable nylon
K = levier à tige oscillante
L = tête seule
S = spéciales
Z = sans
- LG-BD Position de la commande :
B = dessus
L = latérale
- MAT2 Matière du galet :
KS = plastique
M = métal
KSM = plastique + métal
RB = caoutchouc
- POS-ROL Position du galet :
S = standard
G = tourné à 90°
D = pivotant
- D..... Diamètre du galet.
- I..... Ampérage (**125/250 V AC**).
- L..... Longueur du câble, si présent.
- AT-SCH..... Nombre d'interrupteurs de fin de course présent.
- KIT Kit : OUI/NON, si l'interrupteur fait parti d'un kit (ex : support, presse étoupe, ...).
- MERK Marque de l'interrupteur.



TECHNICAL SHEET

TECHNISCHES DATENBLATT ENDSCHALTER

Gruppe
02-03-05-02



Kundendaten

Maschinentyp:

Preisanfrage

Serien-Nr. Maschine:

Bestellung

CODE: TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS Anschlußtyp:

A = Stopfbüchse M20 x 1,5

B = Stopfbüchse M16 x 1,5

C = Stopfbüchse s PG 13,5

D = Stopfbüchse PG 11

E = Stopfbüchse PG 9

F = Stopfbüchse NPT 1/2

G = festes Verbindungsstück

H = Kabel

I = Kabel mit Verbindungsstück

S = Spezial

AT-NO..... Anzahl normal offene (Normally Open) Kontakte.

AT-NC..... Anzahl normal geschlossene (Normally Closed) Kontakte.

AT-CO..... Anzahl Wechselkontakte (Change Over).

AT-BG Anzahl Befestigungslöcher.

C..... Lochabstand zwischen den Befestigungslöchern:

zB: 20/22

20/22/40/42

21 x 56

29 x 60

30 x 60

41,...






TECHNICAL SHEET

- MAT1 Material Gehäuse:
KS = Kunststoff
M = Metall
KSM = Kunststoff + Metall
- TY-HB Bedienungstyp:
A = Stiftplunger
B = Rollenplunger
C = Rollenarm
D = regelbarer Rollenarm
E = Schalthebel mit Rolle
F = Doppelrolle
G = flexible Stahlstange
H = flexible Nylonstange
I = Schalthebel mit regelbarer Stahlstange
J = Schalthebel mit regelbarer Nylonstange
K = Schalthebel mit flexibler Stange
L = Kopf
S = Spezial
Z = ohne
- LG-BD Lage von der Bedienung:
B = oben
L = seitlich
- MAT2 Material Rolle, wenn anwesend:
KS = Kunststoff
M = Metall
KSM = Kunststoff + Metall
RB = Gummi
- POS-ROL Position von der Rolle, wenn anwesend:
S = Standard
G = 90° gedreht
D = drehbar
- D..... Durchmesser Rolle, wenn anwesend.
- I..... Strom (Ampere) **(125/250 V AC)**.
- L..... Kabellänge, wenn anwesend.
- AT-SCH..... Anzahl Endschalter anwesend.
- KIT Satz: JA/NEIN, Wenn ein Satz den Schalter beinhaltet (zB: Halterung, Stopfbüchse,...).
- MERK Marke vom Schalter.




Center distance: 12 x 36 x 66 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Special	0	1	0	4	0	161TA8018
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Special	0	1	0	5	0	161TA8134
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	0	1	0	4	0	161TA8058





Center distance: 14 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	2	1820	<u>146TA9490</u>



Center distance: 15/25 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	1	0	0	15	2000	<u>146TA1960</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	1	0	0	15	6600	<u>161TA7972</u>




Center distance: 16 x 32 x 43 mm



Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Pin plunger	Special	1	0	1	6	0	<u>161TA8071</u>





Center distance: 16.5/18 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	2	4	0	147TA5216



Center distance: 19 mm








	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	0	1	0	5	3000	<u>147TA2536</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	0	1	0	4	5000	<u>146TA2526</u>




Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	1	3	2000	161TA8248
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	1	6	975	161TA8408
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	0	0	1	3	1830	146TA4612
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Fixed connector	1	0	1	3	0	161TA8395
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	0	1	0	5	3010	146TA4092
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	2	0	2	4	350	161TA8098
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	161TA8036
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	2	1840	147TA5727





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	0	810	161TA8364
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	0	1050	161TA8341
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	2	1030	161TA8371
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	2	1040	161TA8338
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	2	2000	147TA1247
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1000	161TA8187
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1000	161TA8171
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1000	147TA1270





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1990	161TA8259


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	2000	161TA8052


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	2000	146TA5946

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	2000	161TA8047

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	6	1070	146TA7275

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	250	147TA2116






	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	260	146TA4589

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	1210	147TA5634

LIMIT SWITCHES





LIMIT SWITCHES

Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	185	161TA8214
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	445	146TA4397
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	2	365	161TA8375
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	3	580	146TA4813
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	150	161TA8219
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	780	146TA4396
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	2	405	146TA4428
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	2	1020	146TA4442




Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	3	2000	146TA8168
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	335	161TA8232
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	355	147TA5627
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	365	147TA5626
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	415	147TA1153
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	755	161TA8111
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	800	147TA5716
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	975	147TA5734





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	190	161TA8109
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	205	161TA8204
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	375	161TA8263
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	390	161TA8029
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	420	161TA8193
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	6	190	147TA5628
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	6	1055	146TA4599
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	3	980	146TA4432





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	5	320	147TA5713


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	1	0	0	0	146TA2846


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	1	0	0	0	147TA5758

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	8	0	161TA8003

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	1	2	1250	146TA4021

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	1000	161TA8276






	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	1000	147TA5355

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	1030	146TA5940




Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	2000	146TA5957
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	3	2000	161TA8223
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	3	2000	161TA8252
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	3	2050	146TA4530
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	6	1060	161TA8115
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	370	146TA4448
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	1010	146TA4470
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	3	395	146TA4445



Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	1	0	2	365	161TA8284
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	1	0	10	1065	147TA5290
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	2	160	147TA5286
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	2	1010	146TA4531
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	365	146TA4467
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	685	161TA8211
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	8	1030	161TA8241
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	170	161TA8363


LIMIT SWITCHES





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	270	161TA8313
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	270	147TA5278
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	350	147TA5277
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	350	147TA5279
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	350	147TA5274
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	400	146TA4444
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	685	147TA5275
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	1000	147TA5276





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	1005	147TA5281


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	330	147TA5283


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	390	146TA4446

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	760	161TA8368

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1840	161TA8066

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	3	0	161TA7995

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	8	0	161TA8228


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	3	0	146TA9771





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	2	405	146TA1834
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	435	146TA2090
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	565	161TA8340
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	585	161TA8320
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	800	161TA8085
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	6	740	161TA8129
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	2	2	2000	161TA8359
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	2	3	2930	147TA5246





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	3	1400	161TA8265


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	3	385	161TA8114


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	3	770	146TA1820

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	0	1055	147TA5239

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	970	147TA5238

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	1030	161TA8234

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2000	161TA8086


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2003	147TA5224





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2145	161TA8281
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2960	161TA8184
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	3000	161TA8277
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	3000	161TA8344
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	4000	147TA5233
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	4930	161TA8084
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	805	161TA8177
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1000	161TA8037





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1050	161TA8095


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1050	146TA6861


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1070	147TA5240

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1900	146TA5952



	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1985	161TA8297

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2000	146TA5944

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2000	161TA8043

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2000	147TA1252



Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2050	161TA8254
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2060	161TA8354
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2070	146TA7216
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	510	161TA8172
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	2	3	1965	147TA5241
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable + cable with connector	0	0	1	3	205	161TA8253
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	0	245	147TA5260
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	0	1045	147TA5259



Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	175	<u>161TA8100</u>
	Roller plunger	Cable with connector	0	0	1	3	470	<u>147TA2186</u>
	Roller plunger	Cable with connector	0	0	1	3	725	<u>161TA8203</u>
	Roller plunger	Cable with connector	0	0	1	3	735	<u>146TA4311</u>
	Roller plunger	Cable with connector	0	0	1	3	800	<u>161TA7991</u>
	Roller plunger	Cable with connector	0	0	1	3	800	<u>161TA8110</u>
	Roller plunger	Cable with connector	0	0	1	3	1020	<u>161TA7987</u>
	Roller plunger	Cable with connector	0	0	1	3	1250	<u>147TA5258</u>





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	730	161TA7985
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	730	161TA7986
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	1000	161TA7989
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	1320	161TA8010
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	0	243	161TA8374
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	240	147TA5262
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	1080	161TA8198
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	2050	161TA8222





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	470	<u>161TA8004</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	165	<u>146TA4486</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	500	<u>161TA8392</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	850	<u>147TA5247</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	1100	<u>147TA5248</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	2000	<u>161TA7988</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	2000	<u>161TA7990</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	155	<u>161TA8170</u>

LIMIT SWITCHES



LIMIT SWITCHES

Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	255	161TA8119
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	308	161TA8365
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	380	161TA8255
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	400	161TA8251
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	420	161TA8163
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	490	147TA5254
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	2050	147TA5251
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	6	420	147TA5249





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	6	1080	161TA8102
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	0	3	1645	147TA5257
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	1	3	760	161TA8176
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	2	0	147TA5219
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	2	0	161TA8325
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	3	0	161TA8006
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	8	0	161TA8039
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	10	0	147TA5263





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	10	0	147TA5264


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	0	0	2	2	2000	146TA6067


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	1	0	1	2	1040	146TA6060

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	1	0	1	2	2045	161TA8323

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	1	0	1	5	1040	146TA6064


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	0	0	2	2	0	146TA6066

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	2	0	146TA6059

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	2	0	146TA6063




Center distance: 20/20 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<u>161TA8053</u>





Center distance: 20/21 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	0	2	8	0	<u>161TA8121</u>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	1	10	1975	147TA5415


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	0	0	2	3	10070	161TA8283


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	540	161TA8270

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	2150	147TA5417

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	3020	147TA2163

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	2	2	5250	147TA5418

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	2	0	0	3	1765	147TA5419


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8011





Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	10	0	161TA8324
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	161TA7979
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	161TA8337
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	161TA8207
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	2	2	0	147TA5410
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	2	0	0	3	0	161TA8308
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	161TA7980
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	147TA5405





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	4	0	146TA5401


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	10	0	146TA5716


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Cable	1	0	1	3	2660	147TA5704

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 11	1	0	1	3	0	161TA8126

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 13,5	1	0	1	6	0	161TA8299


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 11	1	0	1	3	0	146TA5911


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable nylon pin	Gland PG 13,5	1	0	1	3	0	161TA7981


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable nylon pin	Gland PG 13,5	1	0	1	6	0	161TA8007





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Cable	1	0	1	3	5085	161TA8369


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	147TA5698


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	147TA2122

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	161TA8319

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	161TA8347

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 13,5	1	0	1	4	0	161TA8008

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 11	2	0	0	3	0	146TA5915

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 11	2	0	0	3	0	161TA8009



Center distance: 20/22 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 13,5	1	0	1	3	0	146TA5717
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 13,5	1	0	1	3	0	161TA8169
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	1	0	0	6	525	161TA8133
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	1	0	1	6	770	161TA8218
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	0	161TA8074
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	810	161TA8131
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	1170	161TA8245
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	2295	147TA5446



Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	2460	161TA8267
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	2600	147TA5447
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	3465	147TA5448
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	11750	147TA5449
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	10	3165	146TA4984
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	0	3180	161TA8348
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	10	3000	161TA8306
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	10	3440	147TA5443





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	146TA8592
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	4	0	161TA8035
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	3	0	146TA2602
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	161TA8107
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	161TA8101
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	161TA8146
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	161TA8186
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	3840	109TA4676





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	161TA8179


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	161TA8028


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	161TA8113

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	2	0	0	4	0	161TA8024

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	0	2	2	0	161TA8384


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	161TA8321


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	147TA5436


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	147TA5437





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	161TA8108


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	161TA8012


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	146TA9813

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	4	0	146TA5909

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	6	0	161TA8268

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	3	0	146TA6228

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	4	0	161TA8206


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	4	0	146TA8832





Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	161TA8025
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	10	0	147TA5433
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	2	0	0	4	0	161TA8068
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	2	2	1970	146TA1825
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	4	4000	161TA8208
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	30	230	146TA4561
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	4	4000	147TA5678
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	4	220	161TA8230





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	440	147TA5725


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	1080	161TA8298


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M16 x 1,5	1	0	1	3	0	161TA8082

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	3	0	161TA8261

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	3	0	161TA8378

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	4	0	161TA7998


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	4	0	161TA8002


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	4	0	161TA8054


LIMIT SWITCHES





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	161TA8285


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	0	4	0	161TA8023


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	3	0	147TA5644

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	3	0	147TA5745

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	0	0	2	0	0	147TA5621


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	0	0	2	4	0	146TA8920


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	0	0	146TA7094


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	3	0	161TA8061





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	146TA4018


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	161TA8326


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	10	0	146TA5718

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	2	0	2	2	0	146TA1838

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	6	0	161TA8256

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	1	6	790	146TA4759

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	1	6	800	146TA3002


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	2	10	250	161TA8296





Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	2	10	250	161TA8295
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	0	3	940	118TA3809
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	3	1400	147TA5398
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	3	1950	147TA5397
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	6	310	146TA3007
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	6	770	146TA3005
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	3	0	161TA8315
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	3	860	161TA8272





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	6	3250	161TA8329


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	10	224	161TA8288


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	10	225	161TA8181

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	205	147TA5391

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	950	161TA8404

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	2750	161TA8394


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	9000	147TA5393


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	10	280	147TA5389


LIMIT SWITCHES





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	0	260	161TA8352


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	240	161TA8142


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	250	161TA8250

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	540	147TA5376

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	675	147TA5379


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1105	147TA2166


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1255	147TA5381


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1860	147TA5380





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1940	147TA5382


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	4	70	161TA8079


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	10	260	161TA8316

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	10	290	161TA8318

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	10	315	147TA5377

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	2	2	240	161TA8402

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	2	2	245	161TA8362

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	2	2	1445	147TA5387

LIMIT SWITCHES



LIMIT SWITCHES

Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	2	0	0	3	570	161TA8273
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	2	0	0	3	590	147TA5395
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	2	0	0	10	975	161TA8360
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	3	0	147TA5370
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	2	0	2	4	0	161TA8293
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	0	0	2	3	0	147TA5337
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	161TA8355
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	147TA5334



Center distance: 20/22 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	147TA5333

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	161TA8201

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	161TA8202

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8210

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	146TA8924

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8051

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	147TA2183


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	161TA8075





Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	161TA7994
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	8	0	161TA8104
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	1	3	0	161TA8393
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	2	3	0	147TA5369
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	1	1	3	0	161TA8103
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	0	3	0	147TA5366
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8140
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	147TA5348





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8016


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8331


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	146TA2576

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8328

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8031

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8366

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8343

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8311





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8406
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8278
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	146TA5907
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	147TA5351
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8258
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	4	0	147TA1251
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	10	0	161TA8305
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	10	2170	161TA8409





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	2	2	0	147TA5365


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	2	6	1455	147TA5364


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	6	0	161TA8312

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	6	0	147TA5346

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	6	0	161TA8073

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	10	0	146TA5719

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	147TA1260

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	161TA8183





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	147TA5343
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	161TA8062
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	146TA8763
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	161TA8055
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	147TA5342
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	0	3	0	161TA8166
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	0	3	0	146TA8770
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	2720	146TA8567





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	4	1670	161TA8124


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	6	290	146TA6534


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	10	4300	147TA5322

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	2	3	2640	147TA5323

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	2650	161TA8050

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	5750	161TA8314

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	10470	161TA8346


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	2	147TA5319





Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1000	146TA8895
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	0	920	147TA5325
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	445	147TA5324
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	3	0	147TA5318
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	2	0	2	3	0	161TA8224
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M16 x 1,5	1	0	1	3	0	147TA5299
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	4	0	161TA8020
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	4	0	161TA8148





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	6	0	161TA8060


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	6	0	161TA8396


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	147TA5316

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	0	0	2	3	0	147TA5315

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	161TA8388

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	161TA8307

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	147TA5357

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	146TA6483

LIMIT SWITCHES




LIMIT SWITCHES


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	146TA5896
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	161TA8069
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	147TA5308
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	0	0	161TA8382
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	161TA8096
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	146TA6753
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	3	0	146TA5715
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	3	0	161TA8399





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	161TA8269


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	161TA8350


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	161TA8048

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	161TA7974

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	146TA5912

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	161TA7973

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	2	0	0	6	0	161TA8091


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	1	0	1	10	0	147TA5620





Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	3	0	161TA8302
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	3	0	161TA8330
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	3	0	161TA8189
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 13,5	1	0	1	3	0	161TA8327
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	2	0	0	3	0	146TA6072
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	0	0	2	3	0	147TA5717
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	0	0	2	10	0	147TA5636
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	0	0	147TA5746





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	0	0	147TA5721


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	2	0	146TA6070


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	147TA5637

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	161TA8014

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	161TA8383

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	147TA5708


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	2	2	0	147TA5638


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	2	0	0	3	0	146TA6071


LIMIT SWITCHES





Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	2540	161TA8264


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	3180	147TA5469


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	161TA8097

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	2	0	0	3	0	147TA5468

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	3	0	146TA5927


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	161TA8275


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	147TA5470


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	161TA8301





Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	10	0	161TA8379


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	3	0	161TA8243


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	1	0	3	2950	161TA8300

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	146TA8056

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	146TA5926

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	147TA1263


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	2	3	0	161TA8353


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	2	3	450	147TA5464


LIMIT SWITCHES





Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	147TA5463


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8290


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8239

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8262

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	4	0	161TA8287


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	161TA8070


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	147TA5461


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	5000	147TA5458





Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M16 x 1,5	1	0	1	0	0	146TA8401


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M16 x 1,5	1	0	1	3	0	147TA5452


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	10	0	147TA5451

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	147TA5457

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	161TA8372

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	147TA5453

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	2	0	2	10	0	147TA5454

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	2	0	2	10	0	161TA8361

LIMIT SWITCHES




Center distance: 20/22/40/42 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M16 x 1,5	0	0	2	3	0	161TA8405
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M16 x 1,5	1	0	1	3	0	147TA5631
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M16 x 1,5	1	0	1	3	0	161TA8345
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	0	0	2	3	0	147TA5619
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	1	0	1	3	0	147TA5622
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	2	0	0	3	0	146TA6074



Center distance: 20/22/51/53 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	2	0	0	10	0	<u>161TA8370</u>


LIMIT SWITCHES





Center distance: 21 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	6	0	161TA8161
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	8	1870	161TA8217
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	161TA8282
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	8	0	161TA8152
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	8	0	161TA8151
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	2	8	0	161TA8041
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	1	8	0	161TA8059
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	1	8	0	146TA4890





Center distance: 21 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	3	0	0	8	0	161TA8112


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	8	0	161TA8026


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	6	0	161TA8027

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	0	0	2	8	0	161TA8019

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	0	0	2	8	0	146TA5064

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	3	0	161TA8067

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	161TA8064


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	161TA8194



Center distance: 21 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	8	0	161TA8078
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	147TA5475
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	8	0	161TA8150
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	1000	161TA8246
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	5000	161TA8209
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	6	285	161TA8118
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1000	161TA8057
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	6	0	161TA8021




Center distance: 21 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	8	0	<u>161TA8190</u>



Center distance: 21/41 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M16 x 1,5	1	0	1	3	0	<u>161TA8401</u>




Center distance: 21 x 56 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	0	5	145	146TA1990
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Special	1	0	1	5	0	161TA8357
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Special	1	0	1	5	0	161TA8132
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Cable with connector	0	0	1	5	585	161TA8410
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	0	5	590	161TA8197
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	5	550	146TA3524
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	2	0	2	5	4820	147TA5485
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	5	2660	161TA8188





Center distance: 21 x 56 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	5	2070	161TA8294



Center distance: 21,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	2	0	0	8	0	<u>161TA8044</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	8	0	<u>161TA8046</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	2	0	0	8	0	<u>161TA8030</u>




Center distance: 21,3 mm




Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Pin plunger	Special	1	0	1	8	0	<u>161TA8034</u>



Center distance: 21,8 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	6	0	<u>161TA8081</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	5	0	<u>161TA8089</u>





Center distance: 22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Fixed connector	1	0	1	5	0	161TA8271
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	4	0	146TA7014
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 9	1	0	1	6	0	161TA8116
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Fixed connector	0	0	2	8	0	161TA7966
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	8	605	161TA8162
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	8	1600	161TA8178
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	0	0	2	8	0	161TA7996
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	4	0	161TA8045





Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	5	0	161TA8216


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	146TA5034


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	161TA8205

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	161TA8000

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland NPT 1/2	1	0	1	5	0	161TA8145

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	8	330	161TA8237

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	0	2	8	0	161TA7997


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	6	0	161TA7999


LIMIT SWITCHES





LIMIT SWITCHES


Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	8	0	161TA8032


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	8	0	161TA8005


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	0	2	8	0	161TA8199

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	0	2	8	0	161TA8240

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	0	8	0	161TA8336


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	1	0	1	6	0	161TA8144


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	161TA8192


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	3	0	146TA3566





Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	6	0	146TA8615


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	8	0	161TA8238


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	2	3	0	161TA8117

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	2	0	1	3	0	146TA9440

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	2	0	1	10	0	161TA8242

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	5	0	161TA8335

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	161TA8168


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	161TA8153



Center distance: 22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	146TA2098
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	8	0	161TA8001
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	2	0	0	8	0	161TA8377
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	0	2020	161TA8381
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	2	3	1350	147TA5491
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	6	0	161TA7992
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	6	0	161TA7993
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	8	0	161TA8249




Center distance: 22/22 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	8550	<u>147TA5501</u>




Center distance: 22/23 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	3	0	161TA8376




Center distance: 22/42 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	161TA8093





Center distance: 23 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 9	1	0	1	6	0	<u>146TA9684</u>





Center distance: 24 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	6	165	<u>161TA8227</u>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M16 x 1,5	1	0	1	6	0	<u>146TA8929</u>





Center distance: 25 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible nylon pin	Gland M20 x 1,5	1	0	1	3	0	161TA8385


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Cable	0	1	0	5	960	161TA7975


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland NPT 1/2	0	1	0	15	0	161TA8247

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Cable	0	1	0	5	1040	147TA5761

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	0	1	0	5	2985	161TA8333

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	2	190	146TA6179

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	10	0	161TA8398

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	5	3050	146TA5669



Center distance: 25 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	1970	147TA5760

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	10	0	146TA5710

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	147TA5757

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	147TA5755


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	1	0	5	3170	161TA8226

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	10	0	161TA8141

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	0	1000	161TA9777


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	0	1890	146TA9943





Center distance: 25 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	1000	146TA5651
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	4000	146TA5653
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	5600	161TA8397
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	10	1185	161TA8342
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	10	2860	161TA8231
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	10	3740	147TA5512
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2010	161TA8334
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	3170	147TA5507





Center distance: 25 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	5	1110	147TA1197


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1000	146TA5208


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1040	146TA7277

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1050	161TA7983

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	10	975	147TA5508

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable + cable with connector	1	0	1	10	990	147TA5515


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	10	1550	161TA8159


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	0	500	161TA7978


LIMIT SWITCHES





Center distance: 25 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	6	250	161TA7984


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	6	523	147TA5518


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	1133	147TA5519

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	6	560	161TA7982

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	10	1025	161TA8389


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	10	0	147TA5504

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	0	1	0	15	0	146TA5705

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	0	1	0	15	0	161TA8127





Center distance: 25 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	10	0	<u>147TA5742</u>




Center distance: 25/27 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	10	0	161TA8135

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	10	0	161TA8088






Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	0	1	0	10	0	<u>161TA8390</u>




Center distance: 25,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland NPT 1/2	0	1	0	15	0	147TA5525
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	0	1	0	15	0	161TA8042
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	2	0	161TA8349





Center distance: 26 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 9	1	0	1	10	0	161TA8158




Center distance: 27 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	6	0	161TA8094


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	6	0	161TA8164

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 9	1	0	1	6	0	161TA8092

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 9	1	0	1	6	0	146TA4110





Center distance: 27/89 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	20	0	146TA5756




Center distance: 28 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	6	0	161TA8143


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 9	1	0	1	6	0	161TA8128



Center distance: 28 x 98/50/98 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	3	0	2	0	<u>147TA5765</u>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	3	0	5	0	<u>147TA5764</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	4	0	5	0	<u>161TA8391</u>




Center distance: 29,5 x 67,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	1	0	5	0	146TA4386

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	0	1	0	5	0	161TA8022





Center distance: 30 x 58,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	2	0	2	10	0	<u>161TA8077</u>




Center distance: 30 x 59 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<u>161TA8147</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<u>147TA1431</u>




Center distance: 30/60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<u>161TA8367</u>


LIMIT SWITCHES





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	0	0	1	2	745	146TA8563


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	0	0	147TA5568


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	3	0	147TA5567

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	3	0	161TA7970

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8099

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	2	0	0	4	0	161TA8063

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	2	0	2	3	0	161TA8182

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	2	0	161TA8033



Center distance: 30 x 60 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	3	0	161TA8065
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	2	0	2	10	0	147TA5575
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	2	0	147TA5572
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	161TA8136
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	146TA5599
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	147TA1255
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	161TA8339
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	6	0	161TA8225



Center distance: 30 x 60 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	10	0	161TA8309

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	2	0	0	3	0	146TA8752

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	2	0	0	3	0	161TA8123

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Cable	1	0	1	10	2000	161TA8257

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland M20 x 1,5	1	0	1	3	0	146TA2537


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland M20 x 1,5	1	0	1	4	0	161TA8139


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	1	0	1	6	0	161TA8149


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 11	1	0	1	2	0	161TA8280





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland M20 x 1,5	2	0	2	3	0	161TA7969


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	147TA5737


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	161TA8310

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 13,5	2	0	2	3	0	147TA5695

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable nylon pin	Gland PG 13,5	1	0	1	3	0	146TA5922

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	146TA5723

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	147TA5578

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	147TA5577

LIMIT SWITCHES





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	161TA8400
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	355	146TA8347
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	1480	146TA8348
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	0	2	4	0	161TA8174
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	0	2	15	0	147TA5558
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	0	2	15	0	161TA8304
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	2	0	161TA8358
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8291





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8303


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8040


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	161TA8049

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	147TA2184

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	10	0	147TA5554


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	10	0	161TA8196


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	0	1	1	3	0	147TA5565


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	10	0	161TA8105





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	10	0	146TA9183


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	146TA5920


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	147TA5559

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	146TA5898

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	146TA5658


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	4	0	146TA8930


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	4	0	161TA8120


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	146TA8910





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	147TA5562


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	147TA5561


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	161TA8356

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	147TA5560

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	2	3	0	161TA8212

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	2	3	0	161TA8260


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	0	0	2	2	0	147TA5544


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	0	0	161TA8403


LIMIT SWITCHES





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	2	0	147TA5543


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	3	0	146TA5712


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	3	0	161TA8332

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	3	0	146TA9683

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	4	0	161TA8106


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	161TA8191


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	161TA8155


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	2	0	147TA5547





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	161TA8157


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	161TA8195


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	147TA5545

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	3	0	146TA5899

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	1	0	1	6	0	161TA7967

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	3	0	146TA5897

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	6	0	146TA8894

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	2	0	2	3	0	147TA5690

LIMIT SWITCHES




LIMIT SWITCHES


Center distance: 30 x 60 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	0	0	2	2	0	146TA3492
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	0	2	0	3	0	147TA5763
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	161TA8156
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	0	0	2	3	0	146TA6057
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	0	2	0	3	0	147TA5762
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	3	0	147TA5689
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	3	0	147TA5679




Center distance: 30,2 x 58,7 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	<u>146TA5657</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<u>161TA8017</u>





Center distance: 30,2 x 59,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	1	0	1	10	0	146TA6305



Center distance: 33 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	0	2	8	0	<u>161TA8235</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	0	1	0	0	0	<u>161TA8292</u>




Center distance: 35,4 x 72 mm



Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Lever with roller	Special	1	0	1	6	0	161TA8013




Center distance: 37 x 66,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<u>161TA8076</u>





Center distance: 39/42/48 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland M20 x 1,5	1	0	1	10	0	<u>161TA7971</u>



Center distance: 39,5 x 78 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	8	0	<u>161TA8087</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	8	0	<u>161TA8056</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	6	0	<u>161TA8080</u>



Center distance: 39,5 x 110 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	2	0	1	8	0	<u>161TA8154</u>





Center distance: 40 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	1	0	1	6	0	147TA1254
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	3	0	161TA8322
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	16	0	147TA2057
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	161TA8173
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	161TA8038
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	10	0	147TA5743
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	2	0	0	6	4460	161TA8279




Center distance: 40 x 11 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M16 x 1,5	1	0	0	4	0	161TA8274

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M16 x 1,5	1	0	0	4	0	161TA8215





Center distance: 40/42 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	10	0	<u>146TA7269</u>




Center distance: 40 x 72 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	3	0	161TA8386

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	10	0	161TA8380




Center distance: 40 x 78 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	10	0	<u>146TA4900</u>





Center distance: 40 x 110 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	2	10	0	<u>161TA8125</u>





Center distance: 41 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	0	0	1	3	3055	161TA8180


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	3	0	146TA1954


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	161TA8072

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	147TA5600

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	4	0	161TA8175

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	10	0	146TA7270

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	4	1800	146TA4513

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	3	0	146TA5905

LIMIT SWITCHES




LIMIT SWITCHES


Center distance: 41 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	4	0	146TA4191
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	0	4	1470	161TA8122
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	3	0	161TA8213
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8015
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	161TA8185
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	147TA5594
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	4	0	146TA4180
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	3	0	161TA8165





Center distance: 41 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	3	0	<u>146TA8802</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	<u>147TA5696</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	<u>161TA8160</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	1	0	1	3	0	<u>146TA4236</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	3	0	<u>161TA8167</u>




Center distance: 41 x 71 mm





Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Lever with roller	Gland NPT 1/2	0	2	0	10	0	<u>147TA5601</u>



Center distance: 42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	0	1	0	11	0	161TA8233


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	2	0	0	3	2870	147TA5603


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	2	0	10	0	161TA8236



Center distance: 46 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 13,5	0	0	2	4	0	146TA8923

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 13,5	1	0	1	4	0	146TA8914

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	4	0	146TA8926




Center distance: 46,5/72 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	1	0	3	0	161TA8387




Center distance: 47 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	10	0	146TA1784




Center distance: 50 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Special	0	1	0	10	0	<u>147TA5752</u>





Center distance: 53 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	7	0	<u>146TA4623</u>



Center distance: 56 x 76 mm





	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Special	1	0	1	5	0	<u>146TA6602</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	5	0	<u>161TA8200</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	5	0	<u>146TA5686</u>





Center distance: 60 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	147TA5712
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	10	0	147TA5709
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	1	0	10	0	146TA7184
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 9	0	1	0	15	0	161TA7968



Center distance: 62 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	<u>146TA2281</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	0	0	4	3	0	<u>161TA8289</u>

LIMIT SWITCHES




Center distance: 66 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland NPT 1/2	2	0	2	10	0	147TA5607
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	147TA5643
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	0	0	161TA8407
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	3	0	147TA5677
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	10	0	161TA8317
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	161TA7976
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	2	0	2	10	0	147TA5685






Center distance: 66,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	7	0	<u>147TA5687</u>







Center distance: 67 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	2	0	2	10	0	147TA5608
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	3	0	161TA8286
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	147TA5675





Center distance: 68 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	1	0	0	16	161TA8244
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	6	0	146TA4335
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	146TA6493
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	0	1	0	15	0	161TA8229







Center distance: 68 x 30 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	0	1	0	5	0	<u>147TA5759</u>




	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	1	0	6	0	<u>146TA4332</u>



Center distance: 70 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 9	1	0	1	3	0	<u>161TA8266</u>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	1	0	0	300	<u>147TA5611</u>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	<u>161TA8138</u>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	0	1	0	20	0	<u>146TA7459</u>



Center distance: 72 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	0	1	0	5	0	161TA8221
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	0	0	1	2	0	147TA5735
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	0	0	1	2	0	147TA5736





Center distance: 72 x 40 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 13,5	1	0	1	10	0	<u>161TA8220</u>




Center distance: 73 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	3000	<u>161TA8351</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	1	0	5	0	<u>147TA5753</u>




Center distance: 74 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 9	0	1	0	5	0	147TA5614

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 9	0	1	0	6	0	146TA1750




Center distance: 75 x 150 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	2	0	4	0	0	<u>161TA8373</u>




Center distance: 80 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	0	3	0	<u>147TA5616</u>




Center distance: 84 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Fixed connector	1	0	1	5	0	<u>146TA5151</u>




Center distance: 88 x 95 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 13,5	2	0	3	6	0	<u>146TA5959</u>





Center distance: 118 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	0	1	0	0	2570	<u>146TA1951</u>



Center distance: Already mounted

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	6	1000	<u>161TA8083</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	6	1050	<u>161TA8090</u>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	2065	<u>161TA8137</u>




4

BATTERY SWITCHES



BATTERY SWITCH




REF 134TA8696

2-pole switches to disconnect battery and field circuit

- Large studs: 125 A continuous
1000 A (5 sec)
- Small studs: 20 A continuous
- Fits panels up to thickness of 5 mm

BATTERY SWITCH




REF 106TA1190

2-pole switches to disconnect battery and field circuit

- Large studs: 125 A continuous
1000 A (5 sec)
- Small studs: 20 A continuous
- Fits panels up to thickness of 23 mm

BATTERY SWITCH



REF 134TA8697

150 A – 1000 A (5 sec.) 1-pole (2 connections)

KEY BATTERY SWITCH



REF 112TA4853

- 150 A – 1000 A (5 sec.) 1-pole (2 connections)
- Switch with independent SM aux. contact


KEY BATTERY SWITCH



REF 134TA8704

250 A – 2500 A (5 sec) 1-pole (2 connections)

BATTERY SWITCH



REF 134TA8698

250 A – 2500 A (5 sec) 2-pole (4 connections)

KEY BATTERY SWITCH



REF 134TA8716

Key for Cobo

REF 134TA8715

Key for Hella

REF 134TA8710

Key for Bosch & other brands

KEY BATTERY SWITCH



REF 123TA7672


75 A – 200 A (5 sec)

Plastic switch (with key)

- Switch with 2 keys
- Separate keys are available, please specify your keynumber



KEY BATTERY SWITCH



REF 134TA8699

150 A – 1000 A (5 sec) 1-pole (2 connections)


KEY BATTERY SWITCH



REF 134TA8713

Key for [134TA8699](#)

BATTERY SWITCH



REF 106TA1189

- Metal switch (with key)
- 100 A – 500 A (5 sec) 1-pole (2 connections)


KEY BATTERY SWITCH



REF 106TA1188

Metal key


BATTERY SWITCH



REF 106TA1187

- Plastic switch (with key)
- 100 A – 500 A (5 sec) 1-pole (2 connections)

BATTERY SWITCH



REF 106TA1184

- Switch (with key)
- 250 A – 2500 A (5 sec) 1-pole (2 connections)

KEY BATTERY SWITCH



REF 107TA1095

- Plastic key – 1-side pin
- For [106TA1187](#) & [106TA1184](#)

KEY BATTERY SWITCH




REF 134TA8711

- Plastic key – 2-side pin
- For [106TA1187](#) & [106TA1184](#)



BATTERY SWITCH



REF [111TA3918](#)

300 A – 2500 A (5 sec) 1-pole (2 connections)


KEY BATTERY SWITCH



REF [134TA8714](#)

Key for [111TA3918](#)

BATTERY SWITCH



REF [107TA1096](#)

600 A – 4500 A (5 sec) 1-pole (2 connections)

BATTERY SWITCH



REF [134TA8702](#)

Used for Manitou/Moffet

BATTERY SWITCH



REF [134TA8700](#)

Used for Hyster

KEY BATTERY SWITCH



REF [134TA8707](#)

Used for Still

BATTERY SWITCH



REF [134TA8701](#)

Used for Toyota

BATTERY SWITCH



REF [134TA8703](#)

Used for Skyjack



BATTERY SWITCH



REF [134TA8709](#)
Used for Hyster

BATTERY SWITCH




REF [110TA8155](#)
Used for Caterpillar

BATTERY SWITCH




REF [134TA8708](#)
Used for Hyundai

BATTERY SWITCH



REF [144TA1914](#)
Used for Nichiyu-Nyk



5


MISCELLANEOUS



EMERGENCY SWITCHES

As you can see below, we supply more than just limit and microswitches. If you need more info about these switches or want to place an order, please contact your sales advisor.

We are currently working on the info of the battery, pull, push, rocker, steering column and toggle switches. This info will be available in **MyProductSearch** soon.





EMERGENCY SWITCHES



FOOT SWITCHES





PUSH SWITCHES




ROCKER SWITCHES





ROTARY SWITCHES



STEERING COLUMN SWITCHES





TOGGLE SWITCHES



CAM SWITCHES





PULL SWITCHES



MISCELLANEOUS



6

MAINTENANCE, REPAIR & OPERATIONS



CONTACT CLEANER

REF 163TA7890

- Effective precision cleaner for electrical/electronic equipment
- Quickly cleans contacts and components
- Removes flux traces, light oils, finger prints and other contaminants
- 500 ml



2-26 ELECTRO

REF 143TA6919

- Multi-purpose maintenance for electrical equipment
- Prevents electrical and electronic malfunction caused by water penetration, humidity, condensation or corrosion
- 500 ml



MINUS 50

REF 143TA6920

- Coolant for electrical and electronic use
- Not flammable
- Used to cool down parts and components to temperatures below 0 °C to a minimum of -50 °C
- 500 ml



CONTACT CLEANER

REF 107TA1815

- High-quality spray to clean electrical contacts such as switches, batteries, contact points, printed circuit board switches and multiple sockets
- 400 ml





ELECTRONIC COMPONENT CLEANER

REF [141TA6721](#)

- Liquid cleaner without surfactants for overall cleaning and degreasing of electronic controllers & electrical components, printed circuit boards, transformers & generators, electric motors
- 400 ml



TOTAL SOURCE®

LOW STRENGTH THREADLOCKER

REF [143TA3464](#)

- Low strength, general purpose
- Max thread size: M36
- Service temperature range: -55 to 150 °C
- Strength: medium
- Breakaway torque: 6 Nm
- Viscosity: 900–1500 mPa·s
- Fixture time: 25 min
- 50 ml

Loctite 222:

- Ideal for low-strength thread locking of adjusting screws, countersunk head screws and set screws
- Good on low strength metals which could break during disassembly, e.g. aluminium or brass



LOCTITE®

INSTANT ADHESIVE

REF [143TA3520](#)

- Gap filling, 2-component, low bloom
- Service temperature range: -40 to 80 °C
- Viscosity: gel
- Substrates:
 - Plastic: suited
 - Rubber: well suited
 - Metal: suited
 - Porous and/or acidic surfaces: well suited
- Fixture time: 90–150 sec
- 10 g

Loctite 3090:

- For applications with gaps up to 5 mm or excess of adhesive
- For applications where cosmetic aspects and low bloom is required
- For porous substrates such as wood, paper, leather, cork and fabric



LOCTITE®



CONICAL CUTTER



REF [143TA3314](#)

- Dia min: 4 mm
- Dia max: 30 mm

3-PIECE STEP DRILL SET



REF [143TA3171](#)

- HSS: 4-12, 4-20, 4-30 mm

40-PIECE TAP AND DIE SET – METRIC



REF [163TA7891](#)

INSULATING TAPE

REF [106TA9753](#)

- Red insulating tape
- 20 m x 19 mm x 0,15 mm thick

REF [106TA9754](#)

- Black insulating tape
- 20 m x 19 mm x 0,15 mm thick

- PVC
- Temperature durability: 90 °C
- Flame retardant





INSULATION TAPE



- REF [107TA7668](#) – Black
- REF [106TA9772](#) – Red
- REF [106TA9773](#) – Blue
- REF [106TA9768](#) – Yellow
- REF [106TA9769](#) – White
- Each ref contains 10 rolls of PVC insulation tape
- Length: 10 m
- Width: 19 mm


INSULATION TAPE



- REF [106TA9775](#)
- Set of 10 insulation sealing tape rolls in different colours
- Length: 10 m
- Width: 19 mm

HEAT-SHRINK TUBING 3/1

D	D	d	Colour	REF/metre
1,6 mm	1/16"	0,5 mm	Black	106TA9697
3,2 mm	1/8"	1 mm	Black	106TA9698
6,4 mm	1/4"	2 mm	Transparent	106TA9699
			Black	106TA9700
			Red	106TA9701
			Blue	106TA9702
9,5 mm	3/8"	3 mm	Transparent	106TA9703
			Black	106TA9704
12,7 mm	1/2"	4 mm	Red	106TA9705
			Blue	106TA9706
			Transparent	106TA9707
			Black	106TA9708
			Green	106TA9709
19,0 mm	3/4"	6 mm	Red	106TA9710
			Blue	106TA9711
			Black	106TA9712
			Yellow	106TA9713
			Green	106TA9714
25,4 mm	1"	8 mm	Transparent	106TA9715
			Black	106TA9716
39,0 mm	1 1/2"	13 mm	Black	106TA9718



HEAT GUN



- REF [127TA9779](#)
- Pos: 1240 l/min: 300 °C
- Pos: 2450 l/min: 500 °C
- Can be used with gun portrait placed on the worksheet





9-PIECE LONG HEXAGON BALL HEAD KEY SET – INCH



REF 142TA2687

Contents:

9 long hexagon ball head keys: 1/16" – 5/64" – 3/32" – 1/8" – 5/32" – 3/16" – 1/4" – 5/16" – 3/8"








39-PIECE 1/4" COMBINATION SET



REF 143TA3806

Contents:

-  11 hexagon sockets:
5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
-  4 slotted bits:
0,5 x 3 - 0,8 x 5,5 - 1 x 5,5 - 1,2 x 6,5 mm
-  4 Phillips bits:
PH0 - PH1 - PH2 - PH3
-  7 star bits:
T8 - T10 - T15 - T20 - T25 - T30 - T40
-  5 hexagon bits:
3 - 4 - 5 - 6 - 8 mm

- 1 bit holder socket: 1/4" x 1/4"
- 1 x 72-teeth ratchet
- 1 spinner
- 1 sliding T-handle
- 2 extensions: 50 - 150 mm
- 1 universal joint
- 1 adapter: F1/4" x M3/8"








3-PIECE PLIERS SET



REF 127TA8106

Contents:

-  Long needle nose pliers: 160 mm
-  Combination pliers: 180 mm
-  Diagonal cutter: 160 mm



DIAGONAL INSULATION STRIPPER



REF 141TA9984*

- With elongated cutting edge
- Vanadium electric steel; forged, oil-hardened
- Length: 160 mm

*Blister pack



CRIMPING PLIERS



REF 142TA1999

- Pliers black lacquered, handles with multi-component grips
- Special steel, high-strength
- Length: 240 mm





12-PIECE INSULATED (1000 V) SLOTTED AND PHILLIPS SCREWDRIVER SET

REF [142TA1927](#)

Contents:

- 7 slotted screwdrivers:
 2,4 x 75 – 3 x 100 – 3,5 x 100 – 4 x 100 – 5,5 x 125 –
 6,5 x 150 – 8 x 175 mm
- + 4 Phillips screwdrivers:
 PH0 x 60 – PH1 x 80 – PH2 x 100 – PH3 x 150 mm
- 1 induction circuit tester



SLOTTED 230 V TESTER



REF [163TA7901](#)

DIGITAL MULTIMETER

REF [142TA3131](#)

- AC/DC voltage: 600 V
- AC/DC current: 10 A
- Diode test
- Transistor test
- Continuity test with buzzer
- Resistance
- Capacitance
- Data hold
- Low battery indication
- Backlight
- 9 V battery and protection holster included
- CAT.II 600 V





FLUKE® 175 – DIGITAL MULTIMETER

Versatile meters for field service or bench repair

These meters have the features needed to find most electrical, electromechanical and heating and ventilation problems.

They are simple to use and have significant improvements over Fluke's original 70 Series like True RMS, more measurement functions, conformance to the latest safety standards, and a much larger display that is easier to view.

Features:

True RMS measurements	AC
Digital display counts, updates 4 times per second	6000
Analog bargraph/33 segments, updates 40 times per second	✓
Auto and manual ranging	✓
Display hold and AutoHOLD®	✓
Min-Max-Average recording mode with Min/Max Alert	✓
Smoothing mode allows filtering of rapidly changing inputs	✓
Audible continuity and diode test	✓
Test lead alert	✓
Unsafe voltage alert warns for voltages above 30 V	✓
Low battery indication	✓
Ergonomic case with integrated holster	✓
Easy battery and fuse exchange without opening the complete case	✓
Selectable sleep mode preserves battery life	✓

Specifications:

Functions	Max range	Max resolution	Accuracy
Voltage DC	1000 V	0,1 mV	± (0,15% + 2)
Voltage AC	1000 V	0,1 mV	± (1,0% + 3)
Current DC	10 A	0,01 mA	± (1,0% + 3)
Current AC	10 A	0,01 mA	± (1,5% + 3)
Resistance	50 MΩ	0,1 Ω	± (0,9% + 1)
Capacitance	10 000 μF	1 nF	± (1,2% + 2)
Frequency	100 kHz	0,01 Hz	± (0,1% + 1)
Temperature	-40 °C to 400 °C	0,1 °C	

Accuracies are best accuracies for each function



REF 131TA8447

Fluke® 175

- Battery life: 200 hours typical (alkaline)
- Size (H x W x D): 190 x 85 x 45 mm
- Weight: 0,42 kg
- Warranty: lifetime



Included accessories:

Test leads with 4 mm lantern tips and protective cap, installed 9 V battery and user's manual.

Recommended accessories:



REF 131TA8448
C90

REF 131TA8445
i1010

REF 134TA8375
TLK220 eur

FLUKE®

TVH is an official Fluke® dealer



VERNIER CALIPER



REF [142TA3056](#)

- Digital with on/off button
- Length: 0-150 mm

MEASURING TAPES WITH MAGNET



Length	REF
2 m	142TA3041
3 m	142TA3042
5 m	142TA3040
10 m	142TA3043

WORKEASY BLACK

- REF [143TA6973](#) – Size: 6
- REF [143TA6974](#) – Size: 7
- REF [143TA6975](#) – Size: 8
- REF [143TA6976](#) – Size: 9
- REF [143TA6977](#) – Size: 10
- REF [143TA6978](#) – Size: 11



Recommendations:

Fine handling in a dry environment

Applications:

- Assembly and electrical components (semi-conductors, microprocessors)
- Separation of small items (household appliances, automotive industry, nuts and bolts)
- Electronic

Advantages:

- Exceptional dexterity and breathability
- Without silicone

Standard:

- Cat II
- EN 420
- EN 388:3121

