

# Katalog




# Starterkränze



## ***TOTAL SOURCE***<sup>®</sup>

# Part: 3 RING GEARS




# RING GEARS

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

RING GEARS

**complete range**




quantity of teeth AT-TA	thickness (mm) B	inner diameter (mm) D2	outer diameter (mm) D	engine make	reference
80	8	228	259		<a href="#">103TA2414</a>
82	10	226	250		<a href="#">103TA2409</a>
82	17	226	250		<a href="#">103TA2410</a>
86	8	185,5	220,5	KUBOTA	<a href="#">136TA8282</a>
88	9,5	257	284		<a href="#">103TA2435</a>
89	13,8	238	273		<a href="#">136TA4090</a>
90	8	190	232		<a href="#">103TA2403</a>
90	8	190	233		<a href="#">103TA2404</a>
90	19	355	386		<a href="#">103TA2574</a>
92	15	245	286	HANOMAG	<a href="#">124TA2974</a>
93	13	263	300		<a href="#">103TA2456</a>
93	19	355	399		<a href="#">103TA2598</a>
94	15	266,5	300		<a href="#">103TA2457</a>
94	16	266,5	302,5		<a href="#">136TA4092</a>
96	9,5	279	339	CONTINENTAL	<a href="#">136TA4054</a>
96	12	286	310		<a href="#">136TA8213</a>
96	17	285	308	CONTINENTAL	<a href="#">136TA8212</a>
97	11,8	270	296,3		<a href="#">124TA3401</a>
98	8	218	251		<a href="#">136TA8292</a>
98	8	218	251	KUBOTA	<a href="#">136TA4042</a>
98	8	234	257	MAZDA	<a href="#">136TA8201</a>
98	15	270	299		<a href="#">103TA2454</a>
99	12,5	274	303	NISSAN	<a href="#">124TA3004</a>
100	15,8	294	322	LANDROVER	<a href="#">103TA2644</a>
101	13	270	309		<a href="#">136TA8277</a>
102	12	297	328	PEUGEOT	<a href="#">136TA4048</a>
102	14	274	328		<a href="#">103TA2482</a>
102	15,2	281	310	ISUZU	<a href="#">124TA3010</a>
103	11,9	307	331	CONTINENTAL	<a href="#">124TA3035</a>
103	12	283	314,3	NISSAN	<a href="#">124TA2902</a>
103	12	307	332		<a href="#">103TA2491</a>
103	15,2	275	312		<a href="#">124TA7150</a>
103	15,3	285	313	DEUTZ	<a href="#">136TA4109</a>
104	12	285	318		<a href="#">136TA8279</a>
104	13	233	266		<a href="#">103TA2421</a>
104	13	309	332		<a href="#">103TA2492</a>
104	13	311	335		<a href="#">103TA2500</a>
104	16	307	335	PERKINS	<a href="#">136TA4052</a>
105	8	228	261		<a href="#">103TA2418</a>
105	9	236	270		<a href="#">103TA2422</a>
105	10	218	263		<a href="#">103TA2419</a>
105	10	240	270	NISSAN	<a href="#">136TA4043</a>
105	10	240	271		<a href="#">136TA4123</a>
105	13	230	260	ZETOR	<a href="#">124TA2947</a>
105	15	227	261		<a href="#">103TA2417</a>

# RING GEARS

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



## complete range



RING GEARS


quantity of teeth AT-TA	thickness (mm) B	inner diameter (mm) D2	outer diameter (mm) D	engine make	reference
105	15	288	318	TOYOTA	<a href="#">136TA4047</a>
106	9	239	272		<a href="#">103TA2424</a>
106	14	310	341	RENAULT	<a href="#">136TA8225</a>
107	13	242	274		<a href="#">103TA2426</a>
107	14	304	344		<a href="#">103TA2514</a>
108	8	240	273		<a href="#">136TA4120</a>
108	9	270	301,5		<a href="#">124TA3377</a>
108	11	295,5	329		<a href="#">136TA4105</a>
108	12,4	320,6	349,8	FORD	<a href="#">106TA7000</a>
108	13,1	300	331	TOYOTA	<a href="#">136TA8216</a>
108	15	249	278	NISSAN	<a href="#">108TA5150</a>
108	15,3	270	301,5	ISUZU	<a href="#">124TA2891</a>
108	20	279	331	TOYOTA	<a href="#">136TA4049</a>
109	9,2	323	351	CONTINENTAL	<a href="#">136TA4058</a>
109	10	234	277,5		<a href="#">136TA8265</a>
109	10	234	278	PERKINS	<a href="#">136TA4044</a>
110	9,8	245	281	MITSUBISHI	<a href="#">136TA8203</a>
110	9,8	245	281		<a href="#">124TA2955</a>
110	11,2	305	334	KOMATSU	<a href="#">136TA8260</a>
110	12	254,5	284		<a href="#">136TA4102</a>
110	12	255	285	PEUGEOT	<a href="#">124TA2973</a>
110	12	257	284	PEUGEOT	<a href="#">136TA8205</a>
110	12	306	334	FIAT SOFIM	<a href="#">136TA8218</a>
110	12	324	352	PEUGEOT	<a href="#">124TA3132</a>
110	13	250	279		<a href="#">103TA2429</a>
110	15	293	335	FIAT	<a href="#">136TA8219</a>
110	15	293	335		<a href="#">136TA4122</a>
110	15	304	337	MITSUBISHI	<a href="#">136TA8222</a>
110	15,1	285	337	MITSUBISHI	<a href="#">124TA3076</a>
110	15,3	304,5	335,4		<a href="#">136TA4095</a>
110	16	305	334	KOMATSU	<a href="#">124TA3394</a>
110	16	325	354	INTERNATIONAL	<a href="#">124TA3133</a>
110	16,2	305	335		<a href="#">136TA8271</a>
111	9,1	330	357,5		<a href="#">136TA4084</a>
111	17,5	331	356,5	ALLIS CHALMERS	<a href="#">136TA8261</a>
111	19	336	361		<a href="#">103TA2546</a>
112	9	254	282		<a href="#">103TA2432</a>
112	9	255	288		<a href="#">103TA2443</a>
112	9,4	333	360	CONTINENTAL	<a href="#">136TA8230</a>
112	13,5	330	360	CONTINENTAL	<a href="#">136TA8229</a>
112	14	332	359		<a href="#">103TA2536</a>
112	14	333	360	CONTINENTAL	<a href="#">136TA8231</a>
112	15,3	280	314	ISUZU	<a href="#">124TA3016</a>
112	16	329,5	360,5		<a href="#">136TA4098</a>
112	17,6	333	360	PERKINS	<a href="#">136TA8232</a>

# RING GEARS

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

RING GEARS

**complete range**




quantity of teeth AT-TA	thickness (mm) B	inner diameter (mm) D2	outer diameter (mm) D	engine make	reference
112	19	333	358		<a href="#">103TA2535</a>
112	19	334	360		<a href="#">103TA2544</a>
113	12,1	315	345	NISSAN	<a href="#">136TA8227</a>
113	15	312	345	MITSUBISHI	<a href="#">124TA3098</a>
114	9	289	319	ISUZU	<a href="#">136TA8214</a>
114	12	263,7	293		<a href="#">116TA7416</a>
114	14	316	350	YANMAR	<a href="#">124TA3335</a>
114	15	316	348,5		<a href="#">136TA4108</a>
114	18	310	348	NISSAN	<a href="#">108TA5142</a>
114	18,5	210	248		<a href="#">103TA2637</a>
114	19	308	348	MITSUBISHI	<a href="#">136TA4056</a>
114	28	297,5	365		<a href="#">136TA4081</a>
115	9	264,7	295		<a href="#">136TA4085</a>
115	9,3	260	294,8	TOYOTA	<a href="#">124TA2985</a>
115	12	222	247		<a href="#">103TA2408</a>
115	12	262	294	NISSAN	<a href="#">124TA2992</a>
115	16	325	357		<a href="#">103TA2532</a>
115	16,2	316	350	MWM	<a href="#">106TA7011</a>
115	17	341	369,7		<a href="#">136TA8264</a>
116	10	251	292		<a href="#">103TA2445</a>
116	12	276	299		<a href="#">103TA2455</a>
117	8	221	247	RENAULT	<a href="#">136TA4041</a>
117	9	270	301		<a href="#">103TA2459</a>
117	12,5	348	376	FORD PERKINS GM	<a href="#">136TA8240</a>
117	15,1	285	326	TOYOTA	<a href="#">124TA3026</a>
117	15,4	269	303	ISUZU	<a href="#">124TA3002</a>
117	16	267	299		<a href="#">103TA2451</a>
117	16,2	325	358	INTERNATIONAL	<a href="#">124TA3136</a>
117	17,4	345	370		<a href="#">136TA8280</a>
117	17,5	347	376	CATERPILLAR	<a href="#">136TA4113</a>
119	18	324,7	363	INTERNATIONAL	<a href="#">124TA3334</a>
120	9,8	270	306	NISSAN MITSUBISHI	<a href="#">136TA4115</a>
120	11	278	305		<a href="#">124TA3396</a>
120	12	274	306	NISSAN	<a href="#">124TA3005</a>
120	15,5	332	362,2		<a href="#">136TA4110</a>
120	20	304	365	ZETOR	<a href="#">124TA3162</a>
121	9,5	232	262	RENAULT	<a href="#">136TA8254</a>
121	15,1	305	338	TOYOTA	<a href="#">136TA8223</a>
121	16	334	368,6		<a href="#">116TA7407</a>
122	8	227	257	RENAULT	<a href="#">124TA2943</a>
122	8,5	274	314		<a href="#">103TA2472</a>
122	9	281	312	MAZDA	<a href="#">124TA3012</a>
122	13,1	281	314	ISUZU	<a href="#">124TA3018</a>
122	14	334	372		<a href="#">136TA8262</a>
122	14,1	334	372	MITSUBISHI	<a href="#">136TA4111</a>

# RING GEARS

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



## complete range



RING GEARS


quantity of teeth AT-TA	thickness (mm) B	inner diameter (mm) D2	outer diameter (mm) D	engine make	reference
122	15	338	370	mitsubishi	<a href="#">136TA8237</a>
122	16	290	313,5		<a href="#">119TA8972</a>
122	16	367	392		<a href="#">103TA2584</a>
122	17,5	330	393	PERKINS	<a href="#">124TA3249</a>
122	17,5	364	391	PERKINS	<a href="#">136TA8242</a>
122	17,7	330	392		<a href="#">136TA4082</a>
123	9,7	286	311,8		<a href="#">136TA4086</a>
123	11	233	260		<a href="#">103TA2416</a>
123	16	320	374		<a href="#">108TA5151</a>
124	9,5	231	261,5	RENAULT	<a href="#">136TA8258</a>
124	13	287	320		<a href="#">103TA2479</a>
124	13	371	399	CONTINENTAL	<a href="#">136TA4075</a>
125	9	284	319	TOYOTA	<a href="#">124TA3022</a>
125	12	317	356		<a href="#">103TA2527</a>
125	16	335	380	MERCEDES	<a href="#">106TA7001</a>
125	18,2	356	401,7		<a href="#">136TA4100</a>
125	21,5	335	380	MERCEDES	<a href="#">124TA3206</a>
125	25	349	381	MERCEDES	<a href="#">124TA3208</a>
126	9,8	279	321	PERKINS	<a href="#">136TA8252</a>
126	10	279	321		<a href="#">136TA8293</a>
126	12	317	351	ISUZU	<a href="#">136TA8228</a>
126	14	372	404	CONTINENTAL	<a href="#">136TA8247</a>
126	15	369	404	HERCULES	<a href="#">136TA8246</a>
126	15,5	354	384	DEUTZ	<a href="#">124TA3210</a>
126	17,5	375,5	404	MAZDA	<a href="#">136TA8263</a>
126	17,5	377	404	PERKINS	<a href="#">136TA8248</a>
126	19	371	404	CONTINENTAL	<a href="#">136TA4065</a>
126	20	320	385		<a href="#">103TA2571</a>
127	9	247	271	FIAT	<a href="#">108TA5147</a>
127	12	247	272	FIAT	<a href="#">136TA8202</a>
127	14,1	296,5	327,5		<a href="#">136TA8273</a>
127	16	384	408		<a href="#">136TA4103</a>
127	17	355	385	KOMATSU	<a href="#">124TA3214</a>
127	18	355	387		<a href="#">124TA2936</a>
127	19	339	385,5	TOYOTA	<a href="#">124TA3212</a>
127	20	351,8	387	mitsubishi	<a href="#">136TA4112</a>
127	20	352	387	mitsubishi	<a href="#">136TA4061</a>
127	25	339	386	TOYOTA	<a href="#">124TA3217</a>
128	15,8	371	408		<a href="#">136TA4096</a>
128	16	358	411	FORD	<a href="#">136TA8250</a>
128	16	370	409	FORD	<a href="#">136TA8249</a>
129	10	279	328,5	mitsubishi	<a href="#">124TA3340</a>
129	11	285,2	328	mitsubishi	<a href="#">124TA3384</a>
129	15,5	364	392		<a href="#">103TA2582</a>
129	15,5	365	392	DEUTZ	<a href="#">136TA8286</a>

# RING GEARS

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)

RING GEARS

## complete range




quantity of teeth AT-TA	thickness (mm) B	inner diameter (mm) D2	outer diameter (mm) D	engine make	reference
129	15,6	364,5	391,5		<a href="#">136TA4097</a>
129	16	365	393	DEUTZ	<a href="#">124TA3266</a>
129	16,2	358,5	393		<a href="#">116TA7415</a>
129	18	357	393	INTERNATIONAL	<a href="#">124TA3258</a>
129	18	363	392		<a href="#">136TA4101</a>
129	18	364	393	NISSAN	<a href="#">136TA8244</a>
129	19	361	392,5	ISUZU	<a href="#">124TA3247</a>
129	20	352	393	MITSUBISHI	<a href="#">124TA3256</a>
129	22	361	392,5	ISUZU	<a href="#">124TA2905</a>
130	9,5	303	332	FORD	<a href="#">124TA3348</a>
130	12	306	335	PEUGEOT	<a href="#">136TA4051</a>
130	18	356	395	FIAT	<a href="#">136TA8256</a>
130	18	356	395	FIAT	<a href="#">136TA8245</a>
130	18,1	360	394	KOMATSU	<a href="#">124TA3271</a>
131	8,9	309	335		<a href="#">136TA4077</a>
131	19,1	364	395	KOMATSU	<a href="#">124TA3276</a>
131	22	365	399	ISUZU	<a href="#">136TA4064</a>
132	8	247	281	VOLKSWAGEN	<a href="#">136TA8204</a>
132	10	257	280,5		<a href="#">136TA8269</a>
132	10	279	336	MITSUBISHI	<a href="#">136TA8220</a>
132	10,5	310	336	MITSUBISHI	<a href="#">136TA8221</a>
132	15,4	332	371		<a href="#">136TA4117</a>
132	15,5	285	336		<a href="#">124TA2932</a>
132	17,3	393	424	PERKINS	<a href="#">124TA3326</a>
133	9	304,8	340,3		<a href="#">136TA8284</a>
133	9	305	340		<a href="#">136TA4099</a>
133	9,1	304	340	TOYOTA	<a href="#">136TA8224</a>
133	9,2	304	333,5	DEUTZ	<a href="#">124TA3039</a>
133	9,2	305	333	DEUTZ	<a href="#">136TA8217</a>
133	11,7	305	334		<a href="#">136TA8275</a>
133	16	360	404,5	VAMO	<a href="#">136TA8253</a>
133	17	372	404		<a href="#">136TA4080</a>
134	9	252	287	FIAT	<a href="#">136TA8206</a>
134	9	316,8	344,7	NISSAN	<a href="#">136TA8257</a>
134	9,4	316	344,7		<a href="#">136TA8289</a>
134	9,5	252	288		<a href="#">124TA2976</a>
134	11,9	315,7	344,8		<a href="#">136TA8270</a>
134	12	312	345	NISSAN	<a href="#">136TA8226</a>
134	15,3	376	430		<a href="#">116TA7411</a>
135	8	256	287	VOLKSWAGEN	<a href="#">136TA8207</a>
135	8	265	287	VOLKSWAGEN	<a href="#">136TA8208</a>
135	8,7	257,5	284,8		<a href="#">136TA8266</a>
135	9	261	287,4		<a href="#">136TA8281</a>
135	10	256	286,8		<a href="#">136TA8274</a>
135	12,2	260	289		<a href="#">116TA7410</a>

# RING GEARS

For all our latest catalogue updates and company info: [www.tvh.com](http://www.tvh.com)



## complete range



RING GEARS

quantity of teeth AT-TA	thickness (mm) B	inner diameter (mm) D2	outer diameter (mm) D	engine make	reference
135	22,5	402	430		<a href="#">103TA2618</a>
136	10	264	290	PEUGEOT	<a href="#">124TA2983</a>
136	13	319	350	TOYOTA	<a href="#">136TA4057</a>
138	9	266	295		<a href="#">136TA8291</a>
138	9	266	296	FORD	<a href="#">136TA8209</a>
138	9	274	296	FORD	<a href="#">136TA8210</a>
138	9	325	356	MAZDA	<a href="#">136TA8255</a>
138	9	327	355,5	MAZDA	<a href="#">109TA2523</a>
138	13	324	356	KIA	<a href="#">136TA4059</a>
139	9,5	269	299	RENAULT	<a href="#">136TA8211</a>
139	13	332	356		<a href="#">103TA2531</a>
139	19	415	447		<a href="#">103TA2619</a>
139	22	457	495		<a href="#">136TA8288</a>
140	9,2	332,7	359,4	CONTINENTAL	<a href="#">136TA8259</a>
140	12	268	299	MERCEDES	<a href="#">136TA4045</a>
140	19	394	425,7	ISUZU	<a href="#">136TA4107</a>
140	22	392	425	VOLVO	<a href="#">136TA4069</a>
141	20	360	431		<a href="#">136TA8290</a>
142	9	330	365	WAUKESHA	<a href="#">136TA8234</a>
142	9	333	365	CONTINENTAL	<a href="#">136TA8235</a>
142	9	333	366		<a href="#">136TA8236</a>
142	11,6	281	302	GM	<a href="#">124TA3000</a>
142	14	330	365	CONTINENTAL	<a href="#">136TA8233</a>
143	13	328,5	363		<a href="#">124TA2928</a>
144	12	275	306,5	MERCEDES	<a href="#">136TA4070</a>
146	9	345	372		<a href="#">136TA8287</a>
146	9	345	372	CHRYSLER	<a href="#">136TA8238</a>
146	9	347	374,5	CONTINENTAL	<a href="#">136TA8239</a>
146	12	278	312		<a href="#">136TA8276</a>
146	12,5	338	370		<a href="#">103TA2555</a>
146	14	374	346		<a href="#">136TA4121</a>
146	22	390	444		<a href="#">116TA7413</a>
146	22,5	397	443		<a href="#">136TA8272</a>
147	16,5	442	473		<a href="#">103TA2621</a>
148	12	290	316,5		<a href="#">136TA4093</a>
148	12	292	317		<a href="#">136TA4598</a>
152	14	362	390		<a href="#">124TA2938</a>
153	11,3	305	326		<a href="#">124TA2898</a>
153	14	362	390	NISSAN	<a href="#">136TA8241</a>
156	9,5	310	330	FORD	<a href="#">136TA8215</a>
156	17,5	361	396		<a href="#">103TA2596</a>
156	21,8	440	477	VOLVO	<a href="#">136TA4072</a>
157	9,5	304	338		<a href="#">136TA8285</a>
157	12	297	335		<a href="#">116TA7412</a>
158	9,4	376	405,7		<a href="#">136TA4078</a>



